

ICD-10 CM 檢索系統

操作手冊

指導單位：衛生福利部中央健康保險署

執行單位：台灣病歷資訊管理學會

中華民國一〇三年八月二十七日製(第六版)


ICD-10 CM 檢索系統

目錄

一、系統介面	2
二、功能操作說明	3
(2-1) 代碼關鍵字查詢	3
(2-2) Diseases and Injuries	4
(2-3) External Cause	8
(2-4) Table of Neoplasms	10
(2-5) Table of Drugs and Chemicals	13
(2-6) 前三碼查詢	16
(2-7) 查詢功能說明-常見診斷	19
三、與 2010 版介面差異	21

一、系統介面


1. 系統介面最上方依據 CM Alphabetic Index 分為「Diseases and Injuries」、「External Cause」、「Table of Neoplasms」、「Table of Drugs and Chemicals」四項 Index。而「代碼關鍵字查詢」及「前三碼查詢」查詢方式為 CM 之代碼查詢。
2. 「Diseases and Injuries」、「External Cause」、「Table of Neoplasms」、「Table of Drugs and Chemicals」皆有自動完成查詢及索引關鍵字查詢。
3. 「自動完成查詢」及「索引關鍵字查詢」下方之文字方塊可讓使用者鍵入所需查詢的文字或代碼，『搜尋』鍵啟動搜尋功能。
4. 介面左方為依據 ICD-10 CM 各項 Index 字母順序排列之樹狀圖，使用者可直接點選樹狀圖找尋所需之 Index。
5. 系統右方為代碼結果區，依照使用者所搜尋到的 Index 產出完整代碼或部份代碼供使用者進一步選擇。
6. 代碼下方之「完整代碼」下拉選單，只有在使用者選取之代碼為“不完整代碼”才會啟用，使用者可利用該下拉選單選取完整代碼。



二、功能操作說明

(2-1) 代碼關鍵字查詢


1. 「代碼關鍵字」提供使用者直接查尋代碼說明的功能；使用者將看到任何含有他們所鍵入的關鍵字之完整 CM 代碼及英文說明。使用者可鍵入多字來搜尋代碼中同時存在的關鍵字(以空格為分格)。如前述，鍵入的關鍵字越多，系統會依據關鍵字產出的代碼越精準。



The screenshot shows a web-based search interface for medical codes. The search term 'lung' is entered in a text box, and a list of results is displayed below. The results are organized into two columns: 'CM碼' (ICD-9-CM code) and '英文說明' (English description). The first result, A06.5, is highlighted with a blue background.

CM碼	英文說明
A06.5	Amebic lung abscess
A15.0	Tuberculosis of lung
A52.72	Syphilis of lung and bronchus
B67.1	Echinococcus granulosus infection of lung
C34.10	Malignant neoplasm of upper lobe, unspecified bronchus or lung
C34.11	Malignant neoplasm of upper lobe, right bronchus or lung
C34.12	Malignant neoplasm of upper lobe, left bronchus or lung
C34.2	Malignant neoplasm of middle lobe, bronchus or lung
C34.30	Malignant neoplasm of lower lobe, unspecified bronchus or lung
C34.31	Malignant neoplasm of lower lobe, right bronchus or lung
C34.32	Malignant neoplasm of lower lobe, left bronchus or lung
C34.80	Malignant neoplasm of overlapping sites of unspecified bronchus and lung
C34.81	Malignant neoplasm of overlapping sites of right bronchus and lung
C34.82	Malignant neoplasm of overlapping sites of left bronchus and lung
C34.90	Malignant neoplasm of unspecified part of unspecified bronchus or lung
C34.91	Malignant neoplasm of unspecified part of right bronchus or lung
C34.92	Malignant neoplasm of unspecified part of left bronchus or lung
C46.50	Kaposi's sarcoma of unspecified lung
C46.51	Kaposi's sarcoma of right lung
C46.52	Kaposi's sarcoma of left lung
C78.00	Secondary malignant neoplasm of unspecified lung
C78.01	Secondary malignant neoplasm of right lung


1. 如範例所示：使用者鍵入的關鍵字"lung"，系統產出所有代碼說明內含"lung"。




1. 若使用者鍵入的關鍵字為"lung"和"left"，系統產出所有代碼說明內含"lung"和"left"關鍵字。
2. 鍵入的關鍵字越多，系統會過濾不含關鍵字之代碼，依據關鍵字產出的代碼越精準。

(2-2) Diseases and Injuries


1. 「Diseases and Injuries」為系統執行後之預設 Index Tab。
2. 有「自動完成查詢」及「索引關鍵字查詢」兩種查詢方式。




1. 「自動完成查詢」是指當使用者於下方文字方塊鍵入英文字時，系統會自動依據字母產出相關之關聯字。例如當使用者鍵入"a"時，下方會自動產出所有第一個字母為"a"的關聯字串。當使用者繼續鍵入"d"時，下方只會產出所有前兩位字母為"ad"的關聯字。
2. 當使用者挑選完關鍵字後，可按『搜尋』鍵(或 enter)啟動搜尋。



1. 系統會自動跳至該關鍵字的樹狀圖位置，右邊視窗並顯示詳細資料。
2. 紅字代表該 Index 是有碼可做連結說明，而黑字代表需再視說明尋找。
3. 系統界面右方會依據結果產出「代碼」、「英文說明」、「includes」、「Exclude1」及「Exclude1」等所有相關說明及資訊。



1. 「索引關鍵字查詢」，先點選索引關鍵字查詢。例如當使用者鍵入”Abrasion”，按下『搜尋』鍵下方視窗並會顯示搜尋結果。



1. 系統界面右方會依據結果產出「代碼」、「英文說明」、「includes」、「Exclude1」及「Exclude1」等所有相關說明及資訊。

查詢結果

代碼： **不完整代碼

英文說明： 完整代碼

S00.512 : Abrasion of oral cavity
S00.51 : Abrasion of lip and oral cavity
S00.5 : Superficial injury of lip and oral cavity
S00 : Superficial injury of head
The appropriate 7th character is to be added to each code from category S00 A -

1. 當查詢結果為“不完整代碼”時，下側之「完整代碼」下拉選單將會起動，使用者可利用該下拉選單挑選完整代碼。
2. 下方英文說明會隨著使用者挑選之“完整代碼”而改變。

查詢結果

代碼： **不完整代碼

英文說明： 完整代碼

S30.810 : Abrasion of lower back and pelvis
S30.810A
S30.810D
S30.810S
S30.81 : Abrasion of abdomen, lower back, pelvis and external genitals

1. 如範例，使用者可由下拉選單 S30.810A、S30.810D、S30.810S 中選取完整代碼。

查詢結果

代碼： **不完整代碼

英文說明： 完整代碼

Abrasion of lower back and pelvis, subsequent encounter

1. 選取 S30.810D 後，下方英文說明會隨著使用者挑選之“完整代碼”而改變。

(2-3) External Cause

1. 如同「Diseases and Injuries」,「External Cause」可使用「自動完成」及「索引關鍵字」查詢代碼。

代碼關鍵字查詢 Diseases and Injuries External Causes Table of Neoplasms Table of Drugs and Chemicals 前三碼查詢 常

自動完成查詢 索引關鍵字查詢

ac 搜尋 清除

Accident (to) X58
Acid throwing (assault) Y08.89
Activity (involving) (of victim at time of event) Y93.9

D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W

查詢結果

代碼:


英文說明: 完整代碼

Includes


Excludes1

Excludes2

1. 「自動完成查詢」是指當使用者於下方文字方塊鍵入英文字時，系統會自動依據字母產出相關之關聯字。例如當使用者鍵入"a"時，下方會自動產出所有第一個字母為"a"的關聯字串。當使用者繼續鍵入"c"時，下方只會產出所有前兩位字母為"ac"的關聯字。
2. 當使用者挑選完關鍵字後，可按『搜尋』鍵(或 enter)啟動搜尋。



1. 系統會自動跳至該關鍵字的樹狀圖位置，右邊視窗並顯示詳細資料。
2. 紅字代表該 Index 是有碼可做連結，而黑字代表需再視說明尋找。
3. 系統界面右方會依據結果產出「代碼」、「英文說明」、「includes」、「Exclude1」及「Exclude1」等所有相關說明及資訊。



1. 當查詢結果為"不完整代碼"時，下側之「完整代碼」下拉選單將會起動，使用者可利用該下拉選單挑選完整代碼。
2. 下方英文說明會隨著使用者挑選之"完整代碼"而改變。

查詢結果

代碼： **不完整代碼

英文說明： 完整代碼

X99.1 : Assault by knife, sequela

X99.1xxA

X99.1xxD

X99.1xxS

1. 如範例，使用者可由下拉選單 V99.1xxA、V99.1xxD、V99.1xxS 中選取完整代碼。

查詢結果

代碼： **不完整代碼

英文說明： 完整代碼

Assault by knife, sequela

1. 選取 V99.1xxS 後，下方英文說明會隨著使用者挑選之”完整代碼”而改變。

(2-4) Table of Neoplasms

1. 不同於前兩個 Index，當在「Table of Neoplasms」Index Tab 之下，介面是以表格方式呈現。

代碼關鍵字查詢 Diseases and Injuries External Causes Table of Neoplasms Table of Drugs and Chemicals 前三碼查詢 常

自動完成查詢 索引關鍵字查詢

搜尋 清除

Neoplasm	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
▶ abdomen,...	C76.2	C79.8-	D09.8	D36.7	D48.7	D49.89
- cavity	C76.2	C79.8-	D09.8	D36.7	D48.7	D49.89
- organ	C76.2	C79.8-	D09.8	D36.7	D48.7	D49.89
- viscera	C76.2	C79.8-	D09.8	D36.7	D48.7	D49.89
- wall-s...	C44.509	C79.2-	D04.5	D23.5	D48.5	D49.2
- - conn...	C49.4	C79.8-	-	D21.4	D48.1	D49.2

查詢結果

代碼： 完整代碼

英文說明：

C76.2 : Malignant neoplasm of abdomen


C76 : Malignant neoplasm of other and ill-defined sites

Includes


Excludes1

Excludes2


1. 當在「Table of Neoplasms」Index Tab 之下。使用「自動完成」及「索引關鍵字」查詢代碼時，使用者需再依據界面右方產出之表格點選代碼。下方會依據結果產出「代碼」、「英文說明」、「includes」、「Exclude1」及「Exclude1」等所有相關說明及資訊。



1. 「自動完成查詢」是指當使用者於下方文字方塊鍵入英文字時，系統會自動依據字母產出相關之關聯字。例如當使用者鍵入"a"時，下方會自動產出所有第一個字母為"a"的關聯字串。當使用者繼續鍵入"b"時，下方只會產出所有前兩位字母為"ab"的關聯字。
2. 當使用者挑選完關鍵字後，可按『搜尋』鍵(或 enter)啟動搜尋。



1. 例如使用者由左側樹狀圖點選『abdomen, abdominal』後，右方表格會出現由『abdomen, abdominal』所衍生的選項：cavity、organ、viscera、wall 和 connective。
2. 需再由右方表格選擇『Malignant Primary』、『Malignant Secondary』、『Ca in situ』、『Benign』、『Uncertain』及『Unspecified Behavior』中選取適當的代碼。



1. 「索引關鍵字查詢」，先點選索引關鍵字查詢。例如當使用者鍵入"Internal"，按下『搜尋』鍵下方視窗並會顯示搜尋結果。

代碼關鍵字查詢 Diseases and Injuries External Causes Table of Neoplasms Table of Drugs and Chemicals 前三碼查詢 常

● 自動完成查詢 ○ 索引關鍵字查詢

搜尋 清除

Neoplasm	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
adrenal	C74.9-	C79.7-	D09.3	D35.0-	D44.1-	D49.7
- capsule	C74.9-	C79.7-	D09.3	D35.0-	D44.1-	D49.7
- cortex	C74.0-	C79.7-	D09.3	D35.0-	D44.1-	D49.7
- gland	C74.9-	C79.7-	D09.3	D35.0-	D44.1-	D49.7
- medulla	C74.1-	C79.7-	D09.3	D35.0-	D44.1-	D49.7

查詢結果

代碼： **不完整代碼 完整代碼

英文說明：

C74.9 : Malignant neoplasm of unspecified part of adrenal gland

C74 : Malignant neoplasm of adrenal gland

Includes Excludes1 Excludes2

1. 當查詢結果為“不完整代碼”時，右側之「完整代碼」下拉選單將會起動，使用者可利用該下拉選單挑選完整代碼。
2. 下方英文說明會隨著使用者挑選之“完整代碼”而改變。

查詢結果

代碼： **不完整代碼 完整代碼

英文說明：

C74.9 : Malignant neoplasm of adrenal gland

C74 : Malignant neoplasm of adrenal gland

1. 如範例，使用者可由下拉選單 C74.90、C74.91、C74.92 中選取完整代碼。

查詢結果

代碼： **不完整代碼 完整代碼

英文說明：

Malignant neoplasm of unspecified part of left adrenal gland

1. 選取 C74.92 後，下方英文說明會隨著使用者挑選之“完整代碼”而改變。

(2-5) Table of Drugs and Chemicals

1. 不同於前兩個 Index，與「Table of Neoplasms」Index Tab 相同，當在「Table of Drugs and Chemicals」Index Tab 之下，介面是以表格方式呈現。

The screenshot shows the 'Table of Drugs and Chemicals' interface. On the left, a list of substances is displayed, with 'Dacarbazine' selected. The main area shows a table with columns for Substance, Poisoning, Accidental (Unintentional), Poisoning, Intentional Self-Harm, Poisoning, Assault, Poisoning, Undetermined, Adverse Effect, and Undetermined. The row for 'Dacarbazine' shows the code T45.1X1. Below the table, the search results for 'T45.1X1' are displayed, including the code, a note that it is an incomplete code, and the English description: 'T45.1X1 : Poisoning by antineoplastic and immunosuppressive drugs, accidental (unintentional)'. Below the description, there are sections for 'Includes', 'Excludes1', and 'Excludes2'.

Substance	Poisoning, Accidental (Unintentional)	Poisoning, Intentional Self-Harm	Poisoning, Assault	Poisoning, Undetermined	Adverse Effect	Undetermined
Dacarbazine	T45.1X1	T45.1X2	T45.1X3	T45.1X4	T45.1X5	T45.1X6

查詢結果
代碼： **不完整代碼 完整代碼

英文說明：
T45.1X1 : Poisoning by antineoplastic and immunosuppressive drugs, accidental (unintentional)
Poisoning by antineoplastic and immunosuppressive drugs NOS


T45.1X : Poisoning by, adverse effect of and underdosing of antineoplastic and immunosuppressive drugs

Includes:


Excludes1: T45.1X : poisoning by, adverse effect of and underdosing of tamoxifen (T38.6)

Excludes2:


1. 當在「Table of Drugs and Chemicals」Index Tab 之下。使用「自動完成」及「索引關鍵字」查詢代碼時，使用者需再依據界面右方產出之表格點選代碼。下方會依據結果產出「代碼」、「英文說明」、「includes」、「Exclude1」及「Exclude1」等所有相關說明及資訊。



1. 「自動完成查詢」是指當使用者於下方文字方塊鍵入英文字時，系統會自動依據字母產出相關之關聯字。例如當使用者鍵入"d"時，下方會自動產出所有第一個字母為"a"的關聯字串。
2. 當使用者挑選完關鍵字後，可按『搜尋』鍵(或 enter)啟動搜尋。



1. 例如使用者由左側樹狀圖點選『Daphne(gnidium)(mezereum)』後，右方表格會出現由『Daphne(gnidium)(mezereum)』所衍生的選項：berry。
2. 需再由右方表格選擇『Substance』、『unintentional』、『self-harm』、『Assault』、『Undetermined』及『effect』中選取適當的代碼。



1. 「索引關鍵字查詢」，先點選索引關鍵字查詢。例如當使用者鍵入"Poison"，按下『搜尋』鍵下方視窗並會顯示搜尋結果。

代碼關鍵字查詢 Diseases and Injuries External Causes Table of Neoplasms Table of Drugs and Chemicals 前三碼查詢 常

自動完成查詢 索引關鍵字查詢

poison 搜尋 清除

- A
 - Ant poison—see Insecticide
- B
 - Berries, poisonous
- P
 - Poison NEC
 - Poisonous berries
- R
 - Rat poison NEC
- S
 - Scilla, rat poison
 - Seeds(poisonous)

Substance	Poisoning, Accidental (Unintentional)	Poisoning, Intentional Self-Harm	Poisoning Assault	Poisoning, Undetermined	Adverse Effect	Und
Danilone	T45.511	T45.512	T45.513	T45.514	T45.515	T45.516

查詢結果
代碼: T45.511 **不完整代碼 完整代碼

英文說明:
T45.511 : Poisoning by anticoagulants, accidental (unintentional)
 Poisoning by anticoagulants NOS
T45.51 : Poisoning by, adverse effect of and underdosing of anticoagulants

Includes Excludes1 Excludes2

1. 當查詢結果為"不完整代碼"時，右側之「完整代碼」下拉選單將會起動，使用者可利用該下拉選單挑選完整代碼。
2. 下方英文說明會隨著使用者挑選之"完整代碼"而改變。

查詢結果

代碼： **不完整代碼 完整代碼

英文說明：

1. 如範例，使用者可由下拉選單 T45.511A、T45.511D、T45.511S 中選取完整代碼。

查詢結果

代碼： **不完整代碼 完整代碼

英文說明：

1. 選取 T45.511S 後，下方英文說明會隨著使用者挑選之”完整代碼”而改變。

(2-6) 前三碼查詢

1. 「前三碼查詢」是在使用者對於 CM 代碼已有相當的了解與認識時；可直接鍵入代碼的前三碼，程式會呈現查詢到的結果。
2. 在介面右側亦會呈現出使用者所查詢三碼後之所有第四碼之組合，使用者可利用第四碼組合的 Radio Button 來過濾結果。
3. 使用者亦可直接點選查詢之結果代碼，系統將會跳出新的視窗呈現該代碼之詳細說明。
4. CM 不完整代碼將不會呈現於表格之中。
5. 因不完整代碼並不會呈現於表格之中，故新跳出的說明視窗將會連完整代碼之父階層代碼說明一併呈現。

代碼關鍵字查詢 Diseases and Injuries External Cause Table of Neoplasms Table of Drugs and Chemicals 前三碼查詢 常

H40 搜尋 清除

請參照查詢本類目碼詳細規定 H40.0 H40.1 H40.2 H40.3 H40.4 H40.5 H40.6 H40.8 H40.9

CM碼	英文說明
H40.001	Preglaucoma, unspecified, right eye
H40.002	Preglaucoma, unspecified, left eye
H40.003	Preglaucoma, unspecified, bilateral
H40.009	Preglaucoma, unspecified, unspecified eye
H40.011	Open angle with borderline findings, low risk, right eye
H40.012	Open angle with borderline findings, low risk, left eye
H40.013	Open angle with borderline findings, low risk, bilateral
H40.019	Open angle with borderline findings, low risk, unspecified eye
H40.021	Open angle with borderline findings, high risk, right eye
H40.022	Open angle with borderline findings, high risk, left eye
H40.023	Open angle with borderline findings, high risk, bilateral
H40.029	Open angle with borderline findings, high risk, unspecified eye
H40.031	Anatomical narrow angle, right eye
H40.032	Anatomical narrow angle, left eye
H40.033	Anatomical narrow angle, bilateral
H40.039	Anatomical narrow angle, unspecified eye
H40.041	Steroid responder, right eye
H40.042	Steroid responder, left eye
H40.043	Steroid responder, bilateral
H40.049	Steroid responder, unspecified eye
H40.051	Ocular hypertension, right eye

搜尋"H40"

代碼關鍵字查詢 Diseases and Injuries External Causes Table of Neoplasms Table of Drugs and Chemicals 前三碼查詢 常

H40 搜尋 清除

請參照查詢本類目碼詳細規定 H40.0 H40.1 H40.2 H40.3 H40.4 H40.5 H40.6 H40.8 H40.9

CM碼	英文說明
H40.20X0	Unspecified primary angle-closure glaucoma, stage unspecified
H40.20X1	Unspecified primary angle-closure glaucoma, mild stage
H40.20X2	Unspecified primary angle-closure glaucoma, moderate stage
H40.20X3	Unspecified primary angle-closure glaucoma, severe stage
H40.20X4	Unspecified primary angle-closure glaucoma, indeterminate stage
H40.211	Acute angle-closure glaucoma, right eye
H40.212	Acute angle-closure glaucoma, left eye
H40.213	Acute angle-closure glaucoma, bilateral
H40.219	Acute angle-closure glaucoma, unspecified eye
H40.2210	Chronic angle-closure glaucoma, right eye, stage unspecified
H40.2211	Chronic angle-closure glaucoma, right eye, mild stage
H40.2212	Chronic angle-closure glaucoma, right eye, moderate stage
H40.2213	Chronic angle-closure glaucoma, right eye, severe stage
H40.2214	Chronic angle-closure glaucoma, right eye, indeterminate stage
H40.2220	Chronic angle-closure glaucoma, left eye, stage unspecified
H40.2221	Chronic angle-closure glaucoma, left eye, mild stage
H40.2222	Chronic angle-closure glaucoma, left eye, moderate stage
H40.2223	Chronic angle-closure glaucoma, left eye, severe stage
H40.2224	Chronic angle-closure glaucoma, left eye, indeterminate stage
H40.2230	Chronic angle-closure glaucoma, bilateral, stage unspecified
H40.2231	Chronic angle-closure glaucoma, bilateral, mild stage

點選"H40.2"過濾

代碼關鍵字查詢	Diseases and Injuries	External Cause	Table of Neoplasms	Table of Drugs and Chemicals	前三碼查詢	常頁
H40		搜尋		清除		
請參照查詢本類目碼詳細規定		<input type="radio"/> H40.0 <input type="radio"/> H40.1 <input checked="" type="radio"/> H40.2 <input type="radio"/> H40.3 <input type="radio"/> H40.4 <input type="radio"/> H40.5 <input type="radio"/> H40.6 <input type="radio"/> H40.8 <input type="radio"/> H40.9				
CM碼	英文說明					
H40.212	Acute angle-closure glaucoma, left eye					
H40.213	Acute angle-closure glaucoma, bilateral					
H40.219	Acute angle-closure glaucoma, unspecified eye					
H40.2210	Chronic angle-closure glaucoma, right eye, stage unspecified					
H40.2211	Chronic angle-closure glaucoma, right eye, mild stage					
H40.2212	Chronic angle-closure glaucoma, right eye, moderate stage					
H40.2213	Chronic angle-closure glaucoma, right eye, severe stage					
H40.2214	Chronic angle-closure glaucoma, right eye, indeterminate stage					
H40.2220	Chronic angle-closure glaucoma, left eye, stage unspecified					
H40.2221	Chronic angle-closure glaucoma, left eye, mild stage					
H40.2222	Chronic angle-closure glaucoma, left eye, moderate stage					
H40.2223	Chronic angle-closure glaucoma, left eye, severe stage					
H40.2224	Chronic angle-closure glaucoma, left eye, indeterminate stage					
H40.2230	Chronic angle-closure glaucoma, bilateral, stage unspecified					
H40.2231	Chronic angle-closure glaucoma, bilateral, mild stage					
H40.2232	Chronic angle-closure glaucoma, bilateral, moderate stage					
H40.2233	Chronic angle-closure glaucoma, bilateral, severe stage					
H40.2234	Chronic angle-closure glaucoma, bilateral, indeterminate stage					
H40.2290	Chronic angle-closure glaucoma, unspecified eye, stage unspecified					
H40.2291	Chronic angle-closure glaucoma, unspecified eye, mild stage					
H40.2292	Chronic angle-closure glaucoma, unspecified eye, moderate stage					


點選“H40.212”查看詳細說明

代碼關鍵字查詢	Diseases and Injuries	External Cause	Table of Neoplasms	Table of Drugs and Chemicals	前三碼查詢	常頁		
H40		查詢結果		查詢				
請參照查詢本類目碼詳細規定		代碼： <input type="text" value="H40.212"/> CC		<input type="radio"/> H40.0 <input type="radio"/> H40.1 <input checked="" type="radio"/> H40.2 <input type="radio"/> H40.3 <input type="radio"/> H40.4 <input type="radio"/> H40.5 <input type="radio"/> H40.6 <input type="radio"/> H40.8 <input type="radio"/> H40.9				
CM碼	英文說明	H40.212 : Acute angle-closure glaucoma, left eye H40.21 : Acute angle-closure glaucoma Acute angle-closure glaucoma attack Acute angle-closure glaucoma crisis H40.2 : Primary angle-closure glaucoma H40 : Glaucoma Includes Exclude1 H40.2 : aqueous misdirection (H40.83-) malignant glaucoma (H40.83-) H40 : absolute glaucoma (H44.51-) congenital glaucoma (Q15.0) traumatic glaucoma due to birth injury (P15.3) Exclude2						


跳出新說明視窗(包括 H40.212、H40.21、H40.2)

(2-7)查詢功能說明-常見診斷

1. 「常見診斷」依據健保局所提供之各科常見診斷資料歸納整理後供使用者查詢。



1. 選擇在系統界面右上角之 **常見診斷** 頁簽查詢。



1. 當使用者選擇門診或住院選項後，接著選取下方之下拉選單選取科別。

Diseases and Injuries External Causes Table of Neoplasms Table of Drugs and Chemicals 前三碼查詢 常見診斷

門診 住院

科別：骨科


診斷項目：Dislocation of ankle 搜尋(F5)

資料區


診斷碼(Code)	內容
S93.01xA	Subluxation of right ankle joint, initial encounter
S93.02xA	Subluxation of left ankle joint, initial encounter
S93.03xA	Subluxation of unspecified ankle joint, initial encounter
S93.04xA	Dislocation of right ankle joint, initial encounter
S93.05xA	Dislocation of left ankle joint, initial encounter
S93.06xA	Dislocation of unspecified ankle joint, initial encounter
*	

1. 使用者選取科別、診斷項目後，下方表格便會自動呈現常見之診斷。

三、與 2010 版介面差異



ICD-10CM 2010 版，頁籤排版以 Diseases and Injuries 為首



ICD-10CM 2014 版，頁籤排版則依查詢習慣修正，以代碼關鍵字查詢為首