

醫院總額專業醫療服務品質指標
98年第4季附表

指標1.1 醫院總額專業醫療服務品質指標－各區同院所門診上呼吸道感染病人7日內複診率

年季	資料	台北	北區	中區	南區	高屏	東區	小計
97年第1季	上呼吸道感染 7日內重複就診人數	3,062	1,043	3,946	1,156	2,361	278	11,846
	上呼吸道感染人數	52,442	18,395	35,579	18,268	30,135	6,012	160,831
	上呼吸道感染病人7日內複診率	5.84%	5.67%	11.09%	6.33%	7.83%	4.62%	7.37%
97年第2季	上呼吸道感染 7日內重複就診人數	2,509	911	2,020	789	1,461	251	7,941
	上呼吸道感染人數	36,779	13,586	20,931	11,798	19,117	4,149	106,360
	上呼吸道感染病人7日內複診率	6.82%	6.71%	9.65%	6.69%	7.64%	6.05%	7.47%
97年第3季	上呼吸道感染 7日內重複就診人數	2,138	749	1,666	737	1,611	198	7,099
	上呼吸道感染人數	31,565	11,705	18,028	10,576	20,367	3,515	95,756
	上呼吸道感染病人7日內複診率	6.77%	6.40%	9.24%	6.97%	7.91%	5.63%	7.41%
97年第4季	上呼吸道感染 7日內重複就診人數	3,774	1,341	3,800	1,276	3,052	339	13,582
	上呼吸道感染人數	55,110	18,370	30,709	16,926	32,526	5,948	159,589
	上呼吸道感染病人7日內複診率	6.85%	7.30%	12.37%	7.54%	9.38%	5.70%	8.51%
97年小計	上呼吸道感染 7日內重複就診人數	11,483	4,044	11,432	3,958	8,485	1,066	40,468
	上呼吸道感染人數	175,896	62,056	105,247	57,568	102,145	19,624	522,536
	上呼吸道感染病人7日內複診率	6.53%	6.52%	10.86%	6.88%	8.31%	5.43%	7.74%
98年第1季	上呼吸道感染 7日內重複就診人數	3,778	1,389	2,989	1,333	2,810	353	12,652
	上呼吸道感染人數	53,810	18,508	31,065	17,592	30,293	6,102	157,370
	上呼吸道感染病人7日內複診率	7.02%	7.50%	9.62%	7.58%	9.28%	5.78%	8.04%
98年第2季	上呼吸道感染 7日內重複就診人數	3,018	1,092	2,282	915	2,078	282	9,667
	上呼吸道感染人數	45,756	16,206	24,226	13,154	24,063	5,068	128,473
	上呼吸道感染病人7日內複診率	6.60%	6.74%	9.42%	6.96%	8.64%	5.56%	7.52%
98年第3季	上呼吸道感染 7日內重複就診人數	1,974	924	1,680	679	1,530	171	6,958
	上呼吸道感染人數	32,013	12,745	17,673	9,633	18,702	3,285	94,051
	上呼吸道感染病人7日內複診率	6.17%	7.25%	9.51%	7.05%	8.18%	5.21%	7.40%
98年第4季	上呼吸道感染 7日內重複就診人數	37,166	18,341	25,280	14,785	15,858	3,206	114,636
	上呼吸道感染人數	88,353	43,740	60,755	31,595	46,004	8,709	279,156
	上呼吸道感染病人7日內複診率	42.07%	41.93%	41.61%	46.80%	34.47%	36.81%	41.07%
98年小計	上呼吸道感染 7日內重複就診人數	45,936	21,746	32,231	17,712	22,276	4,012	143,913
	上呼吸道感染人數	219,932	91,199	133,719	71,974	119,062	23,164	659,050
	上呼吸道感染病人7日內複診率	20.89%	23.84%	24.10%	24.61%	18.71%	17.32%	21.84%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之門診案件，程式會以亂數取得一個費用年月為資料範圍計算。

3. 公式說明：

分子：按院所、ID、總額部門歸戶，計算因URI於同一院所同一總額部門別，二次就醫日期小於7日之人次。(URI：主診斷前3碼為[460]、[462]、[465]、[487])

分母：按院所、ID、總額部門歸戶，計算URI人次。

4. 資料擷取日期：99年04月28日

5. 製表單位：醫審及藥材組 *監測值：9.85%×(1±10%)

指標1.2 醫院總額專業醫療服務品質指標－各區同院所門診注射劑使用率(2-1)

年季	層級別	醫學中心							區域醫院						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	針劑給藥案件數	108,156	24,080	50,539	21,359	35,156	7,032	246,322	83,325	33,532	73,165	74,224	31,116	8,582	303,944
	給藥案件數	2,604,482	506,746	913,540	399,872	791,430	121,196	5,337,266	2,251,199	864,058	1,354,716	1,369,378	819,955	200,096	6,859,402
	注射劑使用率	4.15%	4.75%	5.53%	5.34%	4.44%	5.80%	4.62%	3.70%	3.88%	5.40%	5.42%	3.79%	4.29%	4.43%
97年第2季	針劑給藥案件數	113,352	24,714	52,928	22,074	36,627	7,210	256,905	88,994	36,183	77,174	80,169	32,660	9,373	324,553
	給藥案件數	2,654,486	500,822	920,282	412,355	787,104	125,359	5,400,408	2,334,664	878,044	1,404,031	1,438,290	835,297	206,959	7,097,285
	注射劑使用率	4.27%	4.93%	5.75%	5.35%	4.65%	5.75%	4.76%	3.81%	4.12%	5.50%	5.57%	3.91%	4.53%	4.57%
97年第3季	針劑給藥案件數	116,384	26,823	52,988	22,662	38,521	7,463	264,841	92,276	37,135	83,247	80,649	33,249	9,476	336,032
	給藥案件數	2,632,934	515,743	896,803	407,295	787,021	124,731	5,364,527	2,320,978	880,899	1,467,611	1,399,430	833,162	199,938	7,102,018
	注射劑使用率	4.42%	5.20%	5.91%	5.56%	4.89%	5.98%	4.94%	3.98%	4.22%	5.67%	5.76%	3.99%	4.74%	4.73%
97年第4季	針劑給藥案件數	129,828	32,633	54,436	24,615	41,723	8,090	291,325	106,661	42,488	88,296	85,408	38,378	9,785	371,016
	給藥案件數	2,715,812	524,165	920,264	408,470	770,008	129,468	5,468,187	2,416,859	881,068	1,510,818	1,431,035	871,279	211,512	7,322,571
	注射劑使用率	4.78%	6.23%	5.92%	6.03%	5.42%	6.25%	5.33%	4.41%	4.82%	5.84%	5.97%	4.40%	4.63%	5.07%
97年小計	針劑給藥案件數	467,720	108,250	210,891	90,710	152,027	29,795	1,059,393	371,256	149,338	321,882	320,450	135,403	37,216	1,335,545
	給藥案件數	10,607,714	2,047,476	3,650,889	1,627,992	3,135,563	500,754	21,570,388	9,323,700	3,504,069	5,737,176	5,638,133	3,359,693	818,505	28,381,276
	注射劑使用率	4.41%	5.29%	5.78%	5.57%	4.85%	5.95%	4.91%	3.98%	4.26%	5.61%	5.68%	4.03%	4.55%	4.71%
98年第1季	針劑給藥案件數	114,430	23,232	51,923	21,820	35,519	7,015	253,939	91,682	35,203	78,896	79,154	35,652	9,014	329,601
	給藥案件數	2,583,159	486,462	896,715	393,471	728,610	124,896	5,213,313	2,371,812	837,225	1,408,416	1,397,699	895,402	204,646	7,115,200
	注射劑使用率	4.43%	4.78%	5.79%	5.55%	4.87%	5.62%	4.87%	3.87%	4.20%	5.60%	5.66%	3.98%	4.40%	4.63%
98年第2季	針劑給藥案件數	122,323	24,809	55,784	23,419	39,690	7,626	273,651	100,171	37,965	86,247	83,233	38,246	9,841	355,703
	給藥案件數	2,722,107	503,645	936,481	414,670	794,614	131,332	5,502,849	2,542,199	878,549	1,526,679	1,443,666	949,805	214,969	7,555,867
	注射劑使用率	4.49%	4.93%	5.96%	5.65%	4.99%	5.81%	4.97%	3.94%	4.32%	5.65%	5.77%	4.03%	4.58%	4.71%
98年第3季	針劑給藥案件數	91,427	19,192	36,882	17,200	27,702	2,895	195,298	78,001	29,223	69,947	60,457	29,941	7,721	275,290
	給藥案件數	2,752,098	547,549	945,321	403,252	821,132	133,349	5,602,701	2,634,715	962,626	1,553,728	1,478,218	995,606	217,618	7,842,511
	注射劑使用率	3.32%	3.51%	3.90%	4.27%	3.37%	2.17%	3.49%	2.96%	3.04%	4.50%	4.09%	3.01%	3.55%	3.51%
98年第4季	針劑給藥案件數	96,999	23,473	37,097	18,331	29,396	3,178	208,474	80,856	31,296	70,337	60,632	30,853	7,844	281,818
	給藥案件數	2,702,855	577,499	947,539	424,670	813,590	137,303	5,603,456	2,688,910	1,016,668	1,575,804	1,509,225	1,025,055	231,379	8,047,041
	注射劑使用率	3.59%	4.06%	3.92%	4.32%	3.61%	2.31%	3.72%	3.01%	3.08%	4.46%	4.02%	3.01%	3.39%	3.50%
98年小計	針劑給藥案件數	188,426	42,665	73,979	35,531	57,098	6,073	403,772	158,857	60,519	140,284	121,089	60,794	15,565	557,108
	給藥案件數	5,454,953	1,125,048	1,892,860	827,922	1,634,722	270,652	11,206,157	5,323,625	1,979,294	3,129,532	2,987,443	2,020,661	448,997	15,889,552
	注射劑使用率	3.45%	3.79%	3.91%	4.29%	3.49%	2.24%	3.60%	2.98%	3.06%	4.48%	4.05%	3.01%	3.47%	3.51%

備註：1.資料來源：醫療給付檔案分析系統。

2.資料範圍：每季所有屬醫院總額之門診給藥案件(藥費不為0，或給藥天數不為0，或處方調劑方式為1、0、6其中一種)。

3.公式說明：分子：給藥案件之針劑藥品(醫令代碼為10碼，且第8碼為「2」)案件數。

分母：給藥案件數。
*監測值：5.43%(±10%)

4.資料擷取日期：99年04月28日

5.製表單位：醫審及藥材組

指標1.2 醫院總額專業醫療服務品質指標－各區同院所門診注射劑使用率(2-2)

年季	層級別	地區醫院(含未評鑑醫院)							合計						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	針劑給藥案件數	85,813	66,913	102,378	34,953	106,217	11,622	407,896	277,294	124,525	226,082	130,536	172,489	27,236	958,162
	給藥案件數	1,370,025	1,042,631	1,449,251	654,769	1,436,310	183,804	6,136,790	6,225,706	2,413,435	3,717,507	2,424,019	3,047,695	505,096	18,333,458
	注射劑使用率	6.26%	6.42%	7.06%	5.34%	7.40%	6.32%	6.65%	4.45%	5.16%	6.08%	5.39%	5.66%	5.39%	5.23%
97年第2季	針劑給藥案件數	84,513	70,897	101,228	32,490	99,967	12,209	401,304	286,859	131,794	231,330	134,733	169,254	28,792	982,762
	給藥案件數	1,316,462	1,053,490	1,441,762	599,783	1,405,943	185,179	6,002,619	6,305,612	2,432,356	3,766,075	2,450,428	3,028,344	517,497	18,500,312
	注射劑使用率	6.42%	6.73%	7.02%	5.42%	7.11%	6.59%	6.69%	4.55%	5.42%	6.14%	5.50%	5.59%	5.56%	5.31%
97年第3季	針劑給藥案件數	88,197	73,077	97,671	32,474	99,903	10,751	402,073	296,857	137,035	233,906	135,785	171,673	27,690	1,002,946
	給藥案件數	1,362,818	1,027,754	1,346,980	591,271	1,418,685	175,347	5,922,855	6,316,730	2,424,396	3,711,394	2,397,996	3,038,868	500,016	18,389,400
	注射劑使用率	6.47%	7.11%	7.25%	5.49%	7.04%	6.13%	6.79%	4.70%	5.65%	6.30%	5.66%	5.65%	5.54%	5.45%
97年第4季	針劑給藥案件數	98,724	76,873	99,419	33,912	100,186	11,202	420,316	335,213	151,994	242,151	143,935	180,287	29,077	1,082,657
	給藥案件數	1,484,194	1,071,132	1,453,979	640,754	1,476,506	191,203	6,317,768	6,616,865	2,476,365	3,885,061	2,480,259	3,117,793	532,183	19,108,526
	注射劑使用率	6.65%	7.18%	6.84%	5.29%	6.79%	5.86%	6.65%	5.07%	6.14%	6.23%	5.80%	5.78%	5.46%	5.67%
97年小計	針劑給藥案件數	357,247	287,760	400,696	133,829	406,273	45,784	1,631,589	1,196,223	545,348	933,469	544,989	693,703	112,795	4,026,527
	給藥案件數	5,533,499	4,195,007	5,691,972	2,486,577	5,737,444	735,533	24,380,032	25,464,913	9,746,552	15,080,037	9,752,702	12,232,700	2,054,792	74,331,696
	注射劑使用率	6.46%	6.86%	7.04%	5.38%	7.08%	6.22%	6.69%	4.70%	5.60%	6.19%	5.59%	5.67%	5.49%	5.42%
98年第1季	針劑給藥案件數	86,909	63,486	101,289	30,186	99,538	10,622	392,030	293,021	121,921	232,108	131,160	170,709	26,651	975,570
	給藥案件數	1,347,009	1,012,241	1,430,481	607,963	1,352,386	183,851	5,933,931	6,301,980	2,335,928	3,735,612	2,399,133	2,976,398	513,393	18,262,444
	注射劑使用率	6.45%	6.27%	7.08%	4.97%	7.36%	5.78%	6.61%	4.65%	5.22%	6.21%	5.47%	5.74%	5.19%	5.34%
98年第2季	針劑給藥案件數	86,894	65,116	98,047	31,117	96,645	11,087	388,906	309,388	127,890	240,078	137,769	174,581	28,554	1,018,260
	給藥案件數	1,388,407	1,051,958	1,402,215	620,734	1,330,901	186,998	5,981,213	6,652,713	2,434,152	3,865,375	2,479,070	3,075,320	533,299	19,039,929
	注射劑使用率	6.26%	6.19%	6.99%	5.01%	7.26%	5.93%	6.50%	4.65%	5.25%	6.21%	5.56%	5.68%	5.35%	5.35%
98年第3季	針劑給藥案件數	81,620	59,805	86,591	26,772	90,367	8,934	354,089	251,048	108,220	193,420	104,429	148,010	19,550	824,677
	給藥案件數	1,435,994	1,064,177	1,389,238	630,573	1,349,181	191,111	6,060,274	6,822,807	2,574,352	3,888,287	2,512,043	3,165,919	542,078	19,505,486
	注射劑使用率	5.68%	5.62%	6.23%	4.25%	6.70%	4.67%	5.84%	3.68%	4.20%	4.97%	4.16%	4.68%	3.61%	4.23%
98年第4季	針劑給藥案件數	81,036	61,046	85,488	28,065	86,758	8,499	350,892	258,891	115,815	192,922	107,028	147,007	19,521	841,184
	給藥案件數	1,511,137	1,139,014	1,507,489	683,582	1,469,989	212,961	6,524,172	6,902,902	2,733,181	4,030,832	2,617,477	3,308,634	581,643	20,174,669
	注射劑使用率	5.36%	5.36%	5.67%	4.11%	5.90%	3.99%	5.38%	3.75%	4.24%	4.79%	4.09%	4.44%	3.36%	4.17%
98年小計	針劑給藥案件數	162,656	120,851	172,079	54,837	177,125	17,433	704,981	509,939	224,035	386,342	211,457	295,017	39,071	1,665,861
	給藥案件數	2,947,131	2,203,191	2,896,727	1,314,155	2,819,170	404,072	12,584,446	13,725,709	5,307,533	7,919,119	5,129,520	6,474,553	1,123,721	39,680,155
	注射劑使用率	5.52%	5.49%	5.94%	4.17%	6.28%	4.31%	5.60%	3.72%	4.22%	4.88%	4.12%	4.56%	3.48%	4.20%

備註：1. 資料來源：醫療給付檔案分析系統

2. 資料範圍：每季所有屬醫院總額之門診給藥案件（藥費不為0，或給藥天數不為0，或處方調劑方式為1、0、6其中一種）。

4. 資料擷取日期：99年04月28日

3. 公式說明：分子：給藥案件之針劑藥品（醫令代碼為10碼，且第8碼為「2」）案件數。

5. 製表單位：醫審及藥材組

分母：給藥案件數。

*監測值：5.43%×(1±10%)

指標1.3 醫院總額專業醫療服務品質指標－各區同院所門診抗生素使用率(2-1)

年季	層級別	醫學中心							區域醫院						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	抗生素給藥案件數	158,251	26,747	58,949	29,136	35,721	8,501	317,305	176,702	62,173	101,982	83,945	52,642	13,775	491,219
	給藥案件數	2,604,482	506,746	913,540	399,872	791,430	121,196	5,337,266	2,251,199	864,058	1,354,716	1,369,378	819,955	200,096	6,859,402
	抗生素使用率	6.08%	5.28%	6.45%	7.29%	4.51%	7.01%	5.95%	7.85%	7.20%	7.53%	6.13%	6.42%	6.88%	7.16%
97年第2季	抗生素給藥案件數	165,793	27,193	61,704	31,398	35,948	9,431	331,467	187,881	65,353	107,238	91,902	52,937	14,770	520,081
	給藥案件數	2,654,486	500,822	920,282	412,355	787,104	125,359	5,400,408	2,334,664	878,044	1,404,031	1,438,290	835,297	206,959	7,097,285
	抗生素使用率	6.25%	5.43%	6.70%	7.61%	4.57%	7.52%	6.14%	8.05%	7.44%	7.64%	6.39%	6.34%	7.14%	7.33%
97年第3季	抗生素給藥案件數	159,086	28,251	56,968	30,698	33,433	8,780	317,216	183,941	64,340	109,306	88,342	52,728	14,646	513,303
	給藥案件數	2,632,934	515,743	896,803	407,295	787,021	124,731	5,364,527	2,320,978	880,899	1,467,611	1,399,430	833,162	199,938	7,102,018
	抗生素使用率	6.04%	5.48%	6.35%	7.54%	4.25%	7.04%	5.91%	7.93%	7.30%	7.45%	6.31%	6.33%	7.33%	7.23%
97年第4季	抗生素給藥案件數	164,970	28,487	53,858	28,788	30,643	8,422	315,168	180,919	58,581	107,977	87,882	50,013	15,001	500,373
	給藥案件數	2,715,812	524,165	920,264	408,470	770,008	129,468	5,468,187	2,416,859	881,068	1,510,818	1,431,035	871,279	211,512	7,322,571
	抗生素使用率	6.07%	5.43%	5.85%	7.05%	3.98%	6.51%	5.76%	7.49%	6.65%	7.15%	6.14%	5.74%	7.09%	6.83%
97年小計	抗生素給藥案件數	648,100	110,678	231,479	120,020	135,745	35,134	1,281,156	729,443	250,447	426,503	352,071	208,320	58,192	2,024,976
	給藥案件數	10,607,714	2,047,476	3,650,889	1,627,992	3,135,563	500,754	21,570,388	9,323,700	3,504,069	5,737,176	5,638,133	3,359,693	818,505	28,381,276
	抗生素使用率	6.11%	5.41%	6.34%	7.37%	4.33%	7.02%	5.94%	7.82%	7.15%	7.43%	6.24%	6.20%	7.11%	7.13%
98年第1季	抗生素給藥案件數	161,442	26,562	57,071	30,433	33,656	8,625	317,789	185,056	56,846	106,211	90,509	58,411	15,807	512,840
	給藥案件數	2,583,159	486,462	896,675	393,471	728,610	124,896	5,213,273	2,371,812	837,225	1,408,409	1,397,699	895,402	204,646	7,115,193
	抗生素使用率	6.25%	5.46%	6.36%	7.73%	4.62%	6.91%	6.10%	7.80%	6.79%	7.54%	6.48%	6.52%	7.72%	7.21%
98年第2季	抗生素給藥案件數	167,972	27,744	60,132	31,072	36,236	9,177	332,333	195,405	59,722	110,984	92,149	59,783	16,280	534,323
	給藥案件數	2,722,107	503,645	936,481	414,670	794,614	131,332	5,502,849	2,542,199	878,549	1,526,678	1,443,666	949,805	214,969	7,555,866
	抗生素使用率	6.17%	5.51%	6.42%	7.49%	4.56%	6.99%	6.04%	7.69%	6.80%	7.27%	6.38%	6.29%	7.57%	7.07%
98年第3季	抗生素給藥案件數	170,640	32,436	61,106	29,582	37,924	9,456	341,144	203,639	70,311	116,115	97,161	65,886	16,369	569,481
	給藥案件數	2,752,082	547,226	945,250	403,252	817,898	133,349	5,599,057	2,634,651	962,597	1,553,570	1,478,218	995,410	217,607	7,842,053
	抗生素使用率	6.20%	5.93%	6.46%	7.34%	4.64%	7.09%	6.09%	7.73%	7.30%	7.47%	6.57%	6.62%	7.52%	7.26%
98年第4季	抗生素給藥案件數	155,450	32,306	55,380	28,430	36,429	8,440	316,435	185,442	64,631	105,449	88,434	60,974	14,761	519,691
	給藥案件數	2,701,088	577,258	947,503	424,670	813,216	137,303	5,601,038	2,688,870	1,016,662	1,575,573	1,509,225	1,024,868	231,374	8,046,572
	抗生素使用率	5.76%	5.60%	5.84%	6.69%	4.48%	6.15%	5.65%	6.90%	6.36%	6.69%	5.86%	5.95%	6.38%	6.46%
98年小計	抗生素給藥案件數	655,504	119,048	233,689	119,517	144,245	35,698	1,307,701	769,542	251,510	438,759	368,253	245,054	63,217	2,136,335
	給藥案件數	10,758,436	2,114,591	3,725,909	1,636,063	3,154,338	526,880	21,916,217	10,237,532	3,695,033	6,064,230	5,828,808	3,865,485	868,596	30,559,684
	抗生素使用率	6.09%	5.63%	6.27%	7.31%	4.57%	6.78%	5.97%	7.52%	6.81%	7.24%	6.32%	6.34%	7.28%	6.99%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之門診給藥案件(藥費不為0，或給藥天數不為0，或處方調劑方式為1、0、6其中一種)。

3. 公式說明：
分子：給藥案件之抗生素藥品(醫令代碼為10碼，且AHFS藥理分類為08:1200)案件數。
分母：給藥案件數。
*監測值：8.82%(±10%)

4. 資料擷取日期：99年04月28日

5. 製表單位：醫審及藥材組

指標1.3 醫院總額專業醫療服務品質指標－各區同院所門診抗生素使用率(2-2)

年季	層級別	地區醫院(含未評鑑醫院)							合計						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	抗生素給藥案件數	136,772	87,368	146,001	67,136	134,325	11,561	583,163	471,725	176,288	306,932	180,217	222,688	33,837	1,391,687
	給藥案件數	1,370,025	1,042,631	1,449,251	654,769	1,436,310	183,804	6,136,790	6,225,706	2,413,435	3,717,507	2,424,019	3,047,695	505,096	18,333,458
	抗生素使用率	9.98%	8.38%	10.07%	10.25%	9.35%	6.29%	9.50%	7.58%	7.30%	8.26%	7.43%	7.31%	6.70%	7.59%
97年第2季	抗生素給藥案件數	137,394	94,812	147,150	63,858	137,378	12,633	593,225	491,068	187,358	316,092	187,158	226,263	36,834	1,444,773
	給藥案件數	1,316,462	1,053,490	1,441,762	599,783	1,405,943	185,179	6,002,619	6,305,612	2,432,356	3,766,075	2,450,428	3,028,344	517,497	18,500,312
	抗生素使用率	10.44%	9.00%	10.21%	10.65%	9.77%	6.82%	9.88%	7.79%	7.70%	8.39%	7.64%	7.47%	7.12%	7.81%
97年第3季	抗生素給藥案件數	147,892	95,257	143,361	65,086	137,911	11,792	601,299	490,919	187,848	309,635	184,126	224,072	35,218	1,431,818
	給藥案件數	1,362,818	1,027,754	1,346,980	591,271	1,418,685	175,347	5,922,855	6,316,730	2,424,396	3,711,394	2,397,996	3,038,868	500,016	18,389,400
	抗生素使用率	10.85%	9.27%	10.64%	11.01%	9.72%	6.72%	10.15%	7.77%	7.75%	8.34%	7.68%	7.37%	7.04%	7.79%
97年第4季	抗生素給藥案件數	145,454	91,207	142,945	66,444	140,267	10,965	597,282	491,343	178,275	304,780	183,114	220,923	34,388	1,412,823
	給藥案件數	1,484,194	1,071,132	1,453,979	640,754	1,476,506	191,203	6,317,768	6,616,865	2,476,365	3,885,061	2,480,259	3,117,793	532,183	19,108,526
	抗生素使用率	9.80%	8.52%	9.83%	10.37%	9.50%	5.73%	9.45%	7.43%	7.20%	7.84%	7.38%	7.09%	6.46%	7.39%
97年小計	抗生素給藥案件數	567,512	368,644	579,457	262,524	549,881	46,951	2,374,969	1,945,055	729,769	1,237,439	734,615	893,946	140,277	5,681,101
	給藥案件數	5,533,499	4,195,007	5,691,972	2,486,577	5,737,444	735,533	24,380,032	25,464,913	9,746,552	15,080,037	9,752,702	12,232,700	2,054,792	74,331,696
	抗生素使用率	10.26%	8.79%	10.18%	10.56%	9.58%	6.38%	9.74%	7.64%	7.49%	8.21%	7.53%	7.31%	6.83%	7.64%
98年第1季	抗生素給藥案件數	133,915	83,315	143,600	65,753	134,794	11,350	572,727	480,413	166,723	306,882	186,695	226,861	35,782	1,403,356
	給藥案件數	1,347,009	1,012,241	1,430,481	607,963	1,352,386	183,851	5,933,931	6,301,980	2,335,928	3,735,565	2,399,133	2,976,398	513,393	18,262,397
	抗生素使用率	9.94%	8.23%	10.04%	10.82%	9.97%	6.17%	9.65%	7.62%	7.14%	8.22%	7.78%	7.62%	6.97%	7.68%
98年第2季	抗生素給藥案件數	137,389	86,339	142,852	63,547	128,564	11,765	570,456	500,766	173,805	313,968	186,768	224,583	37,222	1,437,112
	給藥案件數	1,388,407	1,051,958	1,402,215	620,734	1,330,901	186,998	5,981,213	6,652,713	2,434,152	3,865,374	2,479,070	3,075,320	533,299	19,039,928
	抗生素使用率	9.90%	8.21%	10.19%	10.24%	9.66%	6.29%	9.54%	7.53%	7.14%	8.12%	7.53%	7.30%	6.98%	7.55%
98年第3季	抗生素給藥案件數	148,431	93,801	146,743	66,744	128,163	13,518	597,400	522,710	196,548	323,964	193,487	231,973	39,343	1,508,025
	給藥案件數	1,435,984	1,064,152	1,389,234	630,573	1,349,126	191,106	6,060,175	6,822,717	2,573,975	3,888,054	2,512,043	3,162,434	542,062	19,501,285
	抗生素使用率	10.34%	8.81%	10.56%	10.58%	9.50%	7.07%	9.86%	7.66%	7.64%	8.33%	7.70%	7.34%	7.26%	7.73%
98年第4季	抗生素給藥案件數	138,469	90,012	139,789	67,475	123,361	11,579	570,685	479,361	186,949	300,618	184,339	220,764	34,780	1,406,811
	給藥案件數	1,511,092	1,138,990	1,507,484	683,582	1,467,123	212,960	6,521,231	6,901,050	2,732,910	4,030,560	2,617,477	3,305,207	581,637	20,168,841
	抗生素使用率	9.16%	7.90%	9.27%	9.87%	8.41%	5.44%	8.75%	6.95%	6.84%	7.46%	7.04%	6.68%	5.98%	6.98%
98年小計	抗生素給藥案件數	558,204	353,467	572,984	263,519	514,882	48,212	2,311,268	1,983,250	724,025	1,245,432	751,289	904,181	147,127	5,755,304
	給藥案件數	5,682,492	4,267,341	5,729,414	2,542,852	5,499,536	774,915	24,496,550	26,678,460	10,076,965	15,519,553	10,007,723	12,519,359	2,170,391	76,972,451
	抗生素使用率	9.82%	8.28%	10.00%	10.36%	9.36%	6.22%	9.44%	7.43%	7.18%	8.02%	7.51%	7.22%	6.78%	7.48%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之門診給藥案件（藥費不為0，或給藥天數不為0，或處方調劑方式為1、0、6其中一種）。

3. 公式說明：
分子：給藥案件之抗生素藥品（醫令代碼為10碼，且AHFS藥理分類為08：1200）案件數。
分母：給藥案件數。
*監測值：8.82% $\times$ (1 $\pm$ 10%)

4. 資料擷取日期：99年04月28日

5. 製表單位：醫審及藥材組

指標1.4醫院總額專業醫療服務品質指標－各區同院所門診同一處方制酸劑重複使用率(2-1)

年季	層級別	醫學中心							區域醫院						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	制酸劑重複案件數	288		174	5	211	2	680	749	22	103	123	312	23	1,332
	制酸劑案件數	173,825		97,501	19,675	16,493	1,744	309,238	112,811	42,217	96,719	74,292	85,198	16,309	427,546
	重複比率	0.17%		0.18%	0.03%	1.28%	0.11%	0.22%	0.66%	0.05%	0.11%	0.17%	0.37%	0.14%	0.31%
97年第2季	制酸劑重複案件數	250		135	15	161	1	562	646	24	110	125	260	38	1,203
	制酸劑案件數	164,760		94,390	19,643	16,093	1,427	296,313	106,849	42,372	104,517	79,165	79,958	15,571	428,432
	重複比率	0.15%		0.14%	0.08%	1.00%	0.07%	0.19%	0.60%	0.06%	0.11%	0.16%	0.33%	0.24%	0.28%
97年第3季	制酸劑重複案件數	219		133	5	223	2	582	646	21	92	117	219	44	1,139
	制酸劑案件數	160,339		88,726	20,467	16,078	1,216	286,826	104,134	40,982	101,908	73,869	81,533	14,581	417,007
	重複比率	0.14%		0.15%	0.02%	1.39%	0.16%	0.20%	0.62%	0.05%	0.09%	0.16%	0.27%	0.30%	0.27%
97年第4季	制酸劑重複案件數	148		163	2	214	-	527	566	15	101	76	185	34	977
	制酸劑案件數	160,925		84,485	19,304	16,147	1,287	282,148	104,087	40,304	101,539	74,922	83,145	14,713	418,710
	重複比率	0.09%		0.19%	0.01%	1.33%	0.00%	0.19%	0.54%	0.04%	0.10%	0.10%	0.22%	0.23%	0.23%
97年小計	制酸劑重複案件數	905		605	27	809	5	2,351	2,607	82	406	441	976	139	4,651
	制酸劑案件數	659,849		365,102	79,089	64,811	5,674	1,174,525	427,881	165,875	404,683	302,248	329,834	61,174	1,691,695
	重複比率	0.14%		0.17%	0.03%	1.25%	0.09%	0.20%	0.61%	0.05%	0.10%	0.15%	0.30%	0.23%	0.27%
98年第1季	制酸劑重複案件數	160		166	-	234	-	560	422	9	104	49	345	26	955
	制酸劑案件數	151,328		83,862	18,904	16,096	1,588	271,778	102,576	40,297	101,459	65,165	87,654	14,749	411,900
	重複比率	0.11%		0.20%	0.00%	1.45%	0.00%	0.21%	0.41%	0.02%	0.10%	0.08%	0.39%	0.18%	0.23%
98年第2季	制酸劑重複案件數	176		247	-	222	-	645	358	14	69	44	338	24	847
	制酸劑案件數	154,958		84,792	19,496	18,131	1,329	278,706	101,310	42,754	102,606	67,532	88,476	14,558	417,236
	重複比率	0.11%		0.29%	0.00%	1.22%	0.00%	0.23%	0.35%	0.03%	0.07%	0.07%	0.38%	0.16%	0.20%
98年第3季	制酸劑重複案件數	134		182	1	223	6	546	346	43	82	71	228	50	820
	制酸劑案件數	149,941		83,529	18,179	18,909	1,358	271,916	99,520	47,776	102,736	66,727	87,942	14,418	419,119
	重複比率	0.09%		0.22%	0.01%	1.18%	0.44%	0.20%	0.35%	0.09%	0.08%	0.11%	0.26%	0.35%	0.20%
98年第4季	制酸劑重複案件數	144		274	-	251	1	670	450	48	39	68	314	25	944
	制酸劑案件數	145,196		83,174	21,307	18,021	1,327	269,025	98,039	46,349	103,642	67,104	88,181	13,814	417,129
	重複比率	0.10%		0.33%	0.00%	1.39%	0.08%	0.25%	0.46%	0.10%	0.04%	0.10%	0.36%	0.18%	0.23%
98年小計	制酸劑重複案件數	614		869	1	930	7	2,421	1,576	114	294	232	1,225	125	3,566
	制酸劑案件數	601,423		335,357	77,886	71,157	5,602	1,091,425	401,445	177,176	410,443	266,528	352,253	57,539	1,665,384
	重複比率	0.10%		0.26%	0.00%	1.31%	0.12%	0.22%	0.39%	0.06%	0.07%	0.09%	0.35%	0.22%	0.21%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之門診給藥案件（藥費不為0，或給藥天數不為0，或處方調劑方式為1、0、6其中一種）。

3. 公式說明：

分子：制酸劑藥理重複案件數（同一處方，含有兩筆以上的任何制酸劑醫令，計為一個重複案件）。

分母：制酸劑藥理案件數(AHFS藥理分類為560400，再排除成份代碼為下列者：5604002500，5604002501，5604002700，

*監測值：1.55%×(1±10%)

4. 資料擷取日期：99年04月28日

5. 製表單位：醫審及藥材組

指標1.4 醫院總額專業醫療服務品質指標－各區同院所門診同一處方制酸劑重複使用率(2-2)

年季	層級別	地區醫院(含未評鑑醫院)							合計						
	分區別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	制酸劑重複案件數	3,280	359	1,853	507	992	157	7,148	4,317	381	2,130	635	1,515	182	9,160
	制酸劑案件數	149,614	87,908	234,863	77,535	125,808	13,078	688,806	436,250	130,125	429,083	171,502	227,499	31,131	1,425,590
	重複比率	2.19%	0.41%	0.79%	0.65%	0.79%	1.20%	1.04%	0.99%	0.29%	0.50%	0.37%	0.67%	0.58%	0.64%
97年第2季	制酸劑重複案件數	2,832	399	1,253	531	882	92	5,989	3,728	423	1,498	671	1,303	131	7,754
	制酸劑案件數	128,902	90,618	212,133	63,521	117,254	12,206	624,634	400,511	132,990	411,040	162,329	213,305	29,204	1,349,379
	重複比率	2.20%	0.44%	0.59%	0.84%	0.75%	0.75%	0.96%	0.93%	0.32%	0.36%	0.41%	0.61%	0.45%	0.57%
97年第3季	制酸劑重複案件數	2,690	341	1,261	377	729	76	5,474	3,555	362	1,486	499	1,171	122	7,195
	制酸劑案件數	121,173	84,615	197,572	61,813	113,062	11,367	589,602	385,646	125,597	388,206	156,149	210,673	27,164	1,293,435
	重複比率	2.22%	0.40%	0.64%	0.61%	0.64%	0.67%	0.93%	0.92%	0.29%	0.38%	0.32%	0.56%	0.45%	0.56%
97年第4季	制酸劑重複案件數	2,768	292	1,273	257	1,100	101	5,791	3,482	307	1,537	335	1,499	135	7,295
	制酸劑案件數	120,406	81,085	201,492	61,371	120,803	11,135	596,292	385,418	121,389	387,516	155,597	220,095	27,135	1,297,150
	重複比率	2.30%	0.36%	0.63%	0.42%	0.91%	0.91%	0.97%	0.90%	0.25%	0.40%	0.22%	0.68%	0.50%	0.56%
97年小計	制酸劑重複案件數	11,570	1,391	5,640	1,672	3,703	426	24,402	15,082	1,473	6,651	2,140	5,488	570	31,404
	制酸劑案件數	520,095	344,226	846,060	264,240	476,927	47,786	2,499,334	1,607,825	510,101	1,615,845	645,577	871,572	114,634	5,365,554
	重複比率	2.22%	0.40%	0.67%	0.63%	0.78%	0.89%	0.98%	0.94%	0.29%	0.41%	0.33%	0.63%	0.50%	0.59%
98年第1季	制酸劑重複案件數	3,300	291	1,379	295	898	124	6,287	3,882	300	1,649	344	1,477	150	7,802
	制酸劑案件數	115,816	80,186	202,124	53,495	123,824	11,423	586,868	369,720	120,483	387,445	137,564	227,574	27,760	1,270,546
	重複比率	2.85%	0.36%	0.68%	0.55%	0.73%	1.09%	1.07%	1.05%	0.25%	0.43%	0.25%	0.65%	0.54%	0.61%
98年第2季	制酸劑重複案件數	2,630	241	1,269	261	790	103	5,294	3,164	255	1,585	305	1,350	127	6,786
	制酸劑案件數	111,893	79,343	188,052	51,521	119,168	11,118	561,095	368,161	122,097	375,450	138,549	225,775	27,005	1,257,037
	重複比率	2.35%	0.30%	0.67%	0.51%	0.66%	0.93%	0.94%	0.86%	0.21%	0.42%	0.22%	0.60%	0.47%	0.54%
98年第3季	制酸劑重複案件數	2,431	270	1,278	266	771	72	5,088	2,911	313	1,542	338	1,222	128	6,454
	制酸劑案件數	109,010	81,659	182,981	49,429	117,323	10,200	550,602	358,471	129,435	369,246	134,335	224,174	25,976	1,241,637
	重複比率	2.23%	0.33%	0.70%	0.54%	0.66%	0.71%	0.92%	0.81%	0.24%	0.42%	0.25%	0.55%	0.49%	0.52%
98年第4季	制酸劑重複案件數	2,801	271	1,435	253	649	40	5,449	3,395	319	1,748	321	1,214	66	7,063
	制酸劑案件數	117,668	83,185	194,919	51,148	120,302	9,076	576,298	360,903	129,534	381,735	139,559	226,504	24,217	1,262,452
	重複比率	2.38%	0.33%	0.74%	0.49%	0.54%	0.44%	0.95%	0.94%	0.25%	0.46%	0.23%	0.54%	0.27%	0.56%
98年小計	制酸劑重複案件數	11,162	1,073	5,361	1,075	3,108	339	22,118	13,352	1,187	6,524	1,308	5,263	471	28,105
	制酸劑案件數	454,387	324,373	768,076	205,593	480,617	41,817	2,274,863	1,457,255	501,549	1,513,876	550,007	904,027	104,958	5,031,672
	重複比率	2.46%	0.33%	0.70%	0.52%	0.65%	0.81%	0.97%	0.92%	0.24%	0.43%	0.24%	0.58%	0.45%	0.56%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之門診給藥案件（藥費不為0，或給藥天數不為0，或處方調劑方式為1、0、6其中一種）。

3. 公式說明：

分子：制酸劑藥理重複案件數（同一處方，含有兩筆以上的任何制酸劑醫令，計為一個重複案件）。

分母：制酸劑藥理案件數(AHFS藥理分類為560400，再排除成份代碼為下列者：5604002500，5604002501，5604002700，

*監測值：1.55%×(1±10%)

4. 資料擷取日期：99年04月28日

5. 製表單位：醫審及藥材組

指標1.5 醫院總額專業醫療服務品質指標－各區住院案件出院後十四日內再住院率(2-1)

年季	層級別	醫學中心							區域醫院						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	十四日內再住院案件數	4,712	1,130	2,675	1,095	1,705	349	11,666	5,137	1,576	4,520	3,762	2,073	469	17,537
	出院案件數	75,512	23,705	35,631	18,186	31,374	5,359	189,767	66,795	31,211	53,953	50,001	31,838	6,978	240,776
	十四日內再住院率	6.24%	4.77%	7.51%	6.02%	5.43%	6.51%	6.15%	7.69%	5.05%	8.38%	7.52%	6.51%	6.72%	7.28%
97年第2季	十四日內再住院案件數	5,090	1,180	2,819	1,119	1,788	385	12,381	5,644	1,666	4,882	4,146	2,374	495	19,207
	出院案件數	79,268	25,169	37,409	18,619	32,862	5,696	199,023	71,743	32,495	57,491	52,548	34,198	7,496	255,971
	十四日內再住院率	6.42%	4.69%	7.54%	6.01%	5.44%	6.76%	6.22%	7.87%	5.13%	8.49%	7.89%	6.94%	6.60%	7.50%
97年第3季	十四日內再住院案件數	5,301	1,212	2,644	1,233	1,693	372	12,455	5,643	1,603	4,528	3,889	2,085	568	18,316
	出院案件數	82,041	26,015	37,034	19,130	33,404	5,751	203,375	70,844	32,545	58,214	51,431	33,788	7,466	254,288
	十四日內再住院率	6.46%	4.66%	7.14%	6.45%	5.07%	6.47%	6.12%	7.97%	4.93%	7.78%	7.56%	6.17%	7.61%	7.20%
97年第4季	十四日內再住院案件數	5,318	1,116	2,528	1,239	1,748	369	12,318	5,683	1,577	4,208	3,648	2,121	509	17,746
	出院案件數	81,711	25,130	36,760	19,071	32,738	5,764	201,174	71,170	31,755	57,462	50,739	33,720	7,230	252,076
	十四日內再住院率	6.51%	4.44%	6.88%	6.50%	5.34%	6.40%	6.12%	7.99%	4.97%	7.32%	7.19%	6.29%	7.04%	7.04%
97年小計	十四日內再住院案件數	20,421	4,638	10,666	4,686	6,934	1,475	48,820	22,107	6,422	18,138	15,445	8,653	2,041	72,806
	出院案件數	318,532	100,019	146,834	75,006	130,378	22,570	793,339	280,552	128,006	227,120	204,719	133,544	29,170	1,003,111
	十四日內再住院率	6.41%	4.64%	7.26%	6.25%	5.32%	6.54%	6.15%	7.88%	5.02%	7.99%	7.54%	6.48%	7.00%	7.26%
98年第1季	十四日內再住院案件數	4,956	1,024	2,449	1,152	1,667	392	11,640	5,643	1,450	4,135	3,354	2,231	472	17,285
	出院案件數	77,243	23,266	35,320	18,554	30,823	5,513	190,719	71,036	30,141	55,821	49,987	34,560	6,887	248,432
	十四日內再住院率	6.42%	4.40%	6.93%	6.21%	5.41%	7.11%	6.10%	7.94%	4.81%	7.41%	6.71%	6.46%	6.85%	6.96%
98年第2季	十四日內再住院案件數	5,515	1,159	2,698	1,156	1,700	391	12,619	6,341	1,622	4,207	3,947	2,350	512	18,979
	出院案件數	81,661	24,753	36,885	19,150	32,683	5,866	200,998	75,454	32,130	57,281	52,134	35,785	7,700	260,484
	十四日內再住院率	6.75%	4.68%	7.31%	6.04%	5.20%	6.67%	6.28%	8.40%	5.05%	7.34%	7.57%	6.57%	6.65%	7.29%
98年第3季	十四日內再住院案件數	5,643	1,165	2,680	1,198	1,715	397	12,798	6,346	1,646	4,324	3,987	2,463	557	19,323
	出院案件數	85,311	26,019	39,063	19,383	33,443	6,161	209,380	78,547	33,434	60,359	54,883	37,927	7,967	273,117
	十四日內再住院率	6.61%	4.48%	6.86%	6.18%	5.13%	6.44%	6.11%	8.08%	4.92%	7.16%	7.26%	6.49%	6.99%	7.07%
98年第4季	十四日內再住院案件數	5,417	1,215	2,655	1,163	1,738	311	12,499	5,832	1,555	4,103	4,028	2,244	503	18,265
	出院案件數	83,317	25,908	37,968	19,213	32,609	5,746	204,761	74,061	33,263	57,877	52,820	37,334	7,576	262,931
	十四日內再住院率	6.50%	4.69%	6.99%	6.05%	5.33%	5.41%	6.10%	7.87%	4.67%	7.09%	7.63%	6.01%	6.64%	6.95%
98年小計	十四日內再住院案件數	21,531	4,563	10,482	4,669	6,820	1,491	49,556	24,162	6,273	16,769	15,316	9,288	2,044	73,852
	出院案件數	327,532	99,946	149,236	76,300	129,558	23,286	805,858	299,098	128,968	231,338	209,824	145,606	30,130	1,044,964
	十四日內再住院率	6.57%	4.57%	7.02%	6.12%	5.26%	6.40%	6.15%	8.08%	4.86%	7.25%	7.30%	6.38%	6.78%	7.07%

備註：1. 醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之出院案件(出院日在資料範圍內之案件，按「院所、ID、生日、住院日」歸戶，因切帳申報之緣故，可能有多個出院日，以最晚之出院住院日為準)。

3. 公式說明：
 分子：十四日內再住院的案件數(以出院案件為母體，按「ID、生日」勾稽距離出院日0至14日內的住院案件。)

 分母：出院案件數。

 * 監測值：6.98%×(1±10%)

4. 資料擷取日期：99年04月28日

5. 製表單位：醫審及藥材組

指標1.5 醫院總額專業醫療服務品質指標－各區住院案件出院後十四日內再住院率(2-2)

年季	層級別	地區醫院 (含未評鑑醫院)							合計						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	十四日內再住院案件數	1,247	1,270	2,477	1,427	2,023	377	8,821	11,096	3,976	9,672	6,284	5,801	1,195	38,024
	出院案件數	17,926	24,269	27,059	13,885	33,483	3,903	120,525	160,233	79,185	116,643	82,072	96,695	16,240	551,068
	十四日內再住院率	6.96%	5.23%	9.15%	10.28%	6.04%	9.66%	7.32%	6.92%	5.02%	8.29%	7.66%	6.00%	7.36%	6.90%
97年第2季	十四日內再住院案件數	1,468	1,486	2,525	1,418	2,171	335	9,403	12,202	4,332	10,226	6,683	6,333	1,215	40,991
	出院案件數	18,432	25,211	26,934	13,761	33,198	4,032	121,568	169,443	82,875	121,834	84,928	100,258	17,224	576,562
	十四日內再住院率	7.96%	5.89%	9.37%	10.30%	6.54%	8.31%	7.73%	7.20%	5.23%	8.39%	7.87%	6.32%	7.05%	7.11%
97年第3季	十四日內再住院案件數	1,490	1,367	2,025	1,394	2,203	344	8,823	12,434	4,182	9,197	6,516	5,981	1,284	39,594
	出院案件數	19,959	24,562	23,942	13,767	34,128	3,797	120,155	172,844	83,122	119,190	84,328	101,320	17,014	577,818
	十四日內再住院率	7.47%	5.57%	8.46%	10.13%	6.46%	9.06%	7.34%	7.19%	5.03%	7.72%	7.73%	5.90%	7.55%	6.85%
97年第4季	十四日內再住院案件數	1,542	1,388	1,919	1,314	2,084	340	8,587	12,543	4,081	8,655	6,201	5,953	1,218	38,651
	出院案件數	20,972	24,161	23,980	13,332	33,322	3,615	119,382	173,853	81,046	118,202	83,142	99,780	16,609	572,632
	十四日內再住院率	7.35%	5.74%	8.00%	9.86%	6.25%	9.41%	7.19%	7.21%	5.04%	7.32%	7.46%	5.97%	7.33%	6.75%
97年小計	十四日內再住院案件數	5,747	5,511	8,946	5,553	8,481	1,396	35,634	48,275	16,571	37,750	25,684	24,068	4,912	157,260
	出院案件數	77,289	98,203	101,915	54,745	134,131	15,347	481,630	676,373	326,228	475,869	334,470	398,053	67,087	2,278,080
	十四日內再住院率	7.44%	5.61%	8.78%	10.14%	6.32%	9.10%	7.40%	7.14%	5.08%	7.93%	7.68%	6.05%	7.32%	6.90%
98年第1季	十四日內再住院案件數	1,547	1,339	1,876	1,367	1,963	343	8,435	12,146	3,813	8,460	5,873	5,861	1,207	37,360
	出院案件數	20,156	23,569	23,131	13,202	31,380	3,666	115,104	168,435	76,976	114,272	81,743	96,763	16,066	554,255
	十四日內再住院率	7.68%	5.68%	8.11%	10.35%	6.26%	9.36%	7.33%	7.21%	4.95%	7.40%	7.18%	6.06%	7.51%	6.74%
98年第2季	十四日內再住院案件數	1,621	1,366	2,000	1,405	2,037	383	8,812	13,477	4,147	8,905	6,508	6,087	1,286	40,410
	出院案件數	21,239	24,159	23,383	13,618	31,416	3,911	117,726	178,354	81,042	117,549	84,902	99,884	17,477	579,208
	十四日內再住院率	7.63%	5.65%	8.55%	10.32%	6.48%	9.79%	7.49%	7.56%	5.12%	7.58%	7.67%	6.09%	7.36%	6.98%
98年第3季	十四日內再住院案件數	1,691	1,415	1,908	1,363	2,161	412	8,950	13,680	4,226	8,912	6,548	6,339	1,366	41,071
	出院案件數	22,500	25,917	23,322	14,164	32,943	4,221	123,067	186,358	85,370	122,744	88,430	104,313	18,349	605,564
	十四日內再住院率	7.52%	5.46%	8.18%	9.62%	6.56%	9.76%	7.27%	7.34%	4.95%	7.26%	7.40%	6.08%	7.44%	6.78%
98年第4季	十四日內再住院案件數	1,703	1,441	1,828	1,359	2,142	357	8,830	12,952	4,211	8,586	6,550	6,124	1,171	39,594
	出院案件數	21,601	25,933	23,356	13,318	32,536	3,877	120,621	178,979	85,104	119,201	85,351	102,479	17,199	588,313
	十四日內再住院率	7.88%	5.56%	7.83%	10.20%	6.58%	9.21%	7.32%	7.24%	4.95%	7.20%	7.67%	5.98%	6.81%	6.73%
98年小計	十四日內再住院案件數	6,562	5,561	7,612	5,494	8,303	1,495	35,027	52,255	16,397	34,863	25,479	24,411	5,030	158,435
	出院案件數	85,496	99,578	93,192	54,302	128,275	15,675	476,518	712,126	328,492	473,766	340,426	403,439	69,091	2,327,340
	十四日內再住院率	7.68%	5.58%	8.17%	10.12%	6.47%	9.54%	7.35%	7.34%	4.99%	7.36%	7.48%	6.05%	7.28%	6.81%

備註：1. 醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之出院案件(出院日在資料範圍內之案件，按「院所、ID、生日、住院日」歸戶，因切帳申報之緣故，可能有多個出院日，以最晚之出院住院日為準)。

3. 公式說明：分子：十四日內再住院的案件數(以出院案件為母體，按「ID、生日」勾稽距離出院日0至14日內的住院案件。)

分母：出院案件數。

*監測值：6.98%×(1±10%)

4. 資料擷取日期：99年04月28日

5. 製表單位：醫審及藥材組

指標1.6 醫院總額專業醫療服務品質指標－各區住院案件出院後三日內急診率(2-1)

年季	層級別	醫學中心							區域醫院						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	三日內急診案件數	1,889	368	1,217	124	596	162	4,356	1,992	735	1,842	1,053	699	210	6,531
	出院案件數	75,788	23,741	35,704	18,257	31,481	5,378	190,349	66,922	31,243	53,983	50,056	31,894	6,979	241,077
	三日內急診率	2.49%	1.55%	3.41%	0.68%	1.89%	3.01%	2.29%	2.98%	2.35%	3.41%	2.10%	2.19%	3.01%	2.71%
97年第2季	三日內急診案件數	2,010	422	1,262	123	653	201	4,671	2,261	785	1,852	1,229	721	261	7,109
	出院案件數	76,811	24,491	36,297	17,946	31,561	5,462	192,568	69,526	31,501	55,960	50,535	32,958	7,317	247,797
	三日內急診率	2.62%	1.72%	3.48%	0.69%	2.07%	3.68%	2.43%	3.25%	2.49%	3.31%	2.43%	2.19%	3.57%	2.87%
97年第3季	三日內急診案件數	2,051	440	1,099	212	616	196	4,614	2,216	751	1,819	1,150	836	219	6,991
	出院案件數	79,576	25,366	35,870	18,486	32,173	5,526	196,997	68,717	31,581	56,658	49,529	32,577	7,274	246,336
	三日內急診率	2.58%	1.73%	3.06%	1.15%	1.91%	3.55%	2.34%	3.22%	2.38%	3.21%	2.32%	2.57%	3.01%	2.84%
97年第4季	三日內急診案件數	1,906	365	1,047	188	619	214	4,339	2,087	675	1,586	1,041	763	230	6,382
	出院案件數	79,227	24,416	35,514	18,342	31,494	5,468	194,461	68,937	30,707	55,832	48,643	32,400	7,041	243,560
	三日內急診率	2.41%	1.49%	2.95%	1.02%	1.97%	3.91%	2.23%	3.03%	2.20%	2.84%	2.14%	2.35%	3.27%	2.62%
97年小計	三日內急診案件數	7,856	1,595	4,625	647	2,484	773	17,980	8,556	2,946	7,099	4,473	3,019	920	27,013
	出院案件數	311,402	98,014	143,385	73,031	126,709	21,834	774,375	274,102	125,032	222,433	198,763	129,829	28,611	978,770
	三日內急診率	2.52%	1.63%	3.23%	0.89%	1.96%	3.54%	2.32%	3.12%	2.36%	3.19%	2.25%	2.33%	3.22%	2.76%
98年第1季	三日內急診案件數	1,874	337	1,123	259	672	198	4,463	2,192	677	1,610	1,068	801	214	6,562
	出院案件數	74,745	22,542	34,026	17,813	29,558	5,234	183,918	68,623	29,027	54,137	47,948	33,079	6,697	239,511
	三日內急診率	2.51%	1.49%	3.30%	1.45%	2.27%	3.78%	2.43%	3.19%	2.33%	2.97%	2.23%	2.42%	3.20%	2.74%
98年第2季	三日內急診案件數	2,193	356	1,179	283	713	211	4,935	2,452	817	1,786	1,297	787	262	7,401
	出院案件數	79,157	24,143	35,606	18,472	31,567	5,635	194,580	73,162	31,083	55,789	50,102	34,408	7,527	252,071
	三日內急診率	2.77%	1.47%	3.31%	1.53%	2.26%	3.74%	2.54%	3.35%	2.63%	3.20%	2.59%	2.29%	3.48%	2.94%
98年第3季	三日內急診案件數	2,254	368	1,229	252	730	195	5,028	2,503	799	1,807	1,318	898	273	7,598
	出院案件數	82,797	25,348	37,861	18,655	32,259	5,881	202,801	76,226	32,440	58,900	52,809	36,486	7,780	264,641
	三日內急診率	2.72%	1.45%	3.25%	1.35%	2.26%	3.32%	2.48%	3.28%	2.46%	3.07%	2.50%	2.46%	3.51%	2.87%
98年第4季	三日內急診案件數	2,018	351	1,060	192	799	106	4,526	2,195	714	1,570	1,193	821	244	6,737
	出院案件數	80,798	25,124	36,688	18,462	31,352	5,506	197,930	71,659	32,169	56,338	50,679	35,939	7,380	254,164
	三日內急診率	2.50%	1.40%	2.89%	1.04%	2.55%	1.93%	2.29%	3.06%	2.22%	2.79%	2.35%	2.28%	3.31%	2.65%
98年小計	三日內急診案件數	8,339	1,412	4,591	986	2,914	710	18,952	9,342	3,007	6,773	4,876	3,307	993	28,298
	出院案件數	317,497	97,157	144,181	73,402	124,736	22,256	779,229	289,670	124,719	225,164	201,538	139,912	29,384	1,010,387
	三日內急診率	2.63%	1.45%	3.18%	1.34%	2.34%	3.19%	2.43%	3.23%	2.41%	3.01%	2.42%	2.36%	3.38%	2.80%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之出院案件(出院日在資料範圍內之案件，按「院所、ID、生日、住院日」歸戶，因切帳申報之緣故，可能有多個出院日，以最晚之出院日為準)。

3. 公式說明：
 分子：三日內再急診的案件數(以出院案件為母體，按「ID、生日」勾稽距離出院日0至3日內的急診案件)。
 分母：出院案件數。
 *監測值：2.64%(1±10%)

4. 資料擷取日期：99年04月28日

5. 製表單位：醫審及藥材組

指標1.6 醫院總額專業醫療服務品質指標－各區住院案件出院後三日內急診率(2-2)

年 季	層級別	地區醫院(含未評鑑醫院)							合計						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	三日內急診案件數	463	484	852	306	640	186	2,931	4,344	1,587	3,911	1,483	1,935	558	13,818
	出院案件數	17,926	24,269	27,060	13,886	33,483	3,903	120,527	160,636	79,253	116,747	82,199	96,858	16,260	551,953
	三日內急診率	2.58%	1.99%	3.15%	2.20%	1.91%	4.77%	2.43%	2.70%	2.00%	3.35%	1.80%	2.00%	3.43%	2.50%
97年第2季	三日內急診案件數	502	485	844	347	579	170	2,927	4,773	1,692	3,958	1,699	1,953	632	14,707
	出院案件數	17,606	24,512	26,076	13,028	32,168	3,836	117,226	163,943	80,504	118,333	81,509	96,687	16,615	557,591
	三日內急診率	2.85%	1.98%	3.24%	2.66%	1.80%	4.43%	2.50%	2.91%	2.10%	3.34%	2.08%	2.02%	3.80%	2.64%
97年第3季	三日內急診案件數	566	414	678	352	630	174	2,814	4,833	1,605	3,596	1,714	2,082	589	14,419
	出院案件數	19,207	23,914	23,139	13,049	32,990	3,632	115,931	167,500	80,861	115,667	81,064	97,740	16,432	559,264
	三日內急診率	2.95%	1.73%	2.93%	2.70%	1.91%	4.79%	2.43%	2.89%	1.98%	3.11%	2.11%	2.13%	3.58%	2.58%
97年第4季	三日內急診案件數	562	439	627	293	575	164	2,660	4,555	1,479	3,260	1,522	1,957	608	13,381
	出院案件數	20,095	23,541	23,113	12,495	32,193	3,451	114,888	168,259	78,664	114,459	79,480	96,087	15,960	552,909
	三日內急診率	2.80%	1.86%	2.71%	2.34%	1.79%	4.75%	2.32%	2.71%	1.88%	2.85%	1.91%	2.04%	3.81%	2.42%
97年小計	三日內急診案件數	2,093	1,822	3,001	1,298	2,424	694	11,332	18,505	6,363	14,725	6,418	7,927	2,387	56,325
	出院案件數	74,834	96,236	99,388	52,458	130,834	14,822	468,572	660,338	319,282	465,206	324,252	387,372	65,267	2,221,717
	三日內急診率	2.80%	1.89%	3.02%	2.47%	1.85%	4.68%	2.42%	2.80%	1.99%	3.17%	1.98%	2.05%	3.66%	2.54%
98年第1季	三日內急診案件數	611	434	677	329	635	173	2,859	4,677	1,448	3,410	1,656	2,108	585	13,884
	出院案件數	19,250	22,782	22,240	12,353	30,238	3,473	110,336	162,618	74,351	110,403	78,114	92,875	15,404	533,765
	三日內急診率	3.17%	1.91%	3.04%	2.66%	2.10%	4.98%	2.59%	2.88%	1.95%	3.09%	2.12%	2.27%	3.80%	2.60%
98年第2季	三日內急診案件數	584	426	677	341	570	166	2,764	5,229	1,599	3,642	1,921	2,070	639	15,100
	出院案件數	20,324	23,495	22,452	12,901	30,450	3,742	113,364	172,643	78,721	113,847	81,475	96,425	16,904	560,015
	三日內急診率	2.87%	1.81%	3.02%	2.64%	1.87%	4.44%	2.44%	3.03%	2.03%	3.20%	2.36%	2.15%	3.78%	2.70%
98年第3季	三日內急診案件數	684	461	636	336	733	185	3,035	5,441	1,628	3,672	1,906	2,361	653	15,661
	出院案件數	21,597	25,324	22,515	13,402	31,939	4,053	118,830	180,620	83,112	119,276	84,866	100,684	17,714	586,272
	三日內急診率	3.17%	1.82%	2.82%	2.51%	2.29%	4.56%	2.55%	3.01%	1.96%	3.08%	2.25%	2.34%	3.69%	2.67%
98年第4季	三日內急診案件數	599	463	542	306	607	152	2,669	4,812	1,528	3,172	1,691	2,227	502	13,932
	出院案件數	20,741	25,294	22,540	12,585	31,493	3,704	116,357	173,198	82,587	115,566	81,726	98,784	16,590	568,451
	三日內急診率	2.89%	1.83%	2.40%	2.43%	1.93%	4.10%	2.29%	2.78%	1.85%	2.74%	2.07%	2.25%	3.03%	2.45%
98年小計	三日內急診案件數	2,478	1,784	2,532	1,312	2,545	676	11,327	20,159	6,203	13,896	7,174	8,766	2,379	58,577
	出院案件數	81,912	96,895	89,747	51,241	124,120	14,972	458,887	689,079	318,771	459,092	326,181	388,768	66,612	2,248,503
	三日內急診率	3.03%	1.84%	2.82%	2.56%	2.05%	4.52%	2.47%	2.93%	1.95%	3.03%	2.20%	2.25%	3.57%	2.61%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之出院案件(出院日在資料範圍內之案件，按「院所、ID、生日、住院日」歸戶，因切帳申報之緣故，可能有多個出院日，以最晚之出院日為準)。

3. 公式說明：
 分子：三日內再急診的案件數(以出院案件為母體，按「ID、生日」勾稽距離出院日0至3日內的急診案件)。
 分母：出院案件數。
 * 監測值：2.64%×(1±10%)

4. 資料擷取日期：99年04月28日

5. 製表單位：醫審及藥材組

指標1.7 醫院總額專業醫療服務品質指標－各區同院所三十日以上住院率(2-1)

年季	層級別	醫學中心							區域醫院						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	住院>30日案件數	2,482	912	858	432	1,006	231	5,921	1,558	357	782	854	455	74	4,080
	出院案件數	83,090	25,150	38,272	19,554	33,966	5,517	205,549	71,079	32,063	55,783	53,377	33,109	7,301	252,712
	超長期住院率	2.99%	3.63%	2.24%	2.21%	2.96%	4.19%	2.88%	2.19%	1.11%	1.40%	1.60%	1.37%	1.01%	1.61%
97年第2季	住院>30日案件數	2,711	922	984	460	1,044	278	6,399	1,645	315	930	923	517	99	4,429
	出院案件數	86,380	26,592	41,095	19,914	35,354	5,886	215,221	76,008	33,230	59,473	55,918	35,564	7,816	268,009
	超長期住院率	3.14%	3.47%	2.39%	2.31%	2.95%	4.72%	2.97%	2.16%	0.95%	1.56%	1.65%	1.45%	1.27%	1.65%
97年第3季	住院>30日案件數	2,685	895	948	439	1,276	279	6,522	1,674	329	938	903	562	91	4,497
	出院案件數	90,202	27,445	41,301	20,391	36,255	5,901	221,495	75,516	33,602	61,151	55,147	35,381	7,839	268,636
	超長期住院率	2.98%	3.26%	2.30%	2.15%	3.52%	4.73%	2.94%	2.22%	0.98%	1.53%	1.64%	1.59%	1.16%	1.67%
97年第4季	住院>30日案件數	2,724	1,023	1,015	397	1,229	279	6,667	1,655	377	1,020	998	617	116	4,783
	出院案件數	90,442	26,675	41,155	20,139	35,411	5,892	219,714	76,208	32,646	60,368	54,164	35,372	7,656	266,414
	超長期住院率	3.01%	3.84%	2.47%	1.97%	3.47%	4.74%	3.03%	2.17%	1.15%	1.69%	1.84%	1.74%	1.52%	1.80%
97年小計	住院>30日案件數	10,602	3,752	3,805	1,728	4,555	1,067	25,509	6,532	1,378	3,670	3,678	2,151	380	17,789
	出院案件數	350,114	105,862	161,823	79,998	140,986	23,196	861,979	298,811	131,541	236,775	218,606	139,426	30,612	1,055,771
	超長期住院率	3.03%	3.54%	2.35%	2.16%	3.23%	4.60%	2.96%	2.19%	1.05%	1.55%	1.68%	1.54%	1.24%	1.68%
98年第1季	住院>30日案件數	2,480	887	877	379	1,193	212	6,028	1,459	314	783	842	520	100	4,018
	出院案件數	85,295	24,880	39,160	19,487	33,165	5,553	207,540	75,468	30,829	58,136	53,352	35,884	7,235	260,904
	超長期住院率	2.91%	3.57%	2.24%	1.94%	3.60%	3.82%	2.90%	1.93%	1.02%	1.35%	1.58%	1.45%	1.38%	1.54%
98年第2季	住院>30日案件數	2,768	950	866	426	1,250	273	6,533	1,693	331	895	1,071	612	93	4,695
	出院案件數	90,742	26,449	41,103	20,392	35,214	5,998	219,898	80,431	32,974	59,936	55,397	37,493	8,057	274,288
	超長期住院率	3.05%	3.59%	2.11%	2.09%	3.55%	4.55%	2.97%	2.10%	1.00%	1.49%	1.93%	1.63%	1.15%	1.71%
98年第3季	住院>30日案件數	2,685	955	898	409	1,276	253	6,476	1,574	301	812	1,035	586	97	4,405
	出院案件數	95,376	27,561	43,231	20,726	36,003	6,295	229,192	84,148	34,451	63,131	58,185	39,605	8,378	287,898
	超長期住院率	2.82%	3.47%	2.08%	1.97%	3.54%	4.02%	2.83%	1.87%	0.87%	1.29%	1.78%	1.48%	1.16%	1.53%
98年第4季	住院>30日案件數	2,576	1,024	950	412	1,344	267	6,573	1,607	291	924	1,047	615	107	4,591
	出院案件數	93,634	27,428	42,531	20,338	35,037	5,886	224,854	79,687	32,045	60,627	56,131	39,003	7,957	275,450
	超長期住院率	2.75%	3.73%	2.23%	2.03%	3.84%	4.54%	2.92%	2.02%	0.91%	1.52%	1.87%	1.58%	1.34%	1.67%
98年小計	住院>30日案件數	10,509	3,816	3,591	1,626	5,063	1,005	25,610	6,333	1,237	3,414	3,995	2,333	397	17,709
	出院案件數	365,047	106,318	166,025	80,943	139,419	23,732	881,484	319,734	130,299	241,830	223,065	151,985	31,627	1,098,540
	超長期住院率	2.88%	3.59%	2.16%	2.01%	3.63%	4.23%	2.91%	1.98%	0.95%	1.41%	1.79%	1.54%	1.26%	1.61%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之出院案件(出院日在資料範圍之案件，按「院所、ID、生日、住院日」歸戶，因切帳申報之緣故，可能有多個出院日，以最晚之出院日為準。

3. 公式說明：分子：住院超過30日的案件數(以出院案件為母體，按「院所、ID、生日、住院日」歸戶，找出住院日距離出院日超過30日的案件)。

分母：出院案件數。

*監測值：2.19%(±10%)

4. 資料擷取日期：99年04月28日

5. 製表單位：醫審及藥材組

指標1.7 醫院總額專業醫療服務品質指標－各區同院所三十日以上住院率(2-2)

年季	層級別	地區醫院(含未評鑑醫院)							合計						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	住院>30日案件數	455	504	384	261	247	50	1,901	4,495	1,773	2,024	1,547	1,708	355	11,902
	出院案件數	17,913	25,108	28,651	13,575	35,169	4,057	124,473	172,082	82,321	122,706	86,506	102,244	16,875	582,734
	超長期住院率	2.54%	2.01%	1.34%	1.92%	0.70%	1.23%	1.53%	2.61%	2.15%	1.65%	1.79%	1.67%	2.10%	2.04%
97年第2季	住院>30日案件數	473	511	448	212	291	75	2,010	4,829	1,748	2,362	1,595	1,852	452	12,838
	出院案件數	18,543	25,818	28,496	13,502	35,119	4,185	125,663	180,931	85,640	129,064	89,334	106,037	17,887	608,893
	超長期住院率	2.55%	1.98%	1.57%	1.57%	0.83%	1.79%	1.60%	2.67%	2.04%	1.83%	1.79%	1.75%	2.53%	2.11%
97年第3季	住院>30日案件數	411	552	378	197	248	62	1,848	4,770	1,776	2,264	1,539	2,086	432	12,867
	出院案件數	20,105	25,167	25,411	13,595	36,112	3,952	124,342	185,823	86,214	127,863	89,133	107,748	17,692	614,473
	超長期住院率	2.04%	2.19%	1.49%	1.45%	0.69%	1.57%	1.49%	2.57%	2.06%	1.77%	1.73%	1.94%	2.44%	2.09%
97年第4季	住院>30日案件數	456	562	405	200	248	67	1,938	4,835	1,962	2,440	1,595	2,094	462	13,388
	出院案件數	21,145	25,119	25,169	13,028	35,342	3,794	123,597	187,795	84,440	126,692	87,331	106,125	17,342	609,725
	超長期住院率	2.16%	2.24%	1.61%	1.54%	0.70%	1.77%	1.57%	2.57%	2.32%	1.93%	1.83%	1.97%	2.66%	2.20%
97年小計	住院>30日案件數	1,795	2,129	1,615	870	1,034	254	7,697	18,929	7,259	9,090	6,276	7,740	1,701	50,995
	出院案件數	77,706	101,212	107,727	53,700	141,742	15,988	498,075	726,631	338,615	506,325	352,304	422,154	69,796	2,415,825
	超長期住院率	2.31%	2.10%	1.50%	1.62%	0.73%	1.59%	1.55%	2.61%	2.14%	1.80%	1.78%	1.83%	2.44%	2.11%
98年第1季	住院>30日案件數	463	429	403	185	206	58	1,744	4,402	1,630	2,063	1,406	1,919	370	11,790
	出院案件數	20,195	24,316	24,436	12,912	33,025	3,790	118,674	180,958	80,025	121,732	85,751	102,074	16,578	587,118
	超長期住院率	2.29%	1.76%	1.65%	1.43%	0.62%	1.53%	1.47%	2.43%	2.04%	1.69%	1.64%	1.88%	2.23%	2.01%
98年第2季	住院>30日案件數	557	425	450	158	207	78	1,875	5,018	1,706	2,211	1,655	2,069	444	13,103
	出院案件數	21,384	25,064	24,467	13,400	33,589	4,105	122,009	192,557	84,487	125,506	89,189	106,296	18,160	616,195
	超長期住院率	2.60%	1.70%	1.84%	1.18%	0.62%	1.90%	1.54%	2.61%	2.02%	1.76%	1.86%	1.95%	2.44%	2.13%
98年第3季	住院>30日案件數	581	529	408	158	155	45	1,876	4,840	1,785	2,118	1,602	2,017	395	12,757
	出院案件數	22,764	27,043	24,481	14,073	34,924	4,437	127,722	202,288	89,055	130,843	92,984	110,532	19,110	644,812
	超長期住院率	2.55%	1.96%	1.67%	1.12%	0.44%	1.01%	1.47%	2.39%	2.00%	1.62%	1.72%	1.82%	2.07%	1.98%
98年第4季	住院>30日案件數	536	554	414	142	167	54	1,867	4,719	1,869	2,288	1,601	2,126	428	13,031
	出院案件數	21,835	26,761	24,555	13,089	34,302	4,031	124,573	195,156	86,234	127,713	89,558	108,342	17,874	624,877
	超長期住院率	2.45%	2.07%	1.69%	1.08%	0.49%	1.34%	1.50%	2.42%	2.17%	1.79%	1.79%	1.96%	2.39%	2.09%
98年小計	住院>30日案件數	2,137	1,937	1,675	643	735	235	7,362	18,979	6,990	8,680	6,264	8,131	1,637	50,681
	出院案件數	86,178	103,184	97,939	53,474	135,840	16,363	492,978	770,959	339,801	505,794	357,482	427,244	71,722	2,473,002
	超長期住院率	2.48%	1.88%	1.71%	1.20%	0.54%	1.44%	1.49%	2.46%	2.06%	1.72%	1.75%	1.90%	2.28%	2.05%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之出院案件(出院日在資料範圍之案件，按「院所、ID、生日、住院日」歸戶，因切帳申報之緣故，可能有多個出院日，以最晚之出院日為準。

3. 公式說明：分子：住院超過30日的案件數(以出院案件為母體，按「院所、ID、生日、住院日」歸戶，找出住院日距離出院日超過30日的案件)。

分母：出院案件數。

*監測值：2.19%×(1±10%)

4. 資料擷取日期：99年04月28日

5. 製表單位：醫審及藥材組

指標1.8.1 醫院總額專業醫療服務品質指標－剖腹產率(2-1)

年季	層級別	醫學中心							區域醫院						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	剖腹產案件數	1,389	455	606	271	218	37	2,976	1,277	709	725	982	243	168	4,104
	生產案件數	4,117	1,369	1,601	776	594	123	8,580	4,074	2,377	2,222	2,766	614	518	12,571
	剖腹產率	33.74%	33.24%	37.85%	34.92%	36.70%	30.08%	34.69%	31.35%	29.83%	32.63%	35.50%	39.58%	32.43%	32.65%
97年第2季	剖腹產案件數	1,250	297	508	281	222	29	2,587	1,107	651	680	886	241	129	3,694
	生產案件數	3,730	826	1,423	702	574	99	7,354	3,685	2,097	2,172	2,383	585	417	11,339
	剖腹產率	33.51%	35.96%	35.70%	40.03%	38.68%	29.29%	35.18%	30.04%	31.04%	31.31%	37.18%	41.20%	30.94%	32.58%
97年第3季	剖腹產案件數	1,385	525	639	244	228	32	3,053	1,137	713	781	912	263	144	3,950
	生產案件數	3,991	1,359	1,592	745	571	118	8,376	3,856	2,288	2,410	2,515	620	473	12,162
	剖腹產率	34.70%	38.63%	40.14%	32.75%	39.93%	27.12%	36.45%	29.49%	31.16%	32.41%	36.26%	42.42%	30.44%	32.48%
97年第4季	剖腹產案件數	1,401	569	690	296	240	32	3,228	1,340	783	856	988	272	161	4,400
	生產案件數	4,342	1,568	1,728	821	597	127	9,183	4,407	2,514	2,681	2,833	721	504	13,660
	剖腹產率	32.27%	36.29%	39.93%	36.05%	40.20%	25.20%	35.15%	30.41%	31.15%	31.93%	34.87%	37.73%	31.94%	32.21%
97年小計	剖腹產案件數	5,425	1,846	2,443	1,092	908	130	11,844	4,861	2,856	3,042	3,768	1,019	602	16,148
	生產案件數	16,180	5,122	6,344	3,044	2,336	467	33,493	16,022	9,276	9,485	10,497	2,540	1,912	49,732
	剖腹產率	33.53%	36.04%	38.51%	35.87%	38.87%	27.84%	35.36%	30.34%	30.79%	32.07%	35.90%	40.12%	31.49%	32.47%
98年第1季	剖腹產案件數	1,304	496	633	240	212	28	2,913	1,235	673	769	858	277	146	3,958
	生產案件數	3,901	1,382	1,617	655	575	113	8,243	3,920	2,180	2,207	2,416	660	485	11,868
	剖腹產率	33.43%	35.89%	39.15%	36.64%	36.87%	24.78%	35.34%	31.51%	30.87%	34.84%	35.51%	41.97%	30.10%	33.35%
98年第2季	剖腹產案件數	1,289	472	605	258	182	47	2,853	1,179	623	758	837	302	136	3,835
	生產案件數	3,748	1,267	1,473	655	533	125	7,801	3,789	2,070	2,178	2,226	677	408	11,348
	剖腹產率	34.39%	37.25%	41.07%	39.39%	34.15%	37.60%	36.57%	31.12%	30.10%	34.80%	37.60%	44.61%	33.33%	33.79%
98年第3季	剖腹產案件數	1,322	545	620	242	244	30	3,003	1,381	689	763	891	315	118	4,157
	生產案件數	4,070	1,454	1,661	658	607	103	8,553	4,175	2,293	2,320	2,457	744	366	12,355
	剖腹產率	32.48%	37.48%	37.33%	36.78%	40.20%	29.13%	35.11%	33.08%	30.05%	32.89%	36.26%	42.34%	32.24%	33.65%
98年第4季	剖腹產案件數	1,399	572	681	292	227	36	3,207	1,437	685	935	972	319	142	4,490
	生產案件數	4,384	1,543	1,812	749	646	131	9,265	4,572	2,323	2,676	2,647	711	475	13,404
	剖腹產率	31.91%	37.07%	37.58%	38.99%	35.14%	27.48%	34.61%	31.43%	29.49%	34.94%	36.72%	44.87%	29.89%	33.50%
98年小計	剖腹產案件數	5,314	2,085	2,539	1,032	865	141	11,976	5,232	2,670	3,225	3,558	1,213	542	16,440
	生產案件數	16,103	5,646	6,563	2,717	2,361	472	33,862	16,456	8,866	9,381	9,746	2,792	1,734	48,975
	剖腹產率	33.00%	36.93%	38.69%	37.98%	36.64%	29.87%	35.37%	31.79%	30.12%	34.38%	36.51%	43.45%	31.26%	33.57%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之生產案件(醫令代碼為81004C、97006K、97007A、97008B、97009C、81017C、81018C、81019C、97001K、97002A、97003B、97004C、97005D、81028C

、81024C、81025C、81026C、97931K、97932A、97933B、97934C之案件)。

4. 資料擷取日期：99年04月28日

3. 公式說明：分子：剖腹產案件數(醫令案件數為81004C、97006K、97007A、97008B、97009C之案件)。

5. 製表單位：醫審及藥材組

分母：生產案件數。

* 監測值：33.84%(1±10%)

6. 本項指標符合適應症及自行要求剖腹產案件，各院所收治產婦之複雜度不同，故觀察結果也不同，本項指標不宜逕予判斷院所生產照護品質。

指標1.8.1醫院總額專業醫療服務品質指標－剖腹產率(2-2)

年季	層級別	地區醫院(含未評鑑醫院)							合計						
	分區別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	剖腹產案件數	528	969	904	108	1,734	35	4,278	5,222	2,753	3,304	2,351	2,625	333	16,588
	生產案件數	1,354	3,183	2,817	285	4,560	117	12,316	14,369	8,997	9,945	6,728	6,934	1,065	48,038
	剖腹產率	39.00%	30.44%	32.09%	37.89%	38.03%	29.91%	34.74%	36.34%	30.60%	33.22%	34.94%	37.86%	31.27%	34.53%
97年第2季	剖腹產案件數	502	891	801	78	1,567	22	3,861	4,668	2,443	2,934	2,148	2,419	252	14,864
	生產案件數	1,256	3,124	2,677	222	4,100	99	11,478	13,068	8,014	9,151	5,919	6,326	883	43,361
	剖腹產率	39.97%	28.52%	29.92%	35.14%	38.22%	22.22%	33.64%	35.72%	30.48%	32.06%	36.29%	38.24%	28.54%	34.28%
97年第3季	剖腹產案件數	574	933	854	63	1,684	34	4,142	5,052	2,840	3,255	2,289	2,581	294	16,311
	生產案件數	1,474	3,156	2,831	227	4,497	99	12,284	14,088	8,926	9,863	6,396	6,845	976	47,094
	剖腹產率	38.94%	29.56%	30.17%	27.75%	37.45%	34.34%	33.72%	35.86%	31.82%	33.00%	35.79%	37.71%	30.12%	34.63%
97年第4季	剖腹產案件數	622	1,035	923	71	1,867	18	4,536	5,431	3,074	3,589	2,513	2,800	300	17,707
	生產案件數	1,614	3,572	3,109	250	4,938	101	13,584	15,423	9,872	11,000	7,192	7,475	1,041	52,003
	剖腹產率	38.54%	28.98%	29.69%	28.40%	37.81%	17.82%	33.39%	35.21%	31.14%	32.63%	34.94%	37.46%	28.82%	34.05%
97年小計	剖腹產案件數	2,226	3,828	3,482	320	6,852	109	16,817	20,373	11,110	13,082	9,301	10,425	1,179	65,470
	生產案件數	5,698	13,035	11,434	984	18,095	416	49,662	56,948	35,809	39,959	26,235	27,580	3,965	190,496
	剖腹產率	39.07%	29.37%	30.45%	32.52%	37.87%	26.20%	33.86%	35.77%	31.03%	32.74%	35.45%	37.80%	29.74%	34.37%
98年第1季	剖腹產案件數	541	852	860	73	1,663	27	4,016	3,080	2,021	2,262	1,171	2,152	201	10,887
	生產案件數	1,367	3,055	2,685	217	4,243	105	11,672	9,188	6,617	6,509	3,288	5,478	703	31,783
	剖腹產率	39.58%	27.89%	32.03%	33.64%	39.19%	25.71%	34.41%	33.52%	30.54%	34.75%	35.61%	39.28%	28.59%	34.25%
98年第2季	剖腹產案件數	524	903	851	63	1,529	41	3,911	2,992	1,998	2,214	1,158	2,013	224	10,599
	生產案件數	1,268	3,047	2,456	168	3,995	116	11,050	8,805	6,384	6,107	3,049	5,205	649	30,199
	剖腹產率	41.32%	29.64%	34.65%	37.50%	38.27%	35.34%	35.39%	33.98%	31.30%	36.25%	37.98%	38.67%	34.51%	35.10%
98年第3季	剖腹產案件數	531	1,090	919	71	1,703	52	4,366	3,234	2,324	2,302	1,204	2,262	200	11,526
	生產案件數	1,361	3,463	2,654	199	4,370	143	12,190	9,606	7,210	6,635	3,314	5,721	612	33,098
	剖腹產率	39.02%	31.48%	34.63%	35.68%	38.97%	36.36%	35.82%	33.67%	32.23%	34.69%	36.33%	39.54%	32.68%	34.82%
98年第4季	剖腹產案件數	529	994	975	84	1,808	60	4,450	3,365	2,251	2,591	1,348	2,354	238	12,147
	生產案件數	1,344	3,491	2,938	209	4,629	186	12,797	10,300	7,357	7,426	3,605	5,986	792	35,466
	剖腹產率	39.36%	28.47%	33.19%	40.19%	39.06%	32.26%	0.00%	32.67%	30.60%	34.89%	37.39%	39.33%	30.05%	34.25%
98年小計	剖腹產案件數	2,125	3,839	3,605	291	6,703	180	16,743	12,671	8,594	9,369	4,881	8,781	863	45,159
	生產案件數	5,340	13,056	10,733	793	17,237	550	47,709	37,899	27,568	26,677	13,256	22,390	2,756	130,546
	剖腹產率	39.79%	29.40%	33.59%	36.70%	38.89%	32.73%	0.00%	33.43%	31.17%	35.12%	36.82%	39.22%	31.31%	34.59%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之生產案件(醫令代碼為81004C、97006K、97007A、97008B、97009C、81017C、81018C、81019C、97001K、97002A、97003B、97004C、97005D、81028C

、81024C、81025C、81026C、97931K、97932A、97933B、97934C之案件)。

4. 資料擷取日期：99年04月28日

3. 公式說明：分子：剖腹產案件數(醫令案件數為81004C、97006K、97007A、97008B、97009C之案件)。

5. 製表單位：醫審及藥材組

分母：生產案件數。

*監測值：33.84%(±10%)

6. 本項指標符合適應症及自行要求剖腹產案件，各院所收治產婦之複雜度不同，故觀察結果也不同，本項指標不宜逕予判斷院所生產照護品質。

指標1.8.2 醫院總額專業醫療服務品質指標－初次剖腹產佔總生產件數比率(2-1)

年季	層級別	醫學中心							區域醫院						
	分區別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	初次剖腹產案件數	800	298	380	159	153	20	1,810	704	397	451	551	143	90	2,336
	生產案件數	4,117	1,369	1,601	776	594	123	8,580	4,074	2,377	2,246	2,757	617	518	12,589
	初次剖腹產率	19.43%	21.77%	23.74%	20.49%	25.76%	16.26%	21.10%	17.28%	16.70%	20.08%	19.99%	23.18%	17.37%	18.56%
97年第2季	初次剖腹產案件數	772	279	307	175	143	18	1,694	634	360	382	510	149	65	2,100
	生產案件數	3,730	1,292	1,423	702	574	99	7,820	3,685	2,097	2,172	2,383	579	417	11,333
	初次剖腹產率	20.70%	21.59%	21.57%	24.93%	24.91%	18.18%	21.66%	17.20%	17.17%	17.59%	21.40%	25.73%	15.59%	18.53%
97年第3季	初次剖腹產案件數	863	361	385	155	159	18	1,941	655	397	465	501	159	77	2,254
	生產案件數	3,991	1,359	1,592	745	571	118	8,376	3,856	2,288	2,410	2,515	620	473	12,162
	初次剖腹產率	21.62%	26.56%	24.18%	20.81%	27.85%	15.25%	23.17%	16.99%	17.35%	19.29%	19.92%	25.65%	16.28%	18.53%
97年第4季	初次剖腹產案件數	840	354	416	173	146	15	1,944	745	461	516	532	163	83	2,500
	生產案件數	4,342	1,568	1,728	821	597	127	9,183	4,407	2,514	2,681	2,833	721	504	13,660
	初次剖腹產率	19.35%	22.58%	24.07%	21.07%	24.46%	11.81%	21.17%	16.90%	18.34%	19.25%	18.78%	22.61%	16.47%	18.30%
97年小計	初次剖腹產案件數	3,275	1,292	1,488	662	601	71	7,389	2,738	1,615	1,814	2,094	614	315	9,190
	生產案件數	16,180	5,588	6,344	3,044	2,336	467	33,959	16,022	9,276	9,509	10,488	2,537	1,912	49,744
	初次剖腹產率	20.24%	23.12%	23.46%	21.75%	25.73%	15.20%	21.76%	17.09%	17.41%	19.08%	19.97%	24.20%	16.47%	18.47%
98年第1季	初次剖腹產案件數	820	319	393	150	124	8	1,814	705	374	468	478	171	71	2,267
	生產案件數	3,901	1,382	1,617	655	575	113	8,243	3,920	2,180	2,207	2,416	660	485	11,868
	初次剖腹產率	21.02%	23.08%	24.30%	22.90%	21.57%	7.08%	22.01%	17.98%	17.16%	21.21%	19.78%	25.91%	14.64%	19.10%
98年第2季	初次剖腹產案件數	738	270	370	142	109	30	1,659	659	329	466	456	182	65	2,157
	生產案件數	3,748	1,267	1,473	655	533	125	7,801	3,789	2,070	2,178	2,226	677	408	11,348
	初次剖腹產率	19.69%	21.31%	25.12%	21.68%	20.45%	24.00%	21.27%	17.39%	15.89%	21.40%	20.49%	26.88%	15.93%	19.01%
98年第3季	初次剖腹產案件數	771	352	389	147	154	16	1,829	787	395	468	511	188	51	2,400
	生產案件數	4,070	1,454	1,661	658	607	103	8,553	4,175	2,293	2,320	2,457	744	366	12,355
	初次剖腹產率	18.94%	24.21%	23.42%	22.34%	25.37%	15.53%	21.38%	18.85%	17.23%	20.17%	20.80%	25.27%	13.93%	19.43%
98年第4季	初次剖腹產案件數	805	359	419	185	147	18	1,933	804	393	596	562	190	64	2,609
	生產案件數	4,384	1,543	1,812	749	646	131	9,265	4,572	2,323	2,676	2,647	711	475	13,404
	初次剖腹產率	18.36%	23.27%	23.12%	24.70%	22.76%	13.74%	20.86%	17.59%	16.92%	22.27%	21.23%	26.72%	13.47%	19.46%
98年小計	初次剖腹產案件數	3,134	1,300	1,571	624	534	72	7,235	2,955	1,491	1,998	2,007	731	251	9,433
	生產案件數	16,103	5,646	6,563	2,717	2,361	472	33,862	16,456	8,866	9,381	9,746	2,792	1,734	48,975
	初次剖腹產率	19.46%	23.03%	23.94%	22.97%	22.62%	15.25%	21.37%	17.96%	16.82%	21.30%	20.59%	26.18%	14.48%	19.26%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之生產案件(醫令代碼為81004C、97006K、97007A、97008B、97009C、81017C、81018C、81019C、97001K、97002A、97003B、97004C、97005D、81028C、81024C、81025C、81026C、97931K、97932A、97933B、97934C之案件)。

3. 公式說明：
分子：初次非自願剖腹產案件數
分母：生產案件數。
*監測值：19.03%×(1±10%)

4. 資料擷取日期：99年04月28日

5. 製表單位：醫審及藥材組

指標1.8.2 醫院總額專業醫療服務品質指標－初次剖腹產佔總生產件數比率(2-2)

年季	層級別	地區醫院(含未評鑑醫院)							合計						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	剖腹產案件數	320	532	565	59	1,112	16	2,604	1,824	1,227	1,396	769	1,408	126	6,750
	生產案件數	1,354	3,183	2,858	294	4,557	117	12,363	9,545	6,929	6,705	3,827	5,768	758	33,532
	剖腹產率	23.63%	16.71%	19.77%	20.07%	24.40%	13.68%	21.06%	19.11%	17.71%	20.82%	20.09%	24.41%	16.62%	20.13%
97年第2季	剖腹產案件數	286	543	518	44	919	13	2,323	1,692	1,182	1,207	729	1,211	96	6,117
	生產案件數	1,256	3,124	2,677	222	4,106	99	11,484	8,671	6,513	6,272	3,307	5,259	615	30,637
	剖腹產率	22.77%	17.38%	19.35%	19.82%	22.38%	13.13%	20.23%	19.51%	18.15%	19.24%	22.04%	23.03%	15.61%	19.97%
97年第3季	剖腹產案件數	340	505	503	33	990	15	2,386	1,858	1,263	1,353	689	1,308	110	6,581
	生產案件數	1,474	3,156	2,831	227	4,497	99	12,284	9,321	6,803	6,833	3,487	5,688	690	32,822
	剖腹產率	23.07%	16.00%	17.77%	14.54%	22.01%	15.15%	19.42%	19.93%	18.57%	19.80%	19.76%	23.00%	15.94%	20.05%
97年第4季	剖腹產案件數	387	611	596	42	1,091	6	2,733	1,972	1,426	1,528	747	1,400	104	7,177
	生產案件數	1,614	3,572	3,109	250	4,938	101	13,584	10,363	7,654	7,518	3,904	6,256	732	36,427
	剖腹產率	23.98%	17.11%	19.17%	16.80%	22.09%	5.94%	20.12%	19.03%	18.63%	20.32%	19.13%	22.38%	14.21%	19.70%
97年小計	剖腹產案件數	1,333	2,191	2,182	178	4,112	50	10,046	7,346	5,098	5,484	2,934	5,327	436	26,625
	生產案件數	5,698	13,035	11,475	993	18,098	416	49,715	37,900	27,899	27,328	14,525	22,971	2,795	133,418
	剖腹產率	23.39%	16.81%	19.02%	17.93%	22.72%	12.02%	20.21%	19.38%	18.27%	20.07%	20.20%	23.19%	15.60%	19.96%
98年第1季	剖腹產案件數	331	489	540	30	994	18	2,402	1,856	1,182	1,401	658	1,289	97	6,483
	生產案件數	1,367	3,055	2,685	217	4,243	105	11,672	9,188	6,617	6,509	3,288	5,478	703	31,783
	剖腹產率	24.21%	16.01%	20.11%	13.82%	23.43%	17.14%	20.58%	20.20%	17.86%	21.52%	20.01%	23.53%	13.80%	20.40%
98年第2季	剖腹產案件數	334	518	563	37	941	26	2,419	1,731	1,117	1,399	635	1,232	121	6,235
	生產案件數	1,268	3,047	2,456	168	3,995	116	11,050	8,805	6,384	6,107	3,049	5,205	649	30,199
	剖腹產率	26.34%	17.00%	22.92%	22.02%	23.55%	22.41%	21.89%	19.66%	17.50%	22.91%	20.83%	23.67%	18.64%	20.65%
98年第3季	剖腹產案件數	313	593	610	42	1,048	40	2,646	1,871	1,340	1,467	700	1,390	107	6,875
	生產案件數	1,361	3,463	2,654	199	4,370	143	12,190	9,606	7,210	6,635	3,314	5,721	612	33,098
	剖腹產率	23.00%	17.12%	22.98%	21.11%	23.98%	27.97%	21.71%	19.48%	18.59%	22.11%	21.12%	24.30%	17.48%	20.77%
98年第4季	剖腹產案件數	313	584	635	48	1,077	38	2,695	1,922	1,336	1,650	795	1,414	120	7,237
	生產案件數	1,344	3,491	2,938	209	4,629	186	12,797	10,300	7,357	7,426	3,605	5,986	792	35,466
	剖腹產率	23.29%	16.73%	21.61%	22.97%	23.27%	20.43%	0.00%	18.66%	18.16%	22.22%	22.05%	23.62%	15.15%	20.41%
98年小計	剖腹產案件數	1,291	2,184	2,348	157	4,060	122	10,162	7,380	4,975	5,917	2,788	5,325	445	26,830
	生產案件數	5,340	13,056	10,733	793	17,237	550	47,709	37,899	27,568	26,677	13,256	22,390	2,756	130,546
	剖腹產率	24.18%	16.73%	21.88%	19.80%	23.55%	22.18%	0.00%	19.47%	18.05%	22.18%	21.03%	23.78%	16.15%	20.55%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之生產案件(醫令代碼為81004C、97006K、97007A、97008B、97009C、81017C、81018C、81019C、97001K、97002A、97003B、97004C、97005D、81028C、81024C、81025C、81026C、97931K、97932A、97933B、97934C之案件)。

3. 公式說明：
 分子：初次非自願剖腹產案件數
 分母：生產案件數。
 *監測值：19.03%×(1±10%)

4. 資料擷取日期：99年04月28日

5. 製表單位：醫審及藥材組

指標1.9 醫院總額專業醫療服務品質指標－各區同院所使用ESWL人口平均利用人次(2-1)

年季	層級別	醫學中心							區域醫院						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	ESWL使用次數	1,255	257	647	232	581	134	3,106	2,501	1,249	2,305	1,652	1,224	304	9,235
	ESWL使用人數	1,158	247	613	207	498	124	2,847	2,179	1,175	1,928	1,421	1,036	257	7,996
	ESWL利用率	1.08	1.04	1.06	1.12	1.17	1.08	1.09	1.15	1.06	1.20	1.16	1.18	1.18	1.15
97年第2季	ESWL使用次數	1,553	328	828	327	735	162	3,933	3,258	1,593	3,187	2,238	1,523	325	12,124
	ESWL使用人數	1,433	308	779	298	641	149	3,608	2,827	1,497	2,668	1,923	1,329	300	10,544
	ESWL利用率	1.08	1.06	1.06	1.10	1.15	1.09	1.09	1.15	1.06	1.19	1.16	1.15	1.08	1.15
97年第3季	ESWL使用次數	2,048	406	1,010	452	842	165	4,923	4,222	1,927	3,875	2,634	1,691	393	14,742
	ESWL使用人數	1,916	377	954	406	735	156	4,544	3,648	1,808	3,231	2,288	1,470	348	12,793
	ESWL利用率	1.07	1.08	1.06	1.11	1.15	1.06	1.08	1.16	1.07	1.20	1.15	1.15	1.13	1.15
97年第4季	ESWL使用次數	1,751	354	890	433	765	163	4,356	3,598	1,694	3,618	2,342	1,662	374	13,288
	ESWL使用人數	1,617	330	837	378	666	146	3,974	3,107	1,581	2,953	1,960	1,418	324	11,343
	ESWL利用率	1.08	1.07	1.06	1.15	1.15	1.12	1.10	1.16	1.07	1.23	1.19	1.17	1.15	1.17
97年小計	ESWL使用次數	6,607	1,345	3,375	1,444	2,923	624	16,318	13,579	6,463	12,985	8,866	6,100	1,396	49,389
	ESWL使用人數	6,124	1,262	3,183	1,289	2,540	575	14,973	11,761	6,061	10,780	7,592	5,253	1,229	42,676
	ESWL利用率	1.08	1.07	1.06	1.12	1.15	1.09	1.09	1.15	1.07	1.20	1.17	1.16	1.14	1.16
98年第1季	ESWL使用次數	1,270	280	732	303	639	134	3,358	3,022	1,405	2,765	1,827	1,483	335	10,837
	ESWL使用人數	1,159	267	682	264	576	117	3,065	2,631	1,313	2,289	1,578	1,261	277	9,349
	ESWL利用率	1.10	1.05	1.07	1.15	1.11	1.15	1.10	1.15	1.07	1.21	1.16	1.18	1.21	1.16
98年第2季	ESWL使用次數	1,594	281	855	368	756	187	4,041	3,928	1,637	3,654	2,487	1,818	473	13,997
	ESWL使用人數	1,466	264	810	336	676	163	3,715	3,484	1,532	3,057	2,130	1,541	372	12,116
	ESWL利用率	1.09	1.06	1.06	1.10	1.12	1.15	1.09	1.13	1.07	1.20	1.17	1.18	1.27	1.16
98年第3季	ESWL使用次數	2,238	431	1,121	432	882	171	5,275	4,994	2,010	4,447	2,745	1,965	548	16,709
	ESWL使用人數	2,070	403	1,064	386	794	162	4,879	4,447	1,890	3,685	2,419	1,705	458	14,604
	ESWL利用率	1.08	1.07	1.05	1.12	1.11	1.06	1.08	1.12	1.06	1.21	1.13	1.15	1.20	1.14
98年第4季	ESWL使用次數	1,837	329	907	365	809	115	4,362	3,736	1,636	3,620	2,093	1,767	471	13,323
	ESWL使用人數	1,671	316	855	323	708	114	3,987	3,307	1,501	2,916	1,801	1,499	363	11,387
	ESWL利用率	1.10	1.04	1.06	1.13	1.14	1.01	1.09	1.13	1.09	1.24	1.16	1.18	1.30	1.17
98年小計	ESWL使用次數	6,939	1,321	3,615	1,468	3,086	607	17,036	15,680	6,688	14,486	9,152	7,033	1,827	54,866
	ESWL使用人數	6,366	1,250	3,411	1,309	2,754	556	15,646	13,869	6,236	11,947	7,928	6,006	1,470	47,456
	ESWL利用率	1.09	1.06	1.06	1.12	1.12	1.09	1.09	1.13	1.07	1.21	1.15	1.17	1.24	1.16

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之使用ESWL案件(醫令代碼為50023A、50024A、50025A、50026A之案件)。

3. 公式說明：
分子：ESWL使用次數。
分母：ESWL使用人數。

*監測值：1.155x(1±10%)

4. 資料擷取日期：99年04月28日

5. 製表單位：醫審及藥材組

指標1.9 醫院總額專業醫療服務品質指標－各區同院所使用ESWL人口平均利用人次(2-2)

年季	層級別	地區醫院(含未評鑑醫院)							合計						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	ESWL使用次數	1,378	997	518	173	903	167	4,136	5,134	2,503	3,470	2,057	2,708	605	16,477
	ESWL使用人數	1,192	921	441	155	748	148	3,605	4,529	2,343	2,982	1,783	2,282	529	14,448
	ESWL利用率	1.16	1.08	1.17	1.12	1.21	1	1.15	1.13	1.07	1.16	1.15	1.19	1.14	1.14
97年第2季	ESWL使用次數	1,810	1,293	668	253	1,104	165	5,293	6,621	3,214	4,683	2,818	3,362	652	21,350
	ESWL使用人數	1,589	1,170	584	223	950	141	4,657	5,849	2,975	4,031	2,444	2,920	590	18,809
	ESWL利用率	1.14	1.11	1.14	1.13	1.16	1	1.14	1.13	1.08	1.16	1.15	1.15	1.11	1.14
97年第3季	ESWL使用次數	2,441	1,496	637	322	1,247	167	6,310	8,711	3,829	5,522	3,408	3,780	725	25,975
	ESWL使用人數	2,114	1,379	569	288	1,079	156	5,585	7,678	3,564	4,754	2,982	3,284	660	22,922
	ESWL利用率	1.15	1.08	1.12	1.12	1.16	1	1.13	1.13	1.07	1.16	1.14	1.15	1.10	1.13
97年第4季	ESWL使用次數	2,101	1,313	599	349	1,110	172	5,644	7,450	3,361	5,107	3,124	3,537	709	23,288
	ESWL使用人數	1,837	1,176	523	303	952	154	4,945	6,561	3,087	4,313	2,641	3,036	624	20,262
	ESWL利用率	1.14	1.12	1.15	1.15	1.17	1	1.14	1.14	1.09	1.18	1.18	1.17	1.14	1.15
97年小計	ESWL使用次數	7,730	5,099	2,422	1,097	4,364	671	21,383	27,916	12,907	18,782	11,407	13,387	2,691	87,090
	ESWL使用人數	6,732	4,646	2,117	969	3,729	599	18,792	24,617	11,969	16,080	9,850	11,522	2,403	76,441
	ESWL利用率	1.15	1.10	1.14	1.13	1.17	1.12	1.14	1.13	1.08	1.17	1.16	1.16	1.12	1.14
98年第1季	ESWL使用次數	1,689	1,106	608	279	956	140	4,778	5,981	2,791	4,105	2,409	3,078	609	18,973
	ESWL使用人數	1,488	984	532	237	808	126	4,175	5,278	2,564	3,503	2,079	2,645	520	16,589
	ESWL利用率	1.14	1.12	1.14	1.18	1.18	1	1.14	1.13	1.09	1.17	1.16	1.16	1.17	1.14
98年第2季	ESWL使用次數	2,103	1,460	684	375	1,112	109	5,843	7,625	3,378	5,193	3,230	3,686	769	23,881
	ESWL使用人數	1,867	1,311	591	326	965	101	5,161	6,817	3,107	4,458	2,792	3,182	636	20,992
	ESWL利用率	1.13	1.11	1.16	1.15	1.15	1	1.13	1.12	1.09	1.16	1.16	1.16	1.21	1.14
98年第3季	ESWL使用次數	2,764	1,690	764	425	1,330	188	7,161	9,996	4,131	6,332	3,602	4,177	907	29,145
	ESWL使用人數	2,482	1,548	660	385	1,139	162	6,376	8,999	3,841	5,409	3,190	3,638	782	25,859
	ESWL利用率	1.11	1.09	1.16	1.10	1.17	1	1.12	1.11	1.08	1.17	1.13	1.15	1.16	1.13
98年第4季	ESWL使用次數	2,079	1,485	715	341	1,147	168	5,935	7,652	3,450	5,242	2,799	3,723	754	23,620
	ESWL使用人數	1,809	1,326	608	289	952	144	5,128	6,787	3,143	4,379	2,413	3,159	621	20,502
	ESWL利用率	1.15	1.12	1.18	1.18	1.20	1	1.16	1.13	1.10	1.20	1.16	1.18	1.21	1.15
98年小計	ESWL使用次數	8,635	5,741	2,771	1,420	4,545	605	23,717	31,254	13,750	20,872	12,040	14,664	3,039	95,619
	ESWL使用人數	7,646	5,169	2,391	1,237	3,864	533	20,840	27,881	12,655	17,749	10,474	12,624	2,559	83,942
	ESWL利用率	1.13	1.11	1.16	1.15	1.18	1.14	1.14	1.12	1.09	1.18	1.15	1.16	1.19	1.14

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之使用ESWL案件(醫令代碼為50023A、50024A、50025A、50026A之案件)。

3. 公式說明：分子：ESWL使用次數。

分母：ESWL使用人數。

*監測值：1.155x(1±10%)

4. 資料擷取日期：99年04月28日

5. 製表單位：醫審及藥材組

指標1.10醫院總額專業醫療服務品質指標－各區同院所慢性病開立慢性病連續處方箋百分比(2-1)

年季	層級別	醫學中心							區域醫院						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	開立慢性病連續處方箋案件數	485,712	123,547	132,093	92,036	180,481	15,384	1,029,253	337,566	120,173	133,620	200,781	102,287	21,707	916,134
	慢性病給藥案件數	2,108,059	368,977	649,520	305,774	613,375	93,351	4,139,056	1,482,944	546,760	828,630	970,259	578,237	125,656	4,532,486
	慢性病 開立慢性病連續處方箋百分比	23.04%	33.48%	20.34%	30.10%	29.42%	16.48%	24.87%	22.76%	21.98%	16.13%	20.69%	17.69%	17.27%	20.21%
97年第2季	開立慢性病連續處方箋案件數	493,873	123,683	135,214	94,524	181,169	15,743	1,044,206	344,557	120,530	142,817	209,334	105,322	22,091	944,651
	慢性病給藥案件數	2,157,059	362,146	664,399	317,941	614,509	96,363	4,212,417	1,552,715	552,754	854,898	1,026,556	597,354	130,598	4,714,875
	慢性病 開立慢性病連續處方箋百分比	22.90%	34.15%	20.35%	29.73%	29.48%	16.34%	24.79%	22.19%	21.81%	16.71%	20.39%	17.63%	16.92%	20.04%
97年第3季	開立慢性病連續處方箋案件數	505,717	129,217	141,675	97,695	205,227	16,660	1,096,191	359,755	125,058	157,315	209,788	110,386	23,134	985,436
	慢性病給藥案件數	2,186,287	377,475	657,432	316,611	620,940	97,203	4,255,948	1,537,953	560,921	911,387	1,021,976	594,433	129,099	4,755,769
	慢性病 開立慢性病連續處方箋百分比	23.13%	34.23%	21.55%	30.86%	33.05%	17.14%	25.76%	23.39%	22.30%	17.26%	20.53%	18.57%	17.92%	20.72%
97年第4季	開立慢性病連續處方箋案件數	545,451	137,430	147,662	103,853	247,162	17,799	1,199,357	392,082	135,966	171,331	225,896	122,473	24,675	1,072,423
	慢性病給藥案件數	2,274,773	384,305	670,031	321,312	614,880	100,673	4,365,974	1,601,381	575,606	941,546	1,048,402	627,918	134,640	4,929,493
	慢性病 開立慢性病連續處方箋百分比	23.98%	35.76%	22.04%	32.32%	40.20%	17.68%	27.47%	24.48%	23.62%	18.20%	21.55%	19.50%	18.33%	21.76%
97年小計	開立慢性病連續處方箋案件數	2,030,753	513,877	556,644	388,108	814,039	65,586	4,369,007	1,433,960	501,727	605,083	845,799	440,468	91,607	3,918,644
	慢性病給藥案件數	8,726,178	1,492,903	2,641,382	1,261,638	2,463,704	387,590	16,973,395	6,174,993	2,236,041	3,536,461	4,067,193	2,397,942	519,993	18,932,623
	慢性病 開立慢性病連續處方箋百分比	23.27%	34.42%	21.07%	30.76%	33.04%	16.92%	25.74%	23.22%	22.44%	17.11%	20.80%	18.37%	17.62%	20.70%
98年第1季	開立慢性病連續處方箋案件數	518,417	127,788	144,526	99,574	227,759	17,347	1,135,411	384,578	127,089	161,665	222,055	119,347	23,892	1,038,626
	慢性病給藥案件數	2,182,275	354,658	654,689	294,888	569,057	95,781	4,151,348	1,547,757	533,715	866,953	998,707	615,563	130,149	4,692,844
	慢性病 開立慢性病連續處方箋百分比	23.76%	36.03%	22.08%	33.77%	40.02%	18.11%	27.35%	24.85%	23.81%	18.65%	22.23%	19.39%	18.36%	22.13%
98年第2季	開立慢性病連續處方箋案件數	544,281	132,199	141,718	103,459	233,871	17,835	1,173,363	401,293	133,726	174,212	230,867	126,270	25,468	1,091,836
	慢性病給藥案件數	1,489,863	243,175	363,219	198,125	399,923	73,193	2,767,498	1,095,058	338,524	506,075	641,499	396,557	81,875	3,059,588
	慢性病 開立慢性病連續處方箋百分比	36.53%	54.36%	39.02%	52.22%	58.48%	24.37%	42.40%	36.65%	39.50%	34.42%	35.99%	31.84%	31.11%	35.69%
98年第3季	開立慢性病連續處方箋案件數	571,544	139,576	159,765	109,694	264,401	19,530	1,264,510	437,809	141,193	192,512	242,573	134,636	26,542	1,175,265
	慢性病給藥案件數	2,266,596	386,697	683,859	306,577	621,576	94,189	4,359,494	1,647,271	594,728	953,218	1,039,685	661,682	142,567	5,039,151
	慢性病 開立慢性病連續處方箋百分比	25.22%	36.09%	23.36%	35.78%	42.54%	20.73%	29.01%	26.58%	23.74%	20.20%	23.33%	20.35%	18.62%	23.32%
98年第4季	開立慢性病連續處方箋案件數	567,504	140,220	152,289	104,817	245,158	19,501	1,229,489	429,166	141,106	187,837	246,218	137,378	26,807	1,168,512
	慢性病給藥案件數	1,441,979	278,277	362,565	195,030	403,305	47,485	2,728,641	1,099,771	365,838	505,875	629,830	401,620	81,098	3,084,032
	慢性病 開立慢性病連續處方箋百分比	39.00%	50.00%	42.00%	54.00%	61.00%	41.00%	45.06%	39.02%	38.57%	37.13%	39.09%	34.21%	33.06%	37.89%
98年小計	開立慢性病連續處方箋案件數	2,185,280	531,072	579,796	410,548	932,715	72,801	4,712,212	1,617,293	536,892	699,180	930,455	511,441	101,453	4,396,714
	慢性病給藥案件數	5,816,291	1,009,860	1,437,428	808,109	1,562,286	235,405	10,869,379	4,411,741	1,421,651	2,016,619	2,579,175	1,613,851	320,556	12,363,593
	慢性病 開立慢性病連續處方箋百分比	38.00%	53.00%	40.00%	51.00%	60.00%	31.00%	43.35%	36.66%	37.77%	34.67%	36.08%	31.69%	31.65%	35.56%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之慢性病連續處方箋給藥案件數

3. 公式說明：
 分子：開立慢性病連續處方箋案件數或(案件分類=04、E1且慢性病連續處方箋 有效期間處方日份 > 給藥天數 且慢性病連續處方箋有效日日份為給藥天數的倍數)
 分母：慢性病給藥案件數(案件分類=04或給藥天數>=14日)
 *監測值：14.55%×(1±10%)

4. 資料擷取日期：99年04月28日

5. 製表單位：醫審及藥材組

指標1.10醫院總額專業醫療服務品質指標－各區同院所慢性病開立慢性病連續處方箋百分比(2-2)

年季	層級別	地區醫院(含未評鑑醫院)							合計						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	開立慢性病連續處方箋案件數	96,129	73,366	81,766	38,539	57,984	14,400	362,184	919,407	317,086	347,479	331,356	340,752	51,491	2,307,571
	慢性病給藥案件數	746,807	523,445	662,904	362,820	581,424	124,880	3,002,280	4,337,810	1,439,182	2,141,054	1,638,853	1,773,036	343,887	11,673,822
	慢性病 開立慢性病連續處方箋百分比	12.87%	14.02%	12.33%	10.62%	9.97%	11.53%	12.06%	21.20%	22.03%	16.23%	20.22%	19.22%	14.97%	19.77%
97年第2季	開立慢性病連續處方箋案件數	93,584	75,458	87,455	35,229	57,360	14,554	363,640	932,014	319,671	365,486	339,087	343,851	52,388	2,352,497
	慢性病給藥案件數	737,547	526,092	674,259	339,040	587,604	128,000	2,992,542	4,447,321	1,440,992	2,193,556	1,683,537	1,799,467	354,961	11,919,834
	慢性病 開立慢性病連續處方箋百分比	12.69%	14.34%	12.97%	10.39%	9.76%	11.37%	12.15%	20.96%	22.18%	16.66%	20.14%	19.11%	14.76%	19.74%
97年第3季	開立慢性病連續處方箋案件數	99,127	80,002	86,212	36,954	61,949	15,575	379,819	964,599	334,277	385,202	344,437	377,562	55,369	2,461,446
	慢性病給藥案件數	765,957	518,263	617,532	340,569	602,274	124,237	2,968,832	4,490,197	1,456,659	2,186,351	1,679,156	1,817,647	350,539	11,980,549
	慢性病 開立慢性病連續處方箋百分比	12.94%	15.44%	13.96%	10.85%	10.29%	12.54%	12.79%	21.48%	22.95%	17.62%	20.51%	20.77%	15.80%	20.55%
97年第4季	開立慢性病連續處方箋案件數	113,156	88,943	94,751	41,427	65,857	17,693	421,827	1,050,689	362,339	413,744	371,176	435,492	60,167	2,693,607
	慢性病給藥案件數	830,382	533,902	639,267	352,535	601,644	130,552	3,088,282	4,706,536	1,493,813	2,250,844	1,722,249	1,844,442	365,865	12,383,749
	慢性病 開立慢性病連續處方箋百分比	13.63%	16.66%	14.82%	11.75%	10.95%	13.55%	13.66%	22.32%	24.26%	18.38%	21.55%	23.61%	16.45%	21.75%
97年小計	開立慢性病連續處方箋案件數	401,996	317,769	350,184	152,149	243,150	62,222	1,527,470	3,866,709	1,333,373	1,511,911	1,386,056	1,497,657	219,415	9,815,121
	慢性病給藥案件數	3,080,693	2,101,702	2,593,962	1,394,964	2,372,946	507,669	12,051,936	17,981,864	5,830,646	8,771,805	6,723,795	7,234,592	1,415,252	47,957,954
	慢性病 開立慢性病連續處方箋百分比	13.05%	15.12%	13.50%	10.91%	10.25%	12.26%	12.67%	21.50%	22.87%	17.24%	20.61%	20.70%	15.50%	20.47%
98年第1季	開立慢性病連續處方箋案件數	104,053	85,714	97,767	40,673	63,006	17,233	408,446	1,007,048	340,591	403,958	362,302	410,112	58,472	2,582,483
	慢性病給藥案件數	742,159	504,672	638,996	331,174	538,039	123,866	2,878,906	4,472,191	1,393,045	2,160,638	1,624,769	1,722,659	349,796	11,723,098
	慢性病 開立慢性病連續處方箋百分比	14.02%	16.98%	15.30%	12.28%	11.71%	13.91%	14.19%	22.52%	24.45%	18.70%	22.30%	23.81%	16.72%	22.03%
98年第2季	開立慢性病連續處方箋案件數	106,902	90,362	93,550	42,994	65,894	18,389	418,091	1,052,476	356,287	409,480	377,320	426,035	61,692	2,683,290
	慢性病給藥案件數	605,472	373,891	384,951	250,764	402,721	89,096	2,106,895	3,190,393	955,590	1,254,245	1,090,388	1,199,201	244,164	7,933,981
	慢性病 開立慢性病連續處方箋百分比	17.66%	24.17%	24.30%	17.15%	16.36%	20.64%	19.84%	32.99%	37.28%	32.65%	34.60%	35.53%	25.27%	33.82%
98年第3季	開立慢性病連續處方箋案件數	112,012	93,103	100,151	44,858	67,762	19,268	437,154	1,121,365	373,872	452,428	397,125	466,799	65,340	2,876,929
	慢性病給藥案件數	755,915	517,150	618,455	345,706	530,990	128,169	2,896,385	4,669,782	1,498,575	2,255,532	1,691,968	1,814,248	364,925	12,295,030
	慢性病 開立慢性病連續處方箋百分比	14.82%	18.00%	16.19%	12.98%	12.76%	15.03%	15.09%	24.01%	24.95%	20.06%	23.47%	25.73%	17.91%	23.40%
98年第4季	開立慢性病連續處方箋案件數	121,817	97,514	102,296	48,223	71,433	19,570	460,853	1,118,487	378,840	442,422	399,258	453,969	65,878	2,858,854
	慢性病給藥案件數	618,728	382,741	382,638	255,729	403,811	85,592	2,129,239	3,160,478	1,026,856	1,251,078	1,080,589	1,208,736	214,175	7,941,912
	慢性病 開立慢性病連續處方箋百分比	19.69%	25.48%	26.73%	18.86%	17.69%	22.86%	21.64%	35.39%	36.89%	35.36%	36.95%	37.56%	30.76%	36.00%
98年小計	開立慢性病連續處方箋案件數	443,871	365,424	385,258	176,652	266,662	73,639	1,711,506	4,246,444	1,433,388	1,664,234	1,517,655	1,710,818	247,893	10,820,432
	慢性病給藥案件數	2,419,465	1,505,151	1,543,585	1,009,958	1,610,538	350,995	8,439,692	12,647,497	3,936,662	4,997,632	4,397,242	4,786,675	906,956	31,672,664
	慢性病 開立慢性病連續處方箋百分比	18.35%	24.28%	24.96%	17.49%	16.56%	20.98%	20.28%	33.58%	36.41%	33.30%	34.51%	35.74%	27.33%	34.16%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之慢性病連續處方箋給藥案件數

3. 公式說明：

分子：開立慢性病連續處方箋案件數或(案件分額=04、E1且慢性病連續處方箋 有效期間處方日份 > 給藥天數 且慢性病連續處方箋有效日日份為給藥天數的倍數)

分母：慢性病給藥案件數(案件分額=04或給藥天數>=14日)

* 監測值：14.55%×(1±10%)

4. 資料擷取日期：99年04月28日

5. 製表單位：醫審及藥材組

指標1.11.1 醫院總額專業醫療服務品質指標-各區跨院所抗精神分裂藥物-不同處方用藥日數重複率(排08案件)(2-1)

年季	層級別	醫學中心									
	分區別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區
97年第1季	精神分裂藥物重複用藥日數(排08案件)	47,052	6,683	20,845	8,593	14,994	2,618	100,785	81,692	22,995	36,415
	精神分裂藥物之給藥日數	1,958,093	399,355	773,292	340,138	628,057	98,599	4,197,534	2,195,088	927,897	1,132,998
	精神分裂藥物不同處方用藥日數重複率	2.40%	1.67%	2.70%	2.53%	2.39%	2.66%	2.40%	3.72%	2.48%	3.21%
97年第2季	精神分裂藥物重複用藥日數(排08案件)	45,926	5,290	19,995	7,928	15,017	2,716	96,872	79,683	22,040	34,387
	精神分裂藥物之給藥日數	1,947,289	376,861	766,582	341,864	624,721	99,946	4,157,263	2,190,388	914,562	1,106,665
	精神分裂藥物不同處方用藥日數重複率	2.36%	1.40%	2.61%	2.32%	2.40%	2.72%	2.33%	3.64%	2.41%	3.11%
97年第3季	精神分裂藥物重複用藥日數(排08案件)	47,755	5,294	19,820	8,366	15,019	2,492	98,746	77,886	21,640	37,003
	精神分裂藥物之給藥日數	1,985,037	391,610	756,772	343,365	632,278	99,127	4,208,189	2,233,920	945,458	1,172,114
	精神分裂藥物不同處方用藥日數重複率	2.41%	1.35%	2.62%	2.44%	2.38%	2.51%	2.35%	3.49%	2.29%	3.16%
97年第4季	精神分裂藥物重複用藥日數(排08案件)	49,803	5,218	20,790	8,647	15,229	2,580	102,267	83,648	23,758	37,002
	精神分裂藥物之給藥日數	2,060,702	402,843	785,230	344,136	646,818	100,518	4,340,247	2,288,683	976,726	1,190,993
	精神分裂藥物不同處方用藥日數重複率	2.42%	1.30%	2.65%	2.51%	2.35%	2.57%	2.36%	3.65%	2.43%	3.11%
97年小計	精神分裂藥物重複用藥日數(排08案件)	190,536	22,485	81,450	33,534	60,259	10,406	398,670	322,909	90,433	144,807
	精神分裂藥物之給藥日數	7,951,121	1,570,669	3,081,876	1,369,503	2,531,874	398,190	16,903,233	8,908,079	3,764,643	4,602,770
	精神分裂藥物不同處方用藥日數重複率	2.40%	1.43%	2.64%	2.45%	2.38%	2.61%	2.36%	3.62%	2.40%	3.15%
98年第1季	精神分裂藥物重複用藥日數(排08案件)	47,981	4,854	19,723	9,148	13,478	2,770	97,954	78,891	23,324	36,783
	精神分裂藥物之給藥日數	1,975,034	380,215	761,005	332,365	599,866	96,635	4,145,120	2,217,082	938,835	1,116,266
	精神分裂藥物不同處方用藥日數重複率	2.43%	1.28%	2.59%	2.75%	2.25%	2.87%	2.36%	3.56%	2.48%	3.30%
98年第2季	精神分裂藥物重複用藥日數(排08案件)	48,641	5,897	19,972	8,239	14,216	2,539	99,504	75,631	23,703	37,664
	精神分裂藥物之給藥日數	2,058,501	401,881	779,365	342,137	644,891	102,305	4,329,080	2,328,347	991,152	1,206,214
	精神分裂藥物不同處方用藥日數重複率	2.36%	1.47%	2.56%	2.41%	2.20%	2.48%	2.30%	3.25%	2.39%	3.12%
98年第3季	精神分裂藥物重複用藥日數(排08案件)	51,057	5,144	19,398	8,164	13,317	2,138	99,218	71,843	22,408	38,107
	精神分裂藥物之給藥日數	2,085,562	422,203	777,474	341,343	649,380	102,187	4,378,149	2,371,823	1,015,831	1,234,002
	精神分裂藥物不同處方用藥日數重複率	2.45%	1.22%	2.50%	2.39%	2.05%	2.09%	2.27%	3.03%	2.21%	3.09%
98年第4季	精神分裂藥物重複用藥日數(排08案件)	52,146	5,468	19,346	8,322	13,682	2,460	101,424	71,906	26,015	43,131
	精神分裂藥物之給藥日數	2,099,784	425,474	786,261	353,234	670,395	101,968	4,437,116	2,379,513	1,039,215	1,247,597
	精神分裂藥物不同處方用藥日數重複率	2.48%	1.29%	2.46%	2.36%	2.04%	2.41%	2.29%	3.02%	2.50%	3.46%
98年小計	精神分裂藥物重複用藥日數(排08案件)	199,825	21,363	78,439	33,873	54,693	9,907	398,100	298,271	95,450	155,685
	精神分裂藥物之給藥日數	8,218,881	1,629,773	3,104,105	1,369,079	2,564,532	403,095	17,289,465	9,296,765	3,985,033	4,804,079
	精神分裂藥物不同處方用藥日數重複率	2.43%	1.31%	2.53%	2.47%	2.13%	2.46%	2.30%	3.21%	2.40%	3.24%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之精神分裂不同處方給藥日數(精神分裂藥物：ATC前四碼=N05A)

3. 公式說明：

分子：精神分裂藥物重複用藥日數(排除08案件)(同ID不同處方之就醫日期與結束用藥日期間有重疊之給藥日數)

分母：精神分裂藥物之給藥日數(給藥天數不為0 或藥費不為0 或處方調劑方式為 1、0、6)

* 監測值：3.41%×(1±10%)

4. 資料擷取日期：99年04月28日

5. 製表單位：醫審及藥材組

區域醫院			
南區	高屏	東區	小計
44,262	24,089	4,717	214,170
1,244,322	811,891	157,433	6,469,629
3.56%	2.97%	3.00%	3.31%
41,349	24,152	5,029	206,640
1,247,735	801,282	160,596	6,421,228
3.31%	3.01%	3.13%	3.22%
41,551	23,986	5,127	207,193
1,277,923	803,745	155,540	6,588,700
3.25%	2.98%	3.30%	3.14%
43,172	29,352	5,232	222,164
1,322,811	863,123	161,095	6,803,431
3.26%	3.40%	3.25%	3.27%
170,334	101,579	20,105	850,167
5,092,791	3,280,041	634,664	26,282,988
3.34%	3.10%	3.17%	3.23%
42,061	32,829	5,477	219,365
1,336,008	872,371	160,126	6,640,688
3.15%	3.76%	3.42%	3.30%
40,973	30,419	5,646	214,036
1,405,226	888,710	165,744	6,985,393
2.92%	3.42%	3.41%	3.06%
40,991	30,283	5,471	209,103
1,420,518	903,524	179,760	7,125,458
2.89%	3.35%	3.04%	2.93%
41,277	32,113	4,561	219,003
1,415,620	958,212	182,934	7,223,091
2.92%	3.35%	2.49%	3.03%
165,302	125,644	21,155	861,507
5,577,372	3,622,817	688,564	27,974,630
2.96%	3.47%	3.07%	3.08%

指標1.11.1 醫院總額專業醫療服務品質指標-各區跨院所抗精神分裂藥物-不同處方用藥日數重複率(排08案件)(2-2)

年季	層級別	地區醫院(含未評鑑醫院)							合計						
	分區別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	精神分裂藥物重複用藥日數(排08案件)	31,512	19,108	27,926	15,491	17,172	6,485	117,694	160,256	48,786	85,186	68,346	56,255	13,820	432,649
	精神分裂藥物之給藥日數	642,804	527,891	710,152	357,662	563,897	404,600	3,207,006	4,795,985	1,855,143	2,616,442	1,942,122	2,003,845	660,632	13,874,169
	精神分裂藥物不同處方用藥日數重複率	4.90%	3.62%	3.93%	4.33%	3.05%	1.60%	3.67%	3.34%	2.63%	3.26%	3.52%	2.81%	2.09%	3.12%
97年第2季	精神分裂藥物重複用藥日數(排08案件)	26,043	18,270	27,797	12,187	16,800	7,328	108,425	151,652	45,600	82,179	61,464	55,969	15,073	411,937
	精神分裂藥物之給藥日數	581,052	515,713	693,003	334,152	547,579	384,776	3,056,275	4,718,729	1,807,136	2,566,250	1,923,751	1,973,582	645,318	13,634,766
	精神分裂藥物不同處方用藥日數重複率	4.48%	3.54%	4.01%	3.65%	3.07%	1.90%	3.55%	3.21%	2.52%	3.20%	3.20%	2.84%	2.34%	3.02%
97年第3季	精神分裂藥物重複用藥日數(排08案件)	27,790	17,239	26,706	11,307	17,397	7,694	108,133	153,431	44,173	83,529	61,224	56,402	15,313	414,072
	精神分裂藥物之給藥日數	602,830	529,412	674,119	341,129	572,190	395,774	3,115,454	4,821,787	1,866,480	2,603,005	1,962,417	2,008,213	650,441	13,912,343
	精神分裂藥物不同處方用藥日數重複率	4.61%	3.26%	3.96%	3.31%	3.04%	1.94%	3.47%	3.18%	2.37%	3.21%	3.12%	2.81%	2.35%	2.98%
97年第4季	精神分裂藥物重複用藥日數(排08案件)	27,521	18,449	28,198	12,577	17,125	8,423	112,293	160,972	47,425	85,990	64,396	61,706	16,235	436,724
	精神分裂藥物之給藥日數	639,728	552,867	720,552	362,106	553,042	405,645	3,233,940	4,989,113	1,932,436	2,696,775	2,029,053	2,062,983	667,258	14,377,618
	精神分裂藥物不同處方用藥日數重複率	4.30%	3.34%	3.91%	3.47%	3.10%	2.08%	3.47%	3.23%	2.45%	3.19%	3.17%	2.99%	2.43%	3.04%
97年小計	精神分裂藥物重複用藥日數(排08案件)	112,866	73,066	110,627	51,562	68,494	29,930	446,545	626,311	185,984	336,884	255,430	230,332	60,441	1,695,382
	精神分裂藥物之給藥日數	2,466,414	2,125,883	2,797,826	1,395,049	2,236,708	1,590,795	12,612,675	19,325,614	7,461,195	10,482,472	7,857,343	8,048,623	2,623,649	55,798,896
	精神分裂藥物不同處方用藥日數重複率	4.58%	3.44%	3.95%	3.70%	3.06%	1.88%	3.54%	3.24%	2.49%	3.21%	3.25%	2.86%	2.30%	3.04%
98年第1季	精神分裂藥物重複用藥日數(排08案件)	29,901	17,055	30,887	14,016	17,072	7,278	116,209	156,773	45,233	87,393	65,225	63,379	15,525	433,528
	精神分裂藥物之給藥日數	624,955	538,483	772,807	356,738	533,888	389,797	3,216,668	4,817,071	1,857,533	2,650,078	2,025,111	2,006,125	646,558	14,002,476
	精神分裂藥物不同處方用藥日數重複率	4.78%	3.17%	4.00%	3.93%	3.20%	1.87%	3.61%	3.25%	2.44%	3.30%	3.22%	3.16%	2.40%	3.10%
98年第2季	精神分裂藥物重複用藥日數(排08案件)	28,253	15,182	29,420	12,427	15,699	7,075	108,056	152,525	44,782	87,056	61,639	60,334	15,260	421,596
	精神分裂藥物之給藥日數	628,413	544,438	749,828	366,145	544,105	404,355	3,237,284	5,015,261	1,937,471	2,735,407	2,113,508	2,077,706	672,404	14,551,757
	精神分裂藥物不同處方用藥日數重複率	4.50%	2.79%	3.92%	3.39%	2.89%	1.75%	3.34%	3.04%	2.31%	3.18%	2.92%	2.90%	2.27%	2.90%
98年第3季	精神分裂藥物重複用藥日數(排08案件)	29,737	16,567	28,880	12,564	15,048	6,463	109,259	152,637	44,119	86,385	61,719	58,648	14,072	417,580
	精神分裂藥物之給藥日數	641,886	549,248	757,064	375,186	542,796	399,084	3,265,264	5,099,271	1,987,282	2,768,540	2,137,047	2,095,700	681,031	14,768,871
	精神分裂藥物不同處方用藥日數重複率	4.63%	3.02%	3.81%	3.35%	2.77%	1.62%	3.35%	2.99%	2.22%	3.12%	2.89%	2.80%	2.07%	2.83%
98年第4季	精神分裂藥物重複用藥日數(排08案件)	29,394	17,671	29,503	12,521	14,966	6,369	110,424	153,446	49,154	91,980	62,120	60,761	13,390	430,851
	精神分裂藥物之給藥日數	657,100	558,063	794,592	380,607	542,054	389,085	3,321,501	5,136,397	2,022,752	2,828,450	2,149,461	2,170,661	673,987	14,981,708
	精神分裂藥物不同處方用藥日數重複率	4.47%	3.17%	3.71%	3.29%	2.76%	1.64%	3.32%	2.99%	2.43%	3.25%	2.89%	2.80%	1.99%	2.88%
98年小計	精神分裂藥物重複用藥日數(排08案件)	117,285	66,475	118,690	51,528	62,785	27,185	443,948	615,381	183,288	352,814	250,703	243,122	58,247	1,703,555
	精神分裂藥物之給藥日數	2,552,354	2,190,232	3,074,291	1,478,676	2,162,843	1,582,321	13,040,717	20,068,000	7,805,038	10,982,475	8,425,127	8,350,192	2,673,980	58,304,812
	精神分裂藥物不同處方用藥日數重複率	4.60%	3.04%	3.86%	3.48%	2.90%	1.72%	3.40%	3.07%	2.35%	3.21%	2.98%	2.91%	2.18%	2.92%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之精神分裂不同處方給藥日數(精神分裂藥物：ATC前四碼=N05A)

3. 公式說明：

分子：精神分裂藥物重複用藥日數(排除08案件)(同ID不同處方之就醫日期與結束用藥日期間有重疊之給藥日數)

分母：精神分裂藥物之給藥日數(給藥天數不為0 或藥費不為0 或處方調劑方式為1、0、6)

*監測值：3.41%(1±10%)

4. 資料擷取日期：99年04月28日

5. 製表單位：醫審及藥材組

指標1.11.2 醫院總額專業醫療服務品質指標-各區同院所抗精神分裂藥物-不同處方用藥日數重複率(排08案件)(2-1)

年 季	層級別	醫學中心							區域醫院						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	精神分裂藥物重複用藥日數(排08案件)	29,337	5,193	13,900	5,509	8,448	1,693	64,080	56,535	13,940	21,372	26,892	12,927	2,506	134,172
	精神分裂藥物之給藥日數	1,958,093	399,355	773,292	340,138	628,057	98,599	4,197,534	2,195,329	927,897	1,132,998	1,244,322	811,891	157,433	6,469,870
	精神分裂藥物不同處方用藥日數重複率	1.50%	1.30%	1.80%	1.62%	1.35%	1.72%	1.53%	2.58%	1.50%	1.89%	2.16%	1.59%	1.59%	2.07%
97年第2季	精神分裂藥物重複用藥日數(排08案件)	28,131	3,981	13,167	5,077	7,790	1,773	59,919	53,648	12,846	19,827	24,326	12,577	2,342	125,566
	精神分裂藥物之給藥日數	1,947,289	376,861	766,582	341,864	624,721	99,946	4,157,263	2,190,388	914,562	1,106,665	1,247,735	801,282	160,596	6,421,228
	精神分裂藥物不同處方用藥日數重複率	1.44%	1.06%	1.72%	1.49%	1.25%	1.77%	1.44%	2.45%	1.40%	1.79%	1.95%	1.57%	1.46%	1.96%
97年第3季	精神分裂藥物重複用藥日數(排08案件)	29,312	4,004	12,778	5,434	8,422	1,563	61,513	51,559	12,356	20,923	25,440	12,556	2,508	125,342
	精神分裂藥物之給藥日數	1,985,037	391,610	756,772	343,365	632,278	99,127	4,208,189	2,233,920	945,458	1,172,114	1,277,923	803,745	155,540	6,588,700
	精神分裂藥物不同處方用藥日數重複率	1.48%	1.02%	1.69%	1.58%	1.33%	1.58%	1.46%	2.31%	1.31%	1.79%	1.99%	1.56%	1.61%	1.90%
97年第4季	精神分裂藥物重複用藥日數(排08案件)	31,010	3,664	13,257	5,495	8,139	1,716	63,281	55,748	14,498	20,065	25,528	16,597	2,704	135,140
	精神分裂藥物之給藥日數	2,060,702	402,843	785,230	344,136	646,818	100,518	4,340,247	2,288,683	976,726	1,190,993	1,322,811	863,123	161,095	6,803,431
	精神分裂藥物不同處方用藥日數重複率	1.50%	0.91%	1.69%	1.60%	1.26%	1.71%	1.46%	2.44%	1.48%	1.68%	1.93%	1.92%	1.68%	1.99%
97年小計	精神分裂藥物重複用藥日數(排08案件)	117,790	16,842	53,102	21,515	32,799	6,745	248,793	217,490	53,640	82,187	102,186	54,657	10,060	520,220
	精神分裂藥物之給藥日數	7,951,121	1,570,669	3,081,876	1,369,503	2,531,874	398,190	16,903,233	8,908,320	3,764,643	4,602,770	5,092,791	3,280,041	634,664	26,283,229
	精神分裂藥物不同處方用藥日數重複率	1.48%	1.07%	1.72%	1.57%	1.30%	1.69%	1.47%	2.44%	1.42%	1.79%	2.01%	1.67%	1.59%	1.98%
98年第1季	精神分裂藥物重複用藥日數(排08案件)	29,111	3,481	11,700	5,462	6,840	1,922	58,516	50,903	13,881	20,085	25,330	19,301	3,007	132,507
	精神分裂藥物之給藥日數	1,975,034	380,215	761,005	332,365	599,866	96,635	4,145,120	2,217,082	938,835	1,116,266	1,336,008	872,371	160,126	6,640,688
	精神分裂藥物不同處方用藥日數重複率	1.47%	0.92%	1.54%	1.64%	1.14%	1.99%	1.41%	2.30%	1.48%	1.80%	1.90%	2.21%	1.88%	2.00%
98年第2季	精神分裂藥物重複用藥日數(排08案件)	29,402	4,185	11,918	5,091	7,019	1,670	59,285	46,537	14,353	20,067	23,655	17,459	3,024	125,095
	精神分裂藥物之給藥日數	2,058,503	401,881	779,374	342,137	644,891	102,305	4,329,091	2,328,347	991,152	1,206,214	1,405,226	888,710	165,744	6,985,393
	精神分裂藥物不同處方用藥日數重複率	1.43%	1.04%	1.53%	1.49%	1.09%	1.63%	1.37%	2.00%	1.45%	1.66%	1.68%	1.96%	1.82%	1.79%
98年第3季	精神分裂藥物重複用藥日數(排08案件)	30,555	3,397	11,083	5,017	7,109	1,236	58,397	42,496	13,302	20,710	23,767	17,269	3,101	120,645
	精神分裂藥物之給藥日數	2,085,562	422,203	777,474	341,343	649,380	102,187	4,378,149	2,371,823	1,015,831	1,234,002	1,420,518	903,524	179,760	7,125,458
	精神分裂藥物不同處方用藥日數重複率	1.47%	0.80%	1.43%	1.47%	1.09%	1.21%	1.33%	1.79%	1.31%	1.68%	1.67%	1.91%	1.73%	1.69%
98年第4季	精神分裂藥物重複用藥日數(排08案件)	31,074	3,876	10,869	4,812	7,048	1,321	59,000	42,113	15,932	23,428	23,436	18,573	2,607	126,089
	精神分裂藥物之給藥日數	2,099,784	425,474	786,261	353,234	670,395	101,968	4,437,116	2,379,513	1,039,215	1,247,597	1,415,620	958,212	182,934	7,223,091
	精神分裂藥物不同處方用藥日數重複率	1.48%	0.91%	1.38%	1.36%	1.05%	1.30%	1.33%	1.77%	1.53%	1.88%	1.66%	1.94%	1.43%	1.75%
98年小計	精神分裂藥物重複用藥日數(排08案件)	120,142	14,939	45,570	20,382	28,016	6,149	235,198	182,049	57,468	84,290	96,188	72,602	11,739	504,336
	精神分裂藥物之給藥日數	8,218,883	1,629,773	3,104,114	1,369,079	2,564,532	403,095	17,289,476	9,296,765	3,985,033	4,804,079	5,577,372	3,622,817	688,564	27,974,630
	精神分裂藥物不同處方用藥日數重複率	1.46%	0.92%	1.47%	1.49%	1.09%	1.53%	1.36%	1.96%	1.44%	1.75%	1.72%	2.00%	1.70%	1.80%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之精神分裂不同處方給藥日數(精神分裂藥物：ATC前四碼=N05A)

3. 公式說明：

分子：精神分裂藥物重複用藥日數(排除08案件)(同ID不同處方之就醫日期與結束用藥日期間有重疊之給藥日數)

分母：精神分裂藥物之給藥日數(給藥天數不為0 或藥費不為0 或處方調劑方式為 1、0、6)

* 監測值：3.41%(1±10%)

4. 資料擷取日期：99年04月28日

5. 製表單位：醫審及藥材組

指標1.11.2醫院總額專業醫療服務品質指標-各區同院所抗精神分裂藥物-不同處方用藥日數重複率(排08案件)(2-2)

年季	層級別	地區醫院(含未評鑑醫院)							合計						
	分區別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	精神分裂藥物重複用藥日數(排08案件)	19,343	10,571	14,292	8,380	8,026	4,984	65,596	105,215	29,704	49,564	40,781	29,401	9,183	263,848
	精神分裂藥物之給藥日數	642,804	527,891	710,152	357,662	563,897	404,600	3,207,006	4,796,226	1,855,143	2,616,442	1,942,122	2,003,845	660,632	13,874,410
	精神分裂藥物不同處方用藥日數重複率	3.01%	2.00%	2.01%	2.34%	1.42%	1.23%	2.05%	2.19%	1.60%	1.89%	2.10%	1.47%	1.39%	1.90%
97年第2季	精神分裂藥物重複用藥日數(排08案件)	15,373	9,947	14,729	6,188	6,704	5,414	58,355	97,152	26,774	47,723	35,591	27,071	9,529	243,840
	精神分裂藥物之給藥日數	581,080	515,713	693,003	334,152	547,579	384,776	3,056,303	4,718,757	1,807,136	2,566,250	1,923,751	1,973,582	645,318	13,634,794
	精神分裂藥物不同處方用藥日數重複率	2.65%	1.93%	2.13%	1.85%	1.22%	1.41%	1.91%	2.06%	1.48%	1.86%	1.85%	1.37%	1.48%	1.79%
97年第3季	精神分裂藥物重複用藥日數(排08案件)	15,132	9,590	13,472	5,779	7,953	5,588	57,514	96,003	25,950	47,173	36,653	28,931	9,659	244,369
	精神分裂藥物之給藥日數	602,830	529,412	674,119	341,129	572,190	395,774	3,115,454	4,821,787	1,866,480	2,603,005	1,962,417	2,008,213	650,441	13,912,343
	精神分裂藥物不同處方用藥日數重複率	2.51%	1.81%	2.00%	1.69%	1.39%	1.41%	1.85%	1.99%	1.39%	1.81%	1.87%	1.44%	1.48%	1.76%
97年第4季	精神分裂藥物重複用藥日數(排08案件)	14,748	9,518	13,641	6,507	7,441	6,762	58,617	101,506	27,680	46,963	37,530	32,177	11,182	257,038
	精神分裂藥物之給藥日數	639,728	552,867	720,552	362,106	553,042	405,645	3,233,940	4,989,113	1,932,436	2,696,775	2,029,053	2,062,983	667,258	14,377,618
	精神分裂藥物不同處方用藥日數重複率	2.31%	1.72%	1.89%	1.80%	1.35%	1.67%	1.81%	2.03%	1.43%	1.74%	1.85%	1.56%	1.68%	1.79%
97年小計	精神分裂藥物重複用藥日數(排08案件)	64,596	39,626	56,134	26,854	30,124	22,748	240,082	399,876	110,108	191,423	150,555	117,580	39,553	1,009,095
	精神分裂藥物之給藥日數	2,466,442	2,125,883	2,797,826	1,395,049	2,236,708	1,590,795	12,612,703	19,325,883	7,461,195	10,482,472	7,857,343	8,048,623	2,623,649	55,799,165
	精神分裂藥物不同處方用藥日數重複率	2.62%	1.86%	2.01%	1.92%	1.35%	1.43%	1.90%	2.07%	1.48%	1.83%	1.92%	1.46%	1.51%	1.81%
98年第1季	精神分裂藥物重複用藥日數(排08案件)	17,201	9,035	14,956	8,199	7,008	5,396	61,795	97,215	26,397	46,741	38,991	33,149	10,325	252,818
	精神分裂藥物之給藥日數	624,955	538,483	772,807	356,738	533,888	389,797	3,216,668	4,817,071	1,857,533	2,650,078	2,025,111	2,006,125	646,558	14,002,476
	精神分裂藥物不同處方用藥日數重複率	2.75%	1.68%	1.94%	2.30%	1.31%	1.38%	1.92%	2.02%	1.42%	1.76%	1.93%	1.65%	1.60%	1.81%
98年第2季	精神分裂藥物重複用藥日數(排08案件)	15,745	7,348	14,566	6,397	6,001	5,334	55,391	91,684	25,886	46,551	35,143	30,479	10,028	239,771
	精神分裂藥物之給藥日數	628,413	544,438	749,828	366,145	544,105	404,355	3,237,284	5,015,263	1,937,471	2,735,416	2,113,508	2,077,706	672,404	14,551,768
	精神分裂藥物不同處方用藥日數重複率	2.51%	1.35%	1.94%	1.75%	1.10%	1.32%	1.71%	1.83%	1.34%	1.70%	1.66%	1.47%	1.49%	1.65%
98年第3季	精神分裂藥物重複用藥日數(排08案件)	15,910	7,560	14,010	6,161	6,160	4,693	54,494	88,961	24,259	45,803	34,945	30,538	9,030	233,536
	精神分裂藥物之給藥日數	641,886	549,248	757,064	375,186	542,796	399,084	3,265,264	5,099,271	1,987,282	2,768,540	2,137,047	2,095,700	681,031	14,768,871
	精神分裂藥物不同處方用藥日數重複率	2.48%	1.38%	1.85%	1.64%	1.13%	1.18%	1.67%	1.74%	1.22%	1.65%	1.64%	1.46%	1.33%	1.58%
98年第4季	精神分裂藥物重複用藥日數(排08案件)	16,809	8,539	14,601	6,157	5,690	4,593	56,389	89,996	28,347	48,898	34,405	31,311	8,521	241,478
	精神分裂藥物之給藥日數	657,100	558,063	794,592	380,607	542,054	389,085	3,321,501	5,136,397	2,022,752	2,828,450	2,149,461	2,170,661	673,987	14,981,708
	精神分裂藥物不同處方用藥日數重複率	2.56%	1.53%	1.84%	1.62%	1.05%	1.18%	1.70%	1.75%	1.40%	1.73%	1.60%	1.44%	1.26%	1.61%
98年小計	精神分裂藥物重複用藥日數(排08案件)	65,665	32,482	58,133	26,914	24,859	20,016	228,069	367,856	104,889	187,993	143,484	125,477	37,904	967,603
	精神分裂藥物之給藥日數	2,552,354	2,190,232	3,074,291	1,478,676	2,162,843	1,582,321	13,040,717	20,068,002	7,805,038	10,982,484	8,425,127	8,350,192	2,673,980	58,304,823
	精神分裂藥物不同處方用藥日數重複率	2.57%	1.48%	1.89%	1.82%	1.15%	1.26%	1.75%	1.83%	1.34%	1.71%	1.70%	1.50%	1.42%	1.66%

備註：1.資料來源：醫療給付檔案分析系統。

2.資料範圍：每季所有屬醫院總額之精神分裂不同處方給藥日數(精神分裂藥物：ATC前四碼=N05A)

3.公式說明：分子：精神分裂藥物重複用藥日數(排除08案件)(同ID不同處方之就醫日期與結束用藥日期間有重疊之給藥日數)

分母：精神分裂藥物之給藥日數(給藥天數不為0 或藥費不為0 或處方調劑方式為 1、0、6)

*監測值：3.41%(1±10%)

4.資料擷取日期：99年04月28日

5.製表單位：醫審及藥材組

指標1.12.1 醫院總額專業醫療服務品質指標-各區跨院所抗憂鬱症藥物-不同處方用藥日數重複率(排08案件)

年季	層級別	醫學中心							區域醫院						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	憂鬱症藥物重複用藥日數(排08案件)	76,114	8,421	34,188	11,387	24,223	4,924	159,257	99,623	30,771	52,217	54,676	32,907	6,168	276,362
	憂鬱症藥物之給藥日數	3,089,747	607,686	1,164,629	409,329	972,859	146,513	6,390,763	2,881,943	1,023,470	1,417,788	1,757,566	933,488	231,572	8,245,827
	憂鬱症藥物不同處方用藥日數重複率	2.46%	1.39%	2.94%	2.78%	2.49%	3.36%	2.49%	3.46%	3.01%	3.68%	3.11%	3.53%	2.66%	3.35%
97年第2季	憂鬱症藥物重複用藥日數(排08案件)	76,293	6,678	33,445	10,432	22,546	4,717	154,111	99,070	29,922	52,686	54,767	32,794	6,908	276,147
	憂鬱症藥物之給藥日數	3,098,364	569,612	1,161,263	407,977	946,337	149,691	6,333,244	2,919,053	1,025,036	1,436,529	1,801,050	942,006	240,571	8,364,245
	憂鬱症藥物不同處方用藥日數重複率	2.46%	1.17%	2.88%	2.56%	2.38%	3.15%	2.43%	3.39%	2.92%	3.67%	3.04%	3.48%	2.87%	3.30%
97年第3季	憂鬱症藥物重複用藥日數(排08案件)	77,980	6,957	30,073	11,525	22,671	4,908	154,114	99,590	29,170	54,393	53,840	32,462	7,205	276,660
	憂鬱症藥物之給藥日數	3,124,076	594,797	1,139,591	411,323	946,925	149,853	6,366,565	2,956,060	1,041,105	1,533,418	1,777,306	949,430	236,188	8,493,507
	憂鬱症藥物不同處方用藥日數重複率	2.50%	1.17%	2.64%	2.80%	2.39%	3.28%	2.42%	3.37%	2.80%	3.55%	3.03%	3.42%	3.05%	3.26%
97年第4季	憂鬱症藥物重複用藥日數(排08案件)	79,110	7,269	30,884	9,877	23,100	4,651	154,891	101,895	31,891	54,313	55,763	34,857	7,507	286,226
	憂鬱症藥物之給藥日數	3,168,138	608,864	1,149,767	412,377	960,471	152,781	6,452,398	3,057,833	1,082,922	1,567,126	1,806,286	1,008,929	247,674	8,770,770
	憂鬱症藥物不同處方用藥日數重複率	2.50%	1.19%	2.69%	2.40%	2.41%	3.04%	2.40%	3.33%	2.94%	3.47%	3.09%	3.45%	3.03%	3.26%
97年小計	憂鬱症藥物重複用藥日數(排08案件)	309,497	29,325	128,590	43,221	92,540	19,200	622,373	400,178	121,754	213,609	219,046	133,020	27,788	1,115,395
	憂鬱症藥物之給藥日數	12,480,325	2,380,959	4,615,250	1,641,006	3,826,592	598,838	25,542,970	11,814,889	4,172,533	5,954,861	7,142,208	3,833,853	956,005	33,874,349
	憂鬱症藥物不同處方用藥日數重複率	2.48%	1.23%	2.79%	2.63%	2.42%	3.21%	2.44%	3.39%	2.92%	3.59%	3.07%	3.47%	2.91%	3.29%
98年第1季	憂鬱症藥物重複用藥日數(排08案件)	71,965	6,455	30,425	9,613	21,008	4,690	144,156	98,409	29,885	50,646	52,099	36,761	7,998	275,798
	憂鬱症藥物之給藥日數	2,968,355	545,409	1,122,801	392,087	873,723	145,376	6,047,751	2,939,898	1,008,806	1,457,377	1,725,037	975,958	245,231	8,352,307
	憂鬱症藥物不同處方用藥日數重複率	2.42%	1.18%	2.71%	2.45%	2.40%	3.23%	2.38%	3.35%	2.96%	3.48%	3.02%	3.77%	3.26%	3.30%
98年第2季	憂鬱症藥物重複用藥日數(排08案件)	77,121	6,365	31,740	11,396	23,220	4,305	154,147	101,069	30,291	52,825	52,786	38,181	8,883	284,035
	憂鬱症藥物之給藥日數	3,092,159	562,847	1,158,108	405,920	946,939	150,370	6,316,343	3,098,763	1,056,621	1,569,856	1,798,215	1,016,597	260,601	8,800,653
	憂鬱症藥物不同處方用藥日數重複率	2.49%	1.13%	2.74%	2.81%	2.45%	2.86%	2.44%	3.26%	2.87%	3.36%	2.94%	3.76%	3.41%	3.23%
98年第3季	憂鬱症藥物重複用藥日數(排08案件)	74,882	6,772	30,695	11,369	20,261	3,154	147,133	98,097	30,026	56,183	53,550	36,325	7,771	281,952
	憂鬱症藥物之給藥日數	3,093,621	595,241	1,147,781	412,440	941,583	145,186	6,335,852	3,113,288	1,096,537	1,613,859	1,807,081	1,043,370	265,162	8,939,297
	憂鬱症藥物不同處方用藥日數重複率	2.42%	1.14%	2.67%	2.76%	2.15%	2.17%	2.32%	3.15%	2.74%	3.48%	2.96%	3.48%	2.93%	3.15%
98年第4季	憂鬱症藥物重複用藥日數(排08案件)	76,145	7,335	31,608	11,216	20,721	3,368	150,393	95,043	32,476	56,859	52,636	37,777	6,133	280,924
	憂鬱症藥物之給藥日數	3,061,118	599,710	1,139,884	428,146	947,828	145,678	6,322,364	3,109,590	1,111,086	1,618,875	1,796,106	1,089,533	273,546	8,998,736
	憂鬱症藥物不同處方用藥日數重複率	2.49%	1.22%	2.77%	2.62%	2.19%	2.31%	2.38%	3.06%	2.92%	3.51%	2.93%	3.47%	2.24%	3.12%
98年小計	憂鬱症藥物重複用藥日數(排08案件)	300,113	26,927	124,468	43,594	85,210	15,517	595,829	392,618	122,678	216,513	211,071	149,044	30,785	1,122,709
	憂鬱症藥物之給藥日數	12,215,253	2,303,207	4,568,574	1,638,593	3,710,073	586,610	25,022,310	12,261,539	4,273,050	6,259,967	7,126,439	4,125,458	1,044,540	35,090,993
	憂鬱症藥物不同處方用藥日數重複率	2.46%	1.17%	2.72%	2.66%	2.30%	2.65%	2.38%	3.20%	2.87%	3.46%	2.96%	3.61%	2.95%	3.20%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之憂鬱症不同處方給藥日數(憂鬱症藥物：ATC前四碼=N06A)

3. 公式說明：

分子：憂鬱症藥物重複用藥日數(排除08案件)(同ID不同處方之就醫日期與結束用藥日期間有重疊之給藥日數)

分母：精神分裂藥物之給藥日數(給藥天數不為0 或藥費不為0 或處方調劑方式為 1、0、6)

*監測值：3.54%(±10%)

4. 資料擷取日期：99年04月28日

5. 製表單位：醫審及藥材組

指標1.12.1醫院總額專業醫療服務品質指標-各區跨院所抗憂鬱症藥物-不同處方用藥日數重複率(排08案件)

年季	層級別	地區醫院(含未評鑑醫院)							合計						
	分區別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	憂鬱症藥物重複用藥日數(排08案件)	39,781	31,081	40,058	15,653	26,421	5,172	158,166	215,518	70,273	126,463	81,716	83,551	16,264	593,785
	憂鬱症藥物之給藥日數	878,914	872,742	879,544	348,705	619,680	163,630	3,763,215	6,850,604	2,503,898	3,461,961	2,515,600	2,526,027	541,715	18,399,805
	憂鬱症藥物不同處方用藥日數重複率	4.53%	3.56%	4.55%	4.49%	4.26%	3.16%	4.20%	3.15%	2.81%	3.65%	3.25%	3.31%	3.00%	3.23%
97年第2季	憂鬱症藥物重複用藥日數(排08案件)	36,027	27,423	40,226	13,171	24,568	4,715	146,130	211,390	64,023	126,357	78,370	79,908	16,340	576,388
	憂鬱症藥物之給藥日數	803,672	852,309	878,182	318,496	607,760	159,591	3,620,010	6,821,089	2,446,957	3,475,974	2,527,523	2,496,103	549,853	18,317,499
	憂鬱症藥物不同處方用藥日數重複率	4.48%	3.22%	4.58%	4.14%	4.04%	2.95%	4.04%	3.10%	2.62%	3.64%	3.10%	3.20%	2.97%	3.15%
97年第3季	憂鬱症藥物重複用藥日數(排08案件)	36,699	28,736	36,199	13,445	25,487	4,848	145,414	214,269	64,863	120,665	78,810	80,620	16,961	576,188
	憂鬱症藥物之給藥日數	838,031	861,856	806,757	333,696	642,559	162,829	3,645,728	6,918,167	2,497,758	3,479,766	2,522,325	2,538,914	548,870	18,505,800
	憂鬱症藥物不同處方用藥日數重複率	4.38%	3.33%	4.49%	4.03%	3.97%	2.98%	3.99%	3.10%	2.60%	3.47%	3.12%	3.18%	3.09%	3.11%
97年第4季	憂鬱症藥物重複用藥日數(排08案件)	41,527	29,221	35,929	15,510	23,963	5,655	151,805	222,532	68,381	121,126	81,150	81,920	17,813	592,922
	憂鬱症藥物之給藥日數	914,100	867,135	856,472	360,049	619,109	171,910	3,788,775	7,140,071	2,558,921	3,573,365	2,578,712	2,588,509	572,365	19,011,943
	憂鬱症藥物不同處方用藥日數重複率	4.54%	3.37%	4.19%	4.31%	3.87%	3.29%	4.01%	3.12%	2.67%	3.39%	3.15%	3.16%	3.11%	3.12%
97年小計	憂鬱症藥物重複用藥日數(排08案件)	154,034	116,461	152,412	57,779	100,439	20,390	601,515	863,709	267,540	494,611	320,046	325,999	67,378	2,339,283
	憂鬱症藥物之給藥日數	3,434,717	3,454,042	3,420,955	1,360,946	2,489,108	657,960	14,817,728	27,729,931	10,007,534	13,991,066	10,144,160	10,149,553	2,212,803	74,235,047
	憂鬱症藥物不同處方用藥日數重複率	4.48%	3.37%	4.46%	4.25%	4.04%	3.10%	4.06%	3.11%	2.67%	3.54%	3.15%	3.21%	3.04%	3.15%
98年第1季	憂鬱症藥物重複用藥日數(排08案件)	38,655	28,083	38,621	14,957	23,566	5,882	149,764	209,029	64,423	119,692	76,669	81,335	18,570	569,718
	憂鬱症藥物之給藥日數	843,639	817,901	905,073	357,632	590,595	169,243	3,684,083	6,751,892	2,372,116	3,485,251	2,474,756	2,440,276	559,850	18,084,141
	憂鬱症藥物不同處方用藥日數重複率	4.58%	3.43%	4.27%	4.18%	3.99%	3.48%	4.07%	3.10%	2.72%	3.43%	3.10%	3.33%	3.32%	3.15%
98年第2季	憂鬱症藥物重複用藥日數(排08案件)	39,904	27,926	37,103	16,286	23,375	5,556	150,150	218,094	64,582	121,668	80,468	84,776	18,744	588,332
	憂鬱症藥物之給藥日數	890,013	854,450	888,358	371,666	606,995	173,925	3,785,407	7,080,935	2,473,918	3,616,322	2,575,801	2,570,531	584,896	18,902,403
	憂鬱症藥物不同處方用藥日數重複率	4.48%	3.27%	4.18%	4.38%	3.85%	3.19%	3.97%	3.08%	2.61%	3.36%	3.12%	3.30%	3.20%	3.11%
98年第3季	憂鬱症藥物重複用藥日數(排08案件)	39,273	31,506	39,741	16,215	22,344	4,545	153,624	212,252	68,304	126,619	81,134	78,930	15,470	582,709
	憂鬱症藥物之給藥日數	917,923	862,262	903,998	389,956	617,665	160,494	3,852,298	7,124,832	2,554,040	3,665,638	2,609,477	2,602,618	570,842	19,127,447
	憂鬱症藥物不同處方用藥日數重複率	4.28%	3.65%	4.40%	4.16%	3.62%	2.83%	3.99%	2.98%	2.67%	3.45%	3.11%	3.03%	2.71%	3.05%
98年第4季	憂鬱症藥物重複用藥日數(排08案件)	41,034	29,847	40,160	16,212	22,020	4,674	153,947	212,222	69,658	128,627	80,064	80,518	14,175	585,264
	憂鬱症藥物之給藥日數	940,824	862,092	943,407	407,756	627,064	162,702	3,943,845	7,111,532	2,572,888	3,702,166	2,632,008	2,664,425	581,926	19,264,945
	憂鬱症藥物不同處方用藥日數重複率	4.36%	3.46%	4.26%	3.98%	3.51%	2.87%	0.00%	2.98%	2.71%	3.47%	3.04%	3.02%	2.44%	3.04%
98年小計	憂鬱症藥物重複用藥日數(排08案件)	158,866	117,362	155,625	63,670	91,305	20,657	607,485	851,597	266,967	496,606	318,335	325,559	66,959	2,326,023
	憂鬱症藥物之給藥日數	3,592,399	3,396,705	3,640,836	1,527,010	2,442,319	666,364	15,265,633	28,069,191	9,972,962	14,469,377	10,292,042	10,277,850	2,297,514	75,378,936
	憂鬱症藥物不同處方用藥日數重複率	4.42%	3.46%	4.27%	4.17%	3.74%	3.10%	0.00%	3.03%	2.68%	3.43%	3.09%	3.17%	2.91%	3.09%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之憂鬱症不同處方給藥日數(憂鬱症藥物：ATC前四碼=N06A)

3. 公式說明：

分子：憂鬱症藥物重複用藥日數(排除08案件)(同ID不同處方之就醫日期與結束用藥日期間有重疊之給藥日數)

分母：精神分裂藥物之給藥日數(給藥天數不為0 或藥費不為0 或處方調劑方式為 1、0、6)

*監測值：3.54%×(1±10%)

4. 資料擷取日期：99年04月28日

5. 製表單位：醫審及藥材組

指標1.12.2 醫院總額專業醫療服務品質指標-各區同院所抗憂鬱症藥物-不同處方用藥日數重複率(排08案件)

年季	層級別	醫學中心							區域醫院						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	憂鬱症藥物重複用藥日數(排08案件)	42,949	5,886	17,794	6,105	10,793	3,099	86,626	57,410	13,577	25,375	30,378	12,847	2,442	142,029
	憂鬱症藥物之給藥日數	3,089,747	607,686	1,164,629	409,329	972,859	146,513	6,390,763	2,881,943	1,023,470	1,417,788	1,757,566	933,488	231,572	8,245,827
	憂鬱症藥物不同處方用藥日數重複率	1.39%	0.97%	1.53%	1.49%	1.11%	2.12%	1.36%	1.99%	1.33%	1.79%	1.73%	1.38%	1.05%	1.72%
97年第2季	憂鬱症藥物重複用藥日數(排08案件)	43,270	4,827	16,859	5,719	9,227	2,697	82,599	56,663	12,473	23,713	30,067	12,413	2,582	137,911
	憂鬱症藥物之給藥日數	3,098,364	569,612	1,161,263	407,977	946,337	149,691	6,333,244	2,919,053	1,025,036	1,436,529	1,801,050	942,006	240,571	8,364,245
	憂鬱症藥物不同處方用藥日數重複率	1.40%	0.85%	1.45%	1.40%	0.98%	1.80%	1.30%	1.94%	1.22%	1.65%	1.67%	1.32%	1.07%	1.65%
97年第3季	憂鬱症藥物重複用藥日數(排08案件)	42,553	4,672	14,678	6,268	9,807	2,924	80,902	55,704	11,583	25,467	27,824	12,080	2,887	135,545
	憂鬱症藥物之給藥日數	3,124,076	594,797	1,139,591	411,323	946,925	149,853	6,366,565	2,956,060	1,041,105	1,533,418	1,777,306	949,430	236,188	8,493,507
	憂鬱症藥物不同處方用藥日數重複率	1.36%	0.79%	1.29%	1.52%	1.04%	1.95%	1.27%	1.88%	1.11%	1.66%	1.57%	1.27%	1.22%	1.60%
97年第4季	憂鬱症藥物重複用藥日數(排08案件)	43,988	4,925	15,356	5,574	9,502	2,736	82,081	57,464	13,442	24,600	28,899	14,076	3,258	141,739
	憂鬱症藥物之給藥日數	3,168,138	608,864	1,149,767	412,377	960,471	152,781	6,452,398	3,057,833	1,082,922	1,567,126	1,806,286	1,008,929	247,674	8,770,770
	憂鬱症藥物不同處方用藥日數重複率	1.39%	0.81%	1.34%	1.35%	0.99%	1.79%	1.27%	1.88%	1.24%	1.57%	1.60%	1.40%	1.32%	1.62%
97年小計	憂鬱症藥物重複用藥日數(排08案件)	172,760	20,310	64,687	23,666	39,329	11,456	332,208	227,241	51,075	99,155	117,168	51,416	11,169	557,224
	憂鬱症藥物之給藥日數	12,480,325	2,380,959	4,615,250	1,641,006	3,826,592	598,838	25,542,970	11,814,889	4,172,533	5,954,861	7,142,208	3,833,853	956,005	33,874,349
	憂鬱症藥物不同處方用藥日數重複率	1.38%	0.85%	1.40%	1.44%	1.03%	1.91%	1.30%	1.92%	1.22%	1.67%	1.64%	1.34%	1.17%	1.64%
98年第1季	憂鬱症藥物重複用藥日數(排08案件)	39,150	4,071	14,621	5,306	8,591	2,832	74,571	54,558	12,649	23,635	26,365	15,137	3,511	135,855
	憂鬱症藥物之給藥日數	2,968,355	545,409	1,122,801	392,087	873,723	145,376	6,047,751	2,939,898	1,008,806	1,457,377	1,725,037	975,958	245,231	8,352,307
	憂鬱症藥物不同處方用藥日數重複率	1.32%	0.75%	1.30%	1.35%	0.98%	1.95%	1.23%	1.86%	1.25%	1.62%	1.53%	1.55%	1.43%	1.63%
98年第2季	憂鬱症藥物重複用藥日數(排08案件)	40,477	4,128	14,968	5,926	9,155	2,407	77,061	52,597	12,712	23,827	25,300	15,510	3,637	133,583
	憂鬱症藥物之給藥日數	3,092,159	562,847	1,158,150	405,920	946,939	150,370	6,316,385	3,098,763	1,056,621	1,569,856	1,798,215	1,016,597	260,601	8,800,653
	憂鬱症藥物不同處方用藥日數重複率	1.31%	0.73%	1.29%	1.46%	0.97%	1.60%	1.22%	1.70%	1.20%	1.52%	1.41%	1.53%	1.40%	1.52%
98年第3季	憂鬱症藥物重複用藥日數(排08案件)	39,407	4,056	13,620	5,643	7,706	1,281	71,713	51,507	12,311	24,293	27,112	14,494	3,222	132,939
	憂鬱症藥物之給藥日數	3,093,621	595,241	1,147,781	412,440	941,583	145,186	6,335,852	3,113,288	1,096,537	1,613,859	1,807,081	1,043,370	265,162	8,939,297
	憂鬱症藥物不同處方用藥日數重複率	1.27%	0.68%	1.19%	1.37%	0.82%	0.88%	1.13%	1.65%	1.12%	1.51%	1.50%	1.39%	1.22%	1.49%
98年第4季	憂鬱症藥物重複用藥日數(排08案件)	40,712	4,727	14,846	5,451	7,489	1,734	74,959	48,563	13,743	24,449	26,128	15,825	2,526	131,234
	憂鬱症藥物之給藥日數	3,061,118	599,710	1,139,884	428,146	947,828	145,678	6,322,364	3,109,590	1,111,086	1,618,875	1,796,106	1,089,533	273,546	8,998,736
	憂鬱症藥物不同處方用藥日數重複率	1.33%	0.79%	1.30%	1.27%	0.79%	1.19%	1.19%	1.56%	1.24%	1.51%	1.45%	1.45%	0.92%	1.46%
98年小計	憂鬱症藥物重複用藥日數(排08案件)	159,746	16,982	58,055	22,326	32,941	8,254	298,304	207,225	51,415	96,204	104,905	60,966	12,896	533,611
	憂鬱症藥物之給藥日數	12,215,253	2,303,207	4,568,616	1,638,593	3,710,073	586,610	25,022,352	12,261,539	4,273,050	6,259,967	7,126,439	4,125,458	1,044,540	35,090,993
	憂鬱症藥物不同處方用藥日數重複率	1.31%	0.74%	1.27%	1.36%	0.89%	1.41%	1.19%	1.69%	1.20%	1.54%	1.47%	1.48%	1.23%	1.52%

e

2. 資料範圍：每季所有屬醫院總額之憂鬱症不同處方給藥日數(憂鬱症藥物：ATC前四碼=N06A)

3. 公式說明：

分子：憂鬱症藥物重複用藥日數(排除08案件)(同ID不同處方之就醫日期與結束用藥日期間有重疊之給藥日數)

分母：精神分裂藥物之給藥日數(給藥天數不為0 或藥費不為0 或處方調劑方式為 1、0、6)

*監測值：3.54%×(1±10%)

4. 資料擷取日期：99年04月28日

5. 製表單位：醫審及藥材組

指標1.12.2 醫院總額專業醫療服務品質指標-各區同院所抗憂鬱症藥物-不同處方用藥日數重複率(排08案件)

年季	層級別	地區醫院(含未評鑑醫院)							合計						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	憂鬱症藥物重複用藥日數(排08案件)	20,289	15,500	18,723	7,327	10,023	2,397	74,259	120,648	34,963	61,892	43,810	33,663	7,938	302,914
	憂鬱症藥物之給藥日數	878,914	872,742	879,544	348,705	619,680	163,630	3,763,215	6,850,604	2,503,898	3,461,961	2,515,600	2,526,027	541,715	18,399,805
	憂鬱症藥物不同處方用藥日數重複率	2.31%	1.78%	2.13%	2.10%	1.62%	1.46%	1.97%	1.76%	1.40%	1.79%	1.74%	1.33%	1.47%	1.65%
97年第2季	憂鬱症藥物重複用藥日數(排08案件)	17,236	12,874	17,501	5,614	8,058	1,715	62,998	117,169	30,174	58,073	41,400	29,698	6,994	283,508
	憂鬱症藥物之給藥日數	803,672	852,309	878,182	318,496	607,760	159,591	3,620,010	6,821,089	2,446,957	3,475,974	2,527,523	2,496,103	549,853	18,317,499
	憂鬱症藥物不同處方用藥日數重複率	2.14%	1.51%	1.99%	1.76%	1.33%	1.07%	1.74%	1.72%	1.23%	1.67%	1.64%	1.19%	1.27%	1.55%
97年第3季	憂鬱症藥物重複用藥日數(排08案件)	17,190	13,972	15,497	5,899	8,612	2,299	63,469	115,447	30,227	55,642	39,991	30,499	8,110	279,916
	憂鬱症藥物之給藥日數	838,031	861,856	806,757	333,696	642,559	162,829	3,645,728	6,918,167	2,497,758	3,479,766	2,522,325	2,538,914	548,870	18,505,800
	憂鬱症藥物不同處方用藥日數重複率	2.05%	1.62%	1.92%	1.77%	1.34%	1.41%	1.74%	1.67%	1.21%	1.60%	1.59%	1.20%	1.48%	1.51%
97年第4季	憂鬱症藥物重複用藥日數(排08案件)	18,704	13,708	15,379	7,366	8,097	2,560	65,814	120,156	32,075	55,335	41,839	31,675	8,554	289,634
	憂鬱症藥物之給藥日數	914,100	867,135	856,472	360,049	619,109	171,910	3,788,775	7,140,071	2,558,921	3,573,365	2,578,712	2,588,509	572,365	19,011,943
	憂鬱症藥物不同處方用藥日數重複率	2.05%	1.58%	1.80%	2.05%	1.31%	1.49%	1.74%	1.68%	1.25%	1.55%	1.62%	1.22%	1.49%	1.52%
97年小計	憂鬱症藥物重複用藥日數(排08案件)	73,419	56,054	67,100	26,206	34,790	8,971	266,540	473,420	127,439	230,942	167,040	125,535	31,596	1,155,972
	憂鬱症藥物之給藥日數	3,434,717	3,454,042	3,420,955	1,360,946	2,489,108	657,960	14,817,728	27,729,931	10,007,534	13,991,066	10,144,160	10,149,553	2,212,803	74,235,047
	憂鬱症藥物不同處方用藥日數重複率	2.14%	1.62%	1.96%	1.93%	1.40%	1.36%	1.80%	1.71%	1.27%	1.65%	1.65%	1.24%	1.43%	1.56%
98年第1季	憂鬱症藥物重複用藥日數(排08案件)	18,606	13,656	16,630	7,450	7,910	3,035	67,287	112,314	30,376	54,886	39,121	31,638	9,378	277,713
	憂鬱症藥物之給藥日數	843,639	817,901	905,073	357,632	590,595	169,243	3,684,083	6,751,892	2,372,116	3,485,251	2,474,756	2,440,276	559,850	18,084,141
	憂鬱症藥物不同處方用藥日數重複率	2.21%	1.67%	1.84%	2.08%	1.34%	1.79%	1.83%	1.66%	1.28%	1.57%	1.58%	1.30%	1.68%	1.54%
98年第2季	憂鬱症藥物重複用藥日數(排08案件)	19,199	12,179	14,574	7,921	7,056	2,568	63,497	112,273	29,019	53,369	39,147	31,721	8,612	274,141
	憂鬱症藥物之給藥日數	890,013	854,450	888,358	371,666	606,995	173,925	3,785,407	7,080,935	2,473,918	3,616,364	2,575,801	2,570,531	584,896	18,902,445
	憂鬱症藥物不同處方用藥日數重複率	2.16%	1.43%	1.64%	2.13%	1.16%	1.48%	1.68%	1.59%	1.17%	1.48%	1.52%	1.23%	1.47%	1.45%
98年第3季	憂鬱症藥物重複用藥日數(排08案件)	18,180	11,879	15,120	7,149	7,084	1,825	61,237	109,094	28,246	53,033	39,904	29,284	6,328	265,889
	憂鬱症藥物之給藥日數	917,923	862,262	903,998	389,956	617,665	160,494	3,852,298	7,124,832	2,554,040	3,665,638	2,609,477	2,602,618	570,842	19,127,447
	憂鬱症藥物不同處方用藥日數重複率	1.98%	1.38%	1.67%	1.83%	1.15%	1.14%	1.59%	1.53%	1.11%	1.45%	1.53%	1.13%	1.11%	1.39%
98年第4季	憂鬱症藥物重複用藥日數(排08案件)	19,565	13,060	16,696	7,259	7,562	1,736	65,878	108,840	31,530	55,991	38,838	30,876	5,996	272,071
	憂鬱症藥物之給藥日數	940,824	862,092	943,407	407,756	627,064	162,702	3,943,845	7,111,532	2,572,888	3,702,166	2,632,008	2,664,425	581,926	19,264,945
	憂鬱症藥物不同處方用藥日數重複率	2.08%	1.51%	1.77%	1.78%	1.21%	1.07%	1.67%	1.53%	1.23%	1.51%	1.48%	1.16%	1.03%	1.41%
98年小計	憂鬱症藥物重複用藥日數(排08案件)	75,550	50,774	63,020	29,779	29,612	9,164	257,899	442,521	119,171	217,279	157,010	123,519	30,314	1,089,814
	憂鬱症藥物之給藥日數	3,592,399	3,396,705	3,640,836	1,527,010	2,442,319	666,364	15,265,633	28,069,191	9,972,962	14,469,419	10,292,042	10,277,850	2,297,514	75,378,978
	憂鬱症藥物不同處方用藥日數重複率	2.10%	1.49%	1.73%	1.95%	1.21%	1.38%	1.69%	1.58%	1.19%	1.50%	1.53%	1.20%	1.32%	1.45%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之憂鬱症不同處方給藥日數(憂鬱症藥物：ATC前四碼=N06A)

3. 公式說明：

分子：憂鬱症藥物重複用藥日數(排除08案件)(同ID不同處方之就醫日期與結束用藥日期間有重疊之給藥日數)

分母：精神分裂藥物之給藥日數(給藥天數不為0 或藥費不為0 或處方調劑方式為 1、0、6)

*監測值：3.54%(1±10%)

4. 資料擷取日期：99年04月28日

5. 製表單位：醫審及藥材組

指標1.13.1 醫院總額專業醫療服務品質指標-各區跨院所安眠鎮靜藥物-不同處方用藥日數重複率(排08案件)

年季	層級別	醫學中心							區域醫院						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	安眠鎮靜藥物重複用藥日數(排08案件)	545,834	60,721	207,078	67,889	145,283	26,301	1,053,106	542,281	170,475	333,936	315,699	176,627	48,675	1,587,693
	安眠鎮靜藥物之給藥日數	10,537,648	2,011,044	3,612,952	1,327,653	2,986,079	439,758	20,915,134	8,400,720	3,125,555	4,962,756	5,309,099	2,728,103	764,400	25,290,633
	安眠鎮靜藥物不同處方用藥日數重複率	5.18%	3.02%	5.73%	5.11%	4.87%	5.98%	5.04%	6.46%	5.45%	6.73%	5.95%	6.47%	6.37%	6.28%
97年第2季	安眠鎮靜藥物重複用藥日數(排08案件)	551,326	58,283	200,301	69,346	141,751	28,389	1,049,396	546,698	168,102	332,349	324,415	170,925	49,698	1,592,187
	安眠鎮靜藥物之給藥日數	10,587,908	1,946,800	3,591,723	1,350,285	2,954,194	441,807	20,872,717	8,493,888	3,127,244	4,999,074	5,506,891	2,713,891	771,555	25,612,543
	安眠鎮靜藥物不同處方用藥日數重複率	5.21%	2.99%	5.58%	5.14%	4.80%	6.43%	5.03%	6.44%	5.38%	6.65%	5.89%	6.30%	6.44%	6.22%
97年第3季	安眠鎮靜藥物重複用藥日數(排08案件)	544,412	54,202	195,677	69,818	139,429	26,876	1,030,414	533,621	168,945	345,610	309,565	173,745	46,333	1,577,819
	安眠鎮靜藥物之給藥日數	10,502,605	1,991,323	3,532,990	1,340,965	2,966,672	441,727	20,776,282	8,546,103	3,168,142	5,310,088	5,443,830	2,726,231	757,342	25,951,736
	安眠鎮靜藥物不同處方用藥日數重複率	5.18%	2.72%	5.54%	5.21%	4.70%	6.08%	4.96%	6.24%	5.33%	6.51%	5.69%	6.37%	6.12%	6.08%
97年第4季	安眠鎮靜藥物重複用藥日數(排08案件)	572,926	60,116	198,802	66,127	140,099	28,695	1,066,765	559,872	176,803	357,036	312,869	187,027	50,733	1,644,340
	安眠鎮靜藥物之給藥日數	10,828,097	2,040,761	3,559,065	1,359,137	2,953,122	461,064	21,201,246	8,861,383	3,262,427	5,482,333	5,533,255	2,893,811	795,633	26,828,842
	安眠鎮靜藥物不同處方用藥日數重複率	5.29%	2.95%	5.59%	4.87%	4.74%	6.22%	5.03%	6.32%	5.42%	6.51%	5.65%	6.46%	6.38%	6.13%
97年小計	安眠鎮靜藥物重複用藥日數(排08案件)	2,214,498	233,322	801,858	273,180	566,562	110,261	4,199,681	2,182,472	684,325	1,368,931	1,262,548	708,324	195,439	6,402,039
	安眠鎮靜藥物之給藥日數	42,456,258	7,989,928	14,296,730	5,378,040	11,860,067	1,784,356	83,765,379	34,302,094	12,683,368	20,754,251	21,793,075	11,062,036	3,088,930	103,683,754
	安眠鎮靜藥物不同處方用藥日數重複率	5.22%	2.92%	5.61%	5.08%	4.78%	6.18%	5.01%	6.36%	5.40%	6.60%	5.79%	6.40%	6.33%	6.17%
98年第1季	安眠鎮靜藥物重複用藥日數(排08案件)	538,338	53,474	188,770	63,329	130,283	26,705	1,000,899	543,463	165,550	330,208	297,134	192,185	46,427	1,574,967
	安眠鎮靜藥物之給藥日數	10,177,232	1,870,640	3,461,511	1,274,457	2,718,729	439,487	19,942,056	8,661,159	3,081,003	5,021,445	5,316,374	2,891,609	763,439	25,735,029
	安眠鎮靜藥物不同處方用藥日數重複率	5.29%	2.86%	5.45%	4.97%	4.79%	6.08%	5.02%	6.27%	5.37%	6.58%	5.59%	6.65%	6.08%	6.12%
98年第2季	安眠鎮靜藥物重複用藥日數(排08案件)	549,238	52,012	192,140	67,252	144,342	27,467	1,032,451	566,127	169,048	347,884	304,938	200,146	50,595	1,638,738
	安眠鎮靜藥物之給藥日數	10,558,229	1,909,884	3,553,272	1,343,172	2,932,294	456,208	20,753,059	9,073,340	3,190,349	5,455,314	5,507,688	3,023,959	797,451	27,048,101
	安眠鎮靜藥物不同處方用藥日數重複率	5.20%	2.72%	5.41%	5.01%	4.92%	6.02%	4.97%	6.24%	5.30%	6.38%	5.54%	6.62%	6.34%	6.06%
98年第3季	安眠鎮靜藥物重複用藥日數(排08案件)	495,688	51,153	171,019	61,192	239,123	19,978	1,038,153	510,244	152,431	314,846	275,478	177,913	36,153	1,467,065
	安眠鎮靜藥物之給藥日數	10,013,673	1,891,681	3,309,672	1,283,405	2,731,631	432,870	19,662,932	8,666,194	3,114,999	5,239,443	5,266,562	2,927,457	696,656	25,911,311
	安眠鎮靜藥物不同處方用藥日數重複率	4.95%	2.70%	5.17%	4.77%	8.75%	4.62%	5.28%	5.89%	4.89%	6.01%	5.23%	6.08%	5.19%	5.66%
98年第4季	安眠鎮靜藥物重複用藥日數(排08案件)	504,360	55,721	173,380	64,637	117,654	22,145	937,897	512,601	166,940	320,507	280,110	185,486	34,852	1,500,496
	安眠鎮靜藥物之給藥日數	9,982,919	1,949,237	3,290,287	1,333,405	2,791,741	439,869	19,787,458	8,723,812	3,190,703	5,258,414	5,277,717	3,056,739	708,838	26,216,223
	安眠鎮靜藥物不同處方用藥日數重複率	5.05%	2.86%	5.27%	4.85%	4.21%	5.03%	4.74%	5.88%	5.23%	6.10%	5.31%	6.07%	4.92%	5.72%
98年小計	安眠鎮靜藥物重複用藥日數(排08案件)	1,000,048	106,874	344,399	125,829	356,777	42,123	1,976,050	1,022,845	319,371	635,353	555,588	363,399	71,005	2,967,561
	安眠鎮靜藥物之給藥日數	19,996,592	3,840,918	6,599,959	2,616,810	5,523,372	872,739	39,450,390	17,390,006	6,305,702	10,497,857	10,544,279	5,984,196	1,405,494	52,127,534
	安眠鎮靜藥物不同處方用藥日數重複率	5.00%	2.78%	5.22%	4.81%	6.46%	4.83%	5.01%	5.88%	5.06%	6.05%	5.27%	6.07%	5.05%	5.69%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之安眠鎮靜藥物不同處方給藥日數(安眠鎮靜藥物：ATC前四碼為N05B、N05C)

3. 公式說明：分子：安眠鎮靜藥物重複用藥日數(排除08案件)(同ID不同處方之就醫日期與結束用藥日期間有重疊之給藥日數)
分母：安眠鎮靜藥物之給藥日數(給藥天數不為0 或藥費不為0 或處方調劑方式為 1、0、6)

4. 資料擷取日期：99年04月28日

*監測值：7.02%(±10%)

5. 製表單位：醫審及藥材組

指標1.13.1 醫院總額專業醫療服務品質指標-各區跨院所安眠鎮靜藥物-不同處方用藥日數重複率(排08案件)

年季	層級別	地區醫院(含未評鑑醫院)							合計						
	分區別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	安眠鎮靜藥物重複用藥日數(排08案件)	341,087	235,388	355,615	138,884	242,386	37,932	1,351,292	1,429,202	466,584	896,629	522,472	564,296	112,908	3,992,091
	安眠鎮靜藥物之給藥日數	4,143,930	3,157,486	4,067,938	1,811,426	2,886,428	642,713	16,709,921	23,082,298	8,294,085	12,643,646	8,448,178	8,600,610	1,846,871	62,915,688
	安眠鎮靜藥物不同處方用藥日數重複率	8.23%	7.45%	8.74%	7.67%	8.40%	5.90%	8.09%	6.19%	5.63%	7.09%	6.18%	6.56%	6.11%	6.35%
97年第2季	安眠鎮靜藥物重複用藥日數(排08案件)	324,095	226,005	348,688	116,593	233,753	37,541	1,286,675	1,422,119	452,390	881,338	510,354	546,429	115,628	3,928,258
	安眠鎮靜藥物之給藥日數	3,930,141	3,147,414	4,048,832	1,583,641	2,853,573	630,805	16,194,406	23,011,937	8,221,458	12,639,629	8,440,817	8,521,658	1,844,167	62,679,666
	安眠鎮靜藥物不同處方用藥日數重複率	8.25%	7.18%	8.61%	7.36%	8.19%	5.95%	7.95%	6.18%	5.50%	6.97%	6.05%	6.41%	6.27%	6.27%
97年第3季	安眠鎮靜藥物重複用藥日數(排08案件)	323,143	220,762	322,859	118,014	237,112	38,204	1,260,094	1,401,176	443,909	864,146	497,397	550,286	111,413	3,868,327
	安眠鎮靜藥物之給藥日數	3,995,344	3,115,771	3,821,886	1,610,837	2,922,609	632,577	16,099,024	23,044,052	8,275,236	12,664,964	8,395,632	8,615,512	1,831,646	62,827,042
	安眠鎮靜藥物不同處方用藥日數重複率	8.09%	7.09%	8.45%	7.33%	8.11%	6.04%	7.83%	6.08%	5.36%	6.82%	5.92%	6.39%	6.08%	6.16%
97年第4季	安眠鎮靜藥物重複用藥日數(排08案件)	354,049	225,954	331,520	118,640	236,903	41,136	1,308,202	1,486,847	462,873	887,358	497,636	564,029	120,564	4,019,307
	安眠鎮靜藥物之給藥日數	4,279,139	3,152,562	3,974,882	1,650,789	2,918,245	657,645	16,633,262	23,968,619	8,455,750	13,016,280	8,543,181	8,765,178	1,914,342	64,663,350
	安眠鎮靜藥物不同處方用藥日數重複率	8.27%	7.17%	8.34%	7.19%	8.12%	6.26%	7.86%	6.20%	5.47%	6.82%	5.82%	6.43%	6.30%	6.22%
97年小計	安眠鎮靜藥物重複用藥日數(排08案件)	1,342,374	908,109	1,358,682	492,131	950,154	154,813	5,206,263	5,739,344	1,825,756	3,529,471	2,027,859	2,225,040	460,513	15,807,983
	安眠鎮靜藥物之給藥日數	16,348,554	12,573,233	15,913,538	6,656,693	11,580,855	2,563,740	65,636,613	93,106,906	33,246,529	50,964,519	33,827,808	34,502,958	7,437,026	253,085,746
	安眠鎮靜藥物不同處方用藥日數重複率	8.21%	7.22%	8.54%	7.39%	8.20%	6.04%	7.93%	6.16%	5.49%	6.93%	5.99%	6.45%	6.19%	6.25%
98年第1季	安眠鎮靜藥物重複用藥日數(排08案件)	333,509	212,001	335,657	121,366	225,087	40,181	1,267,801	1,415,310	431,025	854,635	481,829	547,555	113,313	3,843,667
	安眠鎮靜藥物之給藥日數	3,920,043	3,007,201	4,104,755	1,589,991	2,732,944	644,865	15,999,799	22,758,434	7,958,844	12,587,711	8,180,822	8,343,282	1,847,791	61,676,884
	安眠鎮靜藥物不同處方用藥日數重複率	8.51%	7.05%	8.18%	7.63%	8.24%	6.23%	7.92%	6.22%	5.42%	6.79%	5.89%	6.56%	6.13%	6.23%
98年第2季	安眠鎮靜藥物重複用藥日數(排08案件)	332,606	209,786	322,799	117,652	223,909	40,416	1,247,168	1,447,971	430,846	862,823	489,842	568,397	118,478	3,918,357
	安眠鎮靜藥物之給藥日數	3,998,870	3,058,555	4,021,725	1,641,321	2,783,134	661,835	16,165,440	23,630,439	8,158,788	13,030,311	8,492,181	8,739,387	1,915,494	63,966,600
	安眠鎮靜藥物不同處方用藥日數重複率	8.32%	6.86%	8.03%	7.17%	8.05%	6.11%	7.72%	6.13%	5.28%	6.62%	5.77%	6.50%	6.19%	6.13%
98年第3季	安眠鎮靜藥物重複用藥日數(排08案件)	285,387	182,645	274,107	106,144	178,693	27,609	1,054,585	1,291,319	386,229	759,972	442,814	595,729	83,740	3,559,803
	安眠鎮靜藥物之給藥日數	3,627,645	2,814,384	3,541,560	1,537,832	2,378,948	564,191	14,464,560	22,307,512	7,821,064	12,090,675	8,087,799	8,038,036	1,693,717	60,038,803
	安眠鎮靜藥物不同處方用藥日數重複率	7.87%	6.49%	7.74%	6.90%	7.51%	4.89%	7.29%	5.79%	4.94%	6.29%	5.48%	7.41%	4.94%	5.93%
98年第4季	安眠鎮靜藥物重複用藥日數(排08案件)	292,973	185,227	284,135	109,249	182,943	27,017	1,081,544	1,309,934	407,888	778,022	453,996	486,083	84,014	3,519,937
	安眠鎮靜藥物之給藥日數	3,762,469	2,852,061	3,617,024	1,572,818	2,432,278	567,520	14,804,170	22,469,200	7,992,001	12,165,725	8,183,940	8,280,758	1,716,227	60,807,851
	安眠鎮靜藥物不同處方用藥日數重複率	7.79%	6.49%	7.86%	6.95%	7.52%	4.76%	7.31%	5.83%	5.10%	6.40%	5.55%	5.87%	4.90%	5.79%
98年小計	安眠鎮靜藥物重複用藥日數(排08案件)	578,360	367,872	558,242	215,393	361,636	54,626	2,136,129	2,601,253	794,117	1,537,994	896,810	1,081,812	167,754	7,079,740
	安眠鎮靜藥物之給藥日數	7,390,114	5,666,445	7,158,584	3,110,650	4,811,226	1,131,711	29,268,730	44,776,712	15,813,065	24,256,400	16,271,739	16,318,794	3,409,944	120,846,654
	安眠鎮靜藥物不同處方用藥日數重複率	7.83%	6.49%	7.80%	6.92%	7.52%	4.83%	7.30%	5.81%	5.02%	6.34%	5.51%	6.63%	4.92%	5.86%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之安眠鎮靜藥物不同處方給藥日數(安眠鎮靜藥物：ATC前四碼為N05B、N05C)

3. 公式說明：
分子：安眠鎮靜藥物重複用藥日數(排除08案件)(同ID不同處方之就醫日期與結束用藥日期間有重疊之給藥日數)
分母：安眠鎮靜藥物之給藥日數(給藥天數不為0 或藥費不為0 或處方調劑方式為 1、0、6)

4. 資料擷取日期：99年04月28日

*監測值：7.02%×(±10%)

5. 製表單位：醫審及藥材組

指標1.13.2 醫院總額專業醫療服務品質指標-各區同院所安眠鎮靜藥物-不同處方用藥日數重複率(排08案件)

年季	層級別	醫學中心							區域醫院						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	安眠鎮靜藥物重複用藥日數(排08案件)	289,319	39,351	97,407	30,210	61,075	14,157	531,519	273,284	63,272	150,712	159,618	68,659	21,266	736,811
	安眠鎮靜藥物之給藥日數	10,537,648	2,011,044	3,612,952	1,327,653	2,986,079	439,758	20,915,134	8,400,720	3,125,555	4,962,756	5,309,099	2,728,103	764,400	25,290,633
	安眠鎮靜藥物不同處方用藥日數重複率	2.75%	1.96%	2.70%	2.28%	2.05%	3.22%	2.54%	3.25%	2.02%	3.04%	3.01%	2.52%	2.78%	2.91%
97年第2季	安眠鎮靜藥物重複用藥日數(排08案件)	286,134	36,453	90,272	31,988	57,724	14,611	517,182	271,942	59,599	145,230	162,796	63,369	21,220	724,156
	安眠鎮靜藥物之給藥日數	10,587,908	1,946,800	3,591,723	1,350,285	2,954,194	441,807	20,872,717	8,493,888	3,127,244	4,999,074	5,506,891	2,713,891	771,555	25,612,543
	安眠鎮靜藥物不同處方用藥日數重複率	2.70%	1.87%	2.51%	2.37%	1.95%	3.31%	2.48%	3.20%	1.91%	2.91%	2.96%	2.33%	2.75%	2.83%
97年第3季	安眠鎮靜藥物重複用藥日數(排08案件)	283,354	32,489	85,949	32,200	57,839	13,447	505,278	263,487	57,088	147,394	153,794	64,050	19,791	705,604
	安眠鎮靜藥物之給藥日數	10,502,605	1,991,323	3,532,990	1,340,965	2,966,672	441,727	20,776,282	8,546,103	3,168,142	5,310,088	5,443,830	2,726,231	757,342	25,951,736
	安眠鎮靜藥物不同處方用藥日數重複率	2.70%	1.63%	2.43%	2.40%	1.95%	3.04%	2.43%	3.08%	1.80%	2.78%	2.83%	2.35%	2.61%	2.72%
97年第4季	安眠鎮靜藥物重複用藥日數(排08案件)	291,030	36,621	84,635	29,202	57,519	14,986	513,993	277,473	62,168	150,758	150,587	70,491	22,158	733,635
	安眠鎮靜藥物之給藥日數	10,828,097	2,040,761	3,559,065	1,359,137	2,953,122	461,064	21,201,246	8,861,383	3,262,427	5,482,333	5,533,255	2,893,811	795,633	26,828,842
	安眠鎮靜藥物不同處方用藥日數重複率	2.69%	1.79%	2.38%	2.15%	1.95%	3.25%	2.42%	3.13%	1.91%	2.75%	2.72%	2.44%	2.78%	2.73%
97年小計	安眠鎮靜藥物重複用藥日數(排08案件)	1,149,837	144,914	358,263	123,600	234,157	57,201	2,067,972	1,086,186	242,127	594,094	626,795	266,569	84,435	2,900,206
	安眠鎮靜藥物之給藥日數	42,456,258	7,989,928	14,296,730	5,378,040	11,860,067	1,784,356	83,765,379	34,302,094	12,683,368	20,754,251	21,793,075	11,062,036	3,088,930	103,683,754
	安眠鎮靜藥物不同處方用藥日數重複率	2.71%	1.81%	2.51%	2.30%	1.97%	3.21%	2.47%	3.17%	1.91%	2.86%	2.88%	2.41%	2.73%	2.80%
98年第1季	安眠鎮靜藥物重複用藥日數(排08案件)	272,494	33,255	80,034	27,298	53,362	14,051	480,494	263,617	61,116	140,432	142,054	74,740	19,114	701,073
	安眠鎮靜藥物之給藥日數	10,177,232	1,870,640	3,461,511	1,274,457	2,718,729	439,487	19,942,056	8,661,159	3,081,003	5,021,445	5,316,374	2,891,609	763,439	25,735,029
	安眠鎮靜藥物不同處方用藥日數重複率	2.68%	1.78%	2.31%	2.14%	1.96%	3.20%	2.41%	3.04%	1.98%	2.80%	2.67%	2.58%	2.50%	2.72%
98年第2季	安眠鎮靜藥物重複用藥日數(排08案件)	277,444	31,429	78,961	28,129	58,569	13,455	487,987	264,783	60,865	145,472	146,050	75,924	22,748	715,842
	安眠鎮靜藥物之給藥日數	10,558,229	1,909,884	3,553,347	1,343,172	2,932,294	456,208	20,753,134	9,073,340	3,190,349	5,455,314	5,507,688	3,023,959	797,451	27,048,101
	安眠鎮靜藥物不同處方用藥日數重複率	2.63%	1.65%	2.22%	2.09%	2.00%	2.95%	2.35%	2.92%	1.91%	2.67%	2.65%	2.51%	2.85%	2.65%
98年第3季	安眠鎮靜藥物重複用藥日數(排08案件)	240,968	30,332	66,153	25,895	175,380	8,200	546,928	232,399	52,953	128,976	129,154	66,445	14,002	623,929
	安眠鎮靜藥物之給藥日數	10,013,673	1,891,681	3,309,672	1,283,405	2,731,631	432,870	19,662,932	8,666,194	3,114,999	5,239,443	5,266,562	2,927,457	696,656	25,911,311
	安眠鎮靜藥物不同處方用藥日數重複率	2.41%	1.60%	2.00%	2.02%	6.42%	1.89%	2.78%	2.68%	1.70%	2.46%	2.45%	2.27%	2.01%	2.41%
98年第4季	安眠鎮靜藥物重複用藥日數(排08案件)	246,986	33,485	64,744	28,513	44,363	9,988	428,079	234,227	60,240	131,162	129,457	70,391	13,202	638,679
	安眠鎮靜藥物之給藥日數	9,982,919	1,949,237	3,290,287	1,333,405	2,791,741	439,869	19,787,458	8,723,812	3,190,703	5,258,414	5,277,717	3,056,739	708,838	26,216,223
	安眠鎮靜藥物不同處方用藥日數重複率	2.47%	1.72%	1.97%	2.14%	1.59%	2.27%	2.16%	2.68%	1.89%	2.49%	2.45%	2.30%	1.86%	2.44%
98年小計	安眠鎮靜藥物重複用藥日數(排08案件)	487,954	63,817	130,897	54,408	219,743	18,188	975,007	466,626	113,193	260,138	258,611	136,836	27,204	1,262,608
	安眠鎮靜藥物之給藥日數	19,996,592	3,840,918	6,599,959	2,616,810	5,523,372	872,739	39,450,390	17,390,006	6,305,702	10,497,857	10,544,279	5,984,196	1,405,494	52,127,534
	安眠鎮靜藥物不同處方用藥日數重複率	2.44%	1.66%	1.98%	2.08%	3.98%	2.08%	2.47%	2.68%	1.80%	2.48%	2.45%	2.29%	1.94%	2.42%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之安眠鎮靜藥物不同處方給藥日數(安眠鎮靜藥物：ATC前四碼為N05B、N05C)

3. 公式說明：

分子：安眠鎮靜藥物重複用藥日數(排除08案件)(同ID不同處方之就醫日期與結束用藥日期間有重疊之給藥日數)

分母：安眠鎮靜藥物之給藥日數(給藥天數不為0 或藥費不為0 或處方調劑方式為 1、0、6)

4. 資料擷取日期：99年04月28日

5. 製表單位：醫審及藥材組

* 監測值：7.02%×(1±10%)

指標1.13.2 醫院總額專業醫療服務品質指標-各區同院所安眠鎮靜藥物-不同處方用藥日數重複率(排08案件)

年季	層級別	地區醫院(含未評鑑醫院)							合計						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	安眠鎮靜藥物重複用藥日數(排08案件)	138,837	89,726	138,815	56,026	75,794	16,310	515,508	701,440	192,349	386,934	245,854	205,528	51,733	1,783,838
	安眠鎮靜藥物之給藥日數	4,143,930	3,157,486	4,067,938	1,811,426	2,886,428	642,713	16,709,921	23,082,298	8,294,085	12,643,646	8,448,178	8,600,610	1,846,871	62,915,688
	安眠鎮靜藥物不同處方用藥日數重複率	3.35%	2.84%	3.41%	3.09%	2.63%	2.54%	3.09%	3.04%	2.32%	3.06%	2.91%	2.39%	2.80%	2.84%
97年第2季	安眠鎮靜藥物重複用藥日數(排08案件)	119,594	82,337	128,047	43,772	67,286	16,269	457,305	677,670	178,389	363,549	238,556	188,379	52,100	1,698,643
	安眠鎮靜藥物之給藥日數	3,930,141	3,147,414	4,048,832	1,583,641	2,853,573	630,805	16,194,406	23,011,937	8,221,458	12,639,629	8,440,817	8,521,658	1,844,167	62,679,666
	安眠鎮靜藥物不同處方用藥日數重複率	3.04%	2.62%	3.16%	2.76%	2.36%	2.58%	2.82%	2.94%	2.17%	2.88%	2.83%	2.21%	2.83%	2.71%
97年第3季	安眠鎮靜藥物重複用藥日數(排08案件)	118,062	77,698	114,448	45,949	69,972	16,382	442,511	664,903	167,275	347,791	231,943	191,861	49,620	1,653,393
	安眠鎮靜藥物之給藥日數	3,995,344	3,115,771	3,821,886	1,610,837	2,922,609	632,577	16,099,024	23,044,052	8,275,236	12,664,964	8,395,632	8,615,512	1,831,646	62,827,042
	安眠鎮靜藥物不同處方用藥日數重複率	2.95%	2.49%	2.99%	2.85%	2.39%	2.59%	2.75%	2.89%	2.02%	2.75%	2.76%	2.23%	2.71%	2.63%
97年第4季	安眠鎮靜藥物重複用藥日數(排08案件)	131,738	80,520	120,093	46,419	67,925	17,904	464,599	700,241	179,309	355,486	226,208	195,935	55,048	1,712,227
	安眠鎮靜藥物之給藥日數	4,279,139	3,152,562	3,974,882	1,650,789	2,918,245	657,645	16,633,262	23,968,619	8,455,750	13,016,280	8,543,181	8,765,178	1,914,342	64,663,350
	安眠鎮靜藥物不同處方用藥日數重複率	3.08%	2.55%	3.02%	2.81%	2.33%	2.72%	2.79%	2.92%	2.12%	2.73%	2.65%	2.24%	2.88%	2.65%
97年小計	安眠鎮靜藥物重複用藥日數(排08案件)	508,231	330,281	501,403	192,166	280,977	66,865	1,879,923	2,744,254	717,322	1,453,760	942,561	781,703	208,501	6,848,101
	安眠鎮靜藥物之給藥日數	16,348,554	12,573,233	15,913,538	6,656,693	11,580,855	2,563,740	65,636,613	93,106,906	33,246,529	50,964,519	33,827,808	34,502,958	7,437,026	253,085,746
	安眠鎮靜藥物不同處方用藥日數重複率	3.11%	2.63%	3.15%	2.89%	2.43%	2.61%	2.86%	2.95%	2.16%	2.85%	2.79%	2.27%	2.80%	2.71%
98年第1季	安眠鎮靜藥物重複用藥日數(排08案件)	130,530	76,910	122,703	49,441	67,757	17,103	464,444	666,641	171,281	343,169	218,793	195,859	50,268	1,646,011
	安眠鎮靜藥物之給藥日數	3,920,043	3,007,201	4,104,755	1,589,991	2,732,944	644,865	15,999,799	22,758,434	7,958,844	12,587,711	8,180,822	8,343,282	1,847,791	61,676,884
	安眠鎮靜藥物不同處方用藥日數重複率	3.33%	2.56%	2.99%	3.11%	2.48%	2.65%	2.90%	2.93%	2.15%	2.73%	2.67%	2.35%	2.72%	2.67%
98年第2季	安眠鎮靜藥物重複用藥日數(排08案件)	125,674	72,636	112,203	44,497	62,365	17,978	435,353	667,901	164,930	336,636	218,676	196,858	54,181	1,639,182
	安眠鎮靜藥物之給藥日數	3,998,870	3,058,555	4,021,725	1,641,321	2,783,134	661,835	16,165,440	23,630,439	8,158,788	13,030,386	8,492,181	8,739,387	1,915,494	63,966,675
	安眠鎮靜藥物不同處方用藥日數重複率	3.14%	2.37%	2.79%	2.71%	2.24%	2.72%	2.69%	2.83%	2.02%	2.58%	2.58%	2.25%	2.83%	2.56%
98年第3季	安眠鎮靜藥物重複用藥日數(排08案件)	102,818	59,558	86,442	37,312	47,857	10,097	344,084	576,185	142,843	281,571	192,361	289,682	32,299	1,514,941
	安眠鎮靜藥物之給藥日數	3,627,645	2,814,384	3,541,560	1,537,832	2,378,948	564,191	14,464,560	22,307,512	7,821,064	12,090,675	8,087,799	8,038,036	1,693,717	60,038,803
	安眠鎮靜藥物不同處方用藥日數重複率	2.83%	2.12%	2.44%	2.43%	2.01%	1.79%	2.38%	2.58%	1.83%	2.33%	2.38%	3.60%	1.91%	2.52%
98年第4季	安眠鎮靜藥物重複用藥日數(排08案件)	108,331	63,107	91,529	38,645	48,618	9,144	359,374	589,544	156,832	287,435	196,615	163,372	32,334	1,426,132
	安眠鎮靜藥物之給藥日數	3,762,469	2,852,061	3,617,024	1,572,818	2,432,278	567,520	14,804,170	22,469,200	7,992,001	12,165,725	8,183,940	8,280,758	1,716,227	60,807,851
	安眠鎮靜藥物不同處方用藥日數重複率	2.88%	2.21%	2.53%	2.46%	2.00%	1.61%	2.43%	2.62%	1.96%	2.36%	2.40%	1.97%	1.88%	2.35%
98年小計	安眠鎮靜藥物重複用藥日數(排08案件)	211,149	122,665	177,971	75,957	96,475	19,241	703,458	1,165,729	299,675	569,006	388,976	453,054	64,633	2,941,073
	安眠鎮靜藥物之給藥日數	7,390,114	5,666,445	7,158,584	3,110,650	4,811,226	1,131,711	29,268,730	44,776,712	15,813,065	24,256,400	16,271,739	16,318,794	3,409,944	120,846,654
	安眠鎮靜藥物不同處方用藥日數重複率	2.86%	2.16%	2.49%	2.44%	2.01%	1.70%	2.40%	2.60%	1.90%	2.35%	2.39%	2.78%	1.90%	2.43%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之安眠鎮靜藥物不同處方給藥日數(安眠鎮靜藥物：ATC前四碼為N05B、N05C)

3. 公式說明：

分子：安眠鎮靜藥物重複用藥日數(排除08案件)(同ID不同處方之就醫日期與結束用藥日期間有重疊之給藥日數)

分母：安眠鎮靜藥物之給藥日數(給藥天數不為0 或藥費不為0 或處方調劑方式為 1、0、6)

4. 資料擷取日期：99年04月28日

*監測值：7.02%×(1±10%)

5. 製表單位：醫審及藥材組

指標1.14.1 醫院總額專業醫療服務品質指標-各區跨院所口服降血壓藥物-不同處方用藥日數重複率(排08案件)

年季	層級別	醫學中心									
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區
97年第1季	降血壓(口服)重複用藥日數(排08案件)	737,016	100,129	296,761	133,536	247,527	44,328	1,559,297	627,508	221,667	387,346
	降血壓(口服)之給藥日數	20,599,400	4,493,998	6,951,173	3,084,061	7,327,290	920,387	43,376,309	14,765,032	5,998,612	8,770,663
	降血壓(口服)不同處方用藥日數重複率	3.58%	2.23%	4.27%	4.33%	3.38%	4.82%	3.59%	4.25%	3.70%	4.42%
97年第2季	降血壓(口服)重複用藥日數(排08案件)	698,179	90,087	278,380	127,146	233,777	42,487	1,470,056	608,972	207,945	361,785
	降血壓(口服)之給藥日數	20,425,911	4,398,343	6,935,239	3,107,620	7,264,273	925,212	43,056,598	14,796,369	5,920,558	8,739,147
	降血壓(口服)不同處方用藥日數重複率	3.42%	2.05%	4.01%	4.09%	3.22%	4.59%	3.41%	4.12%	3.51%	4.14%
97年第3季	降血壓(口服)重複用藥日數(排08案件)	671,796	90,590	263,709	123,524	231,677	39,347	1,420,643	572,982	195,995	364,700
	降血壓(口服)之給藥日數	20,259,861	4,483,237	6,884,089	3,052,171	7,336,181	939,259	42,954,798	14,833,145	5,946,234	9,195,148
	降血壓(口服)不同處方用藥日數重複率	3.32%	2.02%	3.83%	4.05%	3.16%	4.19%	3.31%	3.86%	3.30%	3.97%
97年第4季	降血壓(口服)重複用藥日數(排08案件)	726,299	97,091	277,887	129,657	239,260	43,915	1,514,109	623,667	211,014	389,679
	降血壓(口服)之給藥日數	20,869,505	4,549,382	6,922,007	3,164,781	7,365,529	971,046	43,842,250	15,444,942	6,165,406	9,488,863
	降血壓(口服)不同處方用藥日數重複率	3.48%	2.13%	4.01%	4.10%	3.25%	4.52%	3.45%	4.04%	3.42%	4.11%
97年小計	降血壓(口服)重複用藥日數(排08案件)	2,833,290	377,897	1,116,737	513,863	952,241	170,077	5,964,105	2,433,129	836,621	1,503,510
	降血壓(口服)之給藥日數	82,154,677	17,924,960	27,692,508	12,408,633	29,293,273	3,755,904	173,229,955	59,839,488	24,030,810	36,193,821
	降血壓(口服)不同處方用藥日數重複率	3.45%	2.11%	4.03%	4.14%	3.25%	4.53%	3.44%	4.07%	3.48%	4.15%
98年第1季	降血壓(口服)重複用藥日數(排08案件)	703,381	89,387	278,167	126,055	221,861	41,329	1,460,180	622,654	201,466	375,777
	降血壓(口服)之給藥日數	19,867,302	4,259,562	6,845,614	3,013,879	6,843,084	935,308	41,764,749	15,365,952	5,906,636	8,965,457
	降血壓(口服)不同處方用藥日數重複率	3.54%	2.10%	4.06%	4.18%	3.24%	4.42%	3.50%	4.05%	3.41%	4.19%
98年第2季	降血壓(口服)重複用藥日數(排08案件)	707,713	91,191	263,894	126,151	227,403	40,652	1,457,004	634,597	204,163	382,948
	降血壓(口服)之給藥日數	20,489,394	4,355,453	6,944,118	3,134,232	7,157,368	971,388	43,051,953	16,114,911	6,180,373	9,615,302
	降血壓(口服)不同處方用藥日數重複率	3.45%	2.09%	3.80%	4.02%	3.18%	4.18%	3.38%	3.94%	3.30%	3.98%
98年第3季	降血壓(口服)重複用藥日數(排08案件)	669,271	90,539	255,081	119,744	202,315	29,637	1,366,587	588,094	195,054	365,782
	降血壓(口服)之給藥日數	20,363,337	4,390,048	6,911,830	3,135,819	6,985,716	972,289	42,759,039	16,078,128	6,245,610	9,679,163
	降血壓(口服)不同處方用藥日數重複率	3.29%	2.06%	3.69%	3.82%	2.90%	3.05%	3.20%	3.66%	3.12%	3.78%
98年第4季	降血壓(口服)重複用藥日數(排08案件)	687,194	96,739	261,952	129,185	228,949	34,172	1,438,191	623,216	221,654	386,647
	降血壓(口服)之給藥日數	20,148,173	4,445,958	6,953,768	3,217,761	7,266,628	1,000,511	43,032,799	16,228,299	6,369,873	9,767,943
	降血壓(口服)不同處方用藥日數重複率	3.41%	2.18%	3.77%	4.01%	3.15%	3.42%	3.34%	3.84%	3.48%	3.96%
98年小計	降血壓(口服)重複用藥日數(排08案件)	2,767,559	367,856	1,059,094	501,135	880,528	145,790	5,721,962	2,468,561	822,337	1,511,154
	降血壓(口服)之給藥日數	80,868,206	17,451,021	27,655,330	12,501,691	28,252,796	3,879,496	170,608,540	63,787,290	24,702,492	38,027,865
	降血壓(口服)不同處方用藥日數重複率	3.42%	2.11%	3.83%	4.01%	3.12%	3.76%	3.35%	3.87%	3.33%	3.97%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之降血壓藥物(口服)不同處方給藥日數(降血壓藥物(口服)：ATC前三碼為C02、C03、C07、C08、C09)

3. 公式說明：分子：降血壓藥物(口服)重複用藥日數(排除08案件)(同ID不同處方之就醫日期與結束用藥日期間有重疊之給藥日數)

分母：降血壓藥物(口服)之給藥日數(給藥天數不為0 或藥費不為0 或處方調劑方式為 1、0、6)

4. 資料擷取日期：99年04月28日

5. 製表單位：醫審及藥材組

區域醫院			
南區	高屏	東區	小計
427,298	254,597	47,891	1,966,307
10,166,647	5,624,374	1,284,687	46,610,015
4.20%	4.53%	3.73%	4.22%
415,737	240,271	48,263	1,882,973
10,410,153	5,614,561	1,291,270	46,772,058
3.99%	4.28%	3.74%	4.03%
398,359	236,225	43,913	1,812,174
10,362,026	5,609,587	1,293,628	47,239,768
3.84%	4.21%	3.39%	3.84%
420,407	260,280	48,190	1,953,237
10,613,456	5,916,226	1,339,364	48,968,257
3.96%	4.40%	3.60%	3.99%
1,661,801	991,373	188,257	7,614,691
41,552,282	22,764,748	5,208,949	189,590,098
4.00%	4.35%	3.61%	4.02%
409,410	256,867	47,417	1,913,591
10,346,972	5,886,853	1,306,711	47,778,581
3.96%	4.36%	3.63%	4.01%
403,047	260,392	48,788	1,933,935
10,579,405	6,182,081	1,370,829	50,042,901
3.81%	4.21%	3.56%	3.86%
382,150	250,602	45,213	1,826,895
10,591,239	6,179,899	1,374,346	50,148,385
3.61%	4.06%	3.29%	3.64%
398,787	272,591	48,681	1,951,576
10,790,968	6,435,918	1,405,954	50,998,955
3.70%	4.24%	3.46%	3.83%
1,593,394	1,040,452	190,099	7,625,997
42,308,584	24,684,751	5,457,840	198,968,822
3.77%	4.21%	3.48%	3.83%

*監測值：4.82%×(1±10%)

指標1.14.1 醫院總額專業醫療服務品質指標-各區跨院所口服降血壓藥物-不同處方用藥日數重複率(排08案件)

年季	層級別	地區醫院(含未評鑑醫院)							合計						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	降血壓(口服)重複用藥日數(排08案件)	334,865	273,054	388,761	188,610	302,509	47,501	1,535,300	1,699,389	594,850	1,072,868	749,444	804,633	139,720	5,060,904
	降血壓(口服)之給藥日數	7,745,394	6,079,685	7,651,346	3,338,227	5,669,126	1,057,065	31,540,843	43,109,826	16,572,295	23,373,182	16,588,935	18,620,790	3,262,139	121,527,167
	降血壓(口服)不同處方用藥日數重複率	4.32%	4.49%	5.08%	5.65%	5.34%	4.49%	4.87%	3.94%	3.59%	4.59%	4.52%	4.32%	4.28%	4.16%
97年第2季	降血壓(口服)重複用藥日數(排08案件)	296,378	248,463	345,729	147,891	264,810	46,778	1,350,049	1,603,529	546,495	985,894	690,774	738,858	137,528	4,703,078
	降血壓(口服)之給藥日數	7,179,984	5,971,087	7,605,315	2,904,795	5,513,104	1,050,571	30,224,856	42,402,264	16,289,988	23,279,701	16,422,568	18,391,938	3,267,053	120,053,512
	降血壓(口服)不同處方用藥日數重複率	4.13%	4.16%	4.55%	5.09%	4.80%	4.45%	4.47%	3.78%	3.35%	4.23%	4.21%	4.02%	4.21%	3.92%
97年第3季	降血壓(口服)重複用藥日數(排08案件)	283,900	234,016	306,925	143,535	265,898	40,467	1,274,741	1,528,678	520,601	935,334	665,418	733,800	123,727	4,507,558
	降血壓(口服)之給藥日數	7,232,731	5,882,836	7,189,796	2,962,078	5,682,362	1,056,107	30,005,910	42,325,737	16,312,307	23,269,033	16,376,275	18,628,130	3,288,994	120,200,476
	降血壓(口服)不同處方用藥日數重複率	3.93%	3.98%	4.27%	4.85%	4.68%	3.83%	4.25%	3.61%	3.19%	4.02%	4.06%	3.94%	3.76%	3.75%
97年第4季	降血壓(口服)重複用藥日數(排08案件)	325,852	244,739	327,883	148,667	273,881	45,401	1,366,423	1,675,818	552,844	995,449	698,731	773,421	137,506	4,833,769
	降血壓(口服)之給藥日數	7,732,711	6,009,425	7,484,575	3,083,319	5,742,541	1,100,265	31,152,836	44,047,158	16,724,213	23,895,445	16,861,556	19,024,296	3,410,675	123,963,343
	降血壓(口服)不同處方用藥日數重複率	4.21%	4.07%	4.38%	4.82%	4.77%	4.13%	4.39%	3.80%	3.31%	4.17%	4.14%	4.07%	4.03%	3.90%
97年小計	降血壓(口服)重複用藥日數(排08案件)	1,240,995	1,000,272	1,369,298	628,703	1,107,098	180,147	5,526,513	6,507,414	2,214,790	3,989,545	2,804,367	3,050,712	538,481	19,105,309
	降血壓(口服)之給藥日數	29,890,820	23,943,033	29,931,032	12,288,419	22,607,133	4,264,008	122,924,445	171,884,985	65,898,803	93,817,361	66,249,334	74,665,154	13,228,861	485,744,498
	降血壓(口服)不同處方用藥日數重複率	4.15%	4.18%	4.57%	5.12%	4.90%	4.22%	4.50%	3.79%	3.36%	4.25%	4.23%	4.09%	4.07%	3.93%
98年第1季	降血壓(口服)重複用藥日數(排08案件)	322,808	243,054	343,420	153,714	262,152	43,302	1,368,450	1,648,843	533,907	997,364	689,179	740,880	132,048	5,060,904
	降血壓(口服)之給藥日數	7,175,959	5,822,514	7,674,227	3,031,192	5,280,843	1,066,437	30,051,172	42,409,213	15,988,712	23,485,298	16,392,043	18,010,780	3,308,456	121,527,167
	降血壓(口服)不同處方用藥日數重複率	4.50%	4.17%	4.47%	5.07%	4.96%	4.06%	4.55%	3.89%	3.34%	4.25%	4.20%	4.11%	3.99%	4.16%
98年第2季	降血壓(口服)重複用藥日數(排08案件)	305,556	236,232	302,703	150,005	244,475	43,747	1,282,718	1,647,866	531,586	949,545	679,203	732,270	133,187	4,673,657
	降血壓(口服)之給藥日數	7,302,606	6,034,180	7,563,836	3,121,005	5,351,756	1,113,809	30,487,192	43,906,911	16,570,006	24,123,256	16,834,642	18,691,205	3,456,026	123,582,046
	降血壓(口服)不同處方用藥日數重複率	4.18%	3.91%	4.00%	4.81%	4.57%	3.93%	4.21%	3.75%	3.21%	3.94%	4.03%	3.92%	3.85%	3.78%
98年第3季	降血壓(口服)重複用藥日數(排08案件)	289,134	222,467	282,586	142,887	235,354	38,893	1,211,321	1,546,499	508,060	903,449	644,781	688,271	113,743	4,404,803
	降血壓(口服)之給藥日數	7,364,315	6,006,196	7,549,441	3,149,493	5,352,517	1,123,381	30,545,343	43,805,780	16,641,854	24,140,434	16,876,551	18,518,132	3,470,016	123,452,767
	降血壓(口服)不同處方用藥日數重複率	3.93%	3.70%	3.74%	4.54%	4.40%	3.46%	3.97%	3.53%	3.05%	3.74%	3.82%	3.72%	3.28%	3.57%
98年第4季	降血壓(口服)重複用藥日數(排08案件)	314,119	241,473	309,455	154,231	248,593	39,850	1,307,721	1,624,529	559,866	958,054	682,203	750,133	122,703	4,697,488
	降血壓(口服)之給藥日數	7,676,371	6,129,744	7,785,615	3,254,560	5,484,745	1,136,414	31,467,449	44,052,843	16,945,575	24,507,326	17,263,289	19,187,291	3,542,879	125,499,203
	降血壓(口服)不同處方用藥日數重複率	4.09%	3.94%	3.97%	4.74%	4.53%	3.51%	0.00%	3.69%	3.30%	3.91%	3.95%	3.91%	3.46%	3.74%
98年小計	降血壓(口服)重複用藥日數(排08案件)	1,231,617	943,226	1,238,164	600,837	990,574	165,792	5,170,210	6,467,737	2,133,419	3,808,412	2,695,366	2,911,554	501,681	18,518,169
	降血壓(口服)之給藥日數	29,519,251	23,992,634	30,573,119	12,556,250	21,469,861	4,440,041	122,551,156	174,174,747	66,146,147	96,256,314	67,366,525	74,407,408	13,777,377	492,128,518
	降血壓(口服)不同處方用藥日數重複率	4.17%	3.93%	4.05%	4.79%	4.61%	3.73%	0.00%	3.71%	3.23%	3.96%	4.00%	3.91%	3.64%	3.76%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之降血壓藥物(口服)不同處方給藥日數(降血壓藥物(口服)：ATC前三碼為C02、C03、C07、C08、C09)

3. 公式說明：
分子：降血壓藥物(口服)重複用藥日數(排除08案件)(同ID不同處方之就醫日期與結束用藥日期間有重疊之給藥日數)
分母：降血壓藥物(口服)之給藥日數(給藥天數不為0 或藥費不為0 或處方調劑方式為 1、0、6)

4. 資料擷取日期：99年04月28日

* 監測值：4.82%(±10%)

5. 製表單位：醫審及藥材組

指標1.14.2醫院總額專業醫療服務品質指標-各區同院所口服降血壓藥物-不同處方用藥日數重複率(排08案件)

年季	層級別	醫學中心							區域醫院						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	降血壓(口服)重複用藥日數(排08案件)	498,270	72,028	182,448	74,820	139,611	31,182	998,359	413,054	120,438	220,737	251,216	136,696	24,548	1,166,689
	降血壓(口服)之給藥日數	20,599,400	4,493,998	6,951,173	3,084,061	7,327,290	920,387	43,376,309	14,765,032	5,998,612	8,770,663	10,166,647	5,624,374	1,284,687	46,610,015
	降血壓(口服)不同處方用藥日數重複率	2.42%	1.60%	2.62%	2.43%	1.91%	3.39%	2.30%	2.80%	2.01%	2.52%	2.47%	2.43%	1.91%	2.50%
97年第2季	降血壓(口服)重複用藥日數(排08案件)	469,191	65,048	169,330	72,075	130,980	29,274	935,898	401,101	111,786	208,207	245,881	128,414	26,179	1,121,568
	降血壓(口服)之給藥日數	20,425,911	4,398,343	6,935,239	3,107,620	7,264,273	925,212	43,056,598	14,796,369	5,920,558	8,739,147	10,410,153	5,614,561	1,291,270	46,772,058
	降血壓(口服)不同處方用藥日數重複率	2.30%	1.48%	2.44%	2.32%	1.80%	3.16%	2.17%	2.71%	1.89%	2.38%	2.36%	2.29%	2.03%	2.40%
97年第3季	降血壓(口服)重複用藥日數(排08案件)	458,204	65,433	160,836	70,431	133,624	27,466	915,994	378,287	107,197	213,470	240,082	130,213	23,041	1,092,290
	降血壓(口服)之給藥日數	20,259,861	4,483,237	6,884,089	3,052,171	7,336,181	939,259	42,954,798	14,833,145	5,946,234	9,195,148	10,362,026	5,609,587	1,293,628	47,239,768
	降血壓(口服)不同處方用藥日數重複率	2.26%	1.46%	2.34%	2.31%	1.82%	2.92%	2.13%	2.55%	1.80%	2.32%	2.32%	2.32%	1.78%	2.31%
97年第4季	降血壓(口服)重複用藥日數(排08案件)	489,797	69,532	168,071	72,308	136,179	30,169	966,056	410,860	111,768	223,707	253,249	142,389	23,865	1,165,838
	降血壓(口服)之給藥日數	20,869,505	4,549,382	6,922,007	3,164,781	7,365,529	971,046	43,842,250	15,444,942	6,165,406	9,488,863	10,613,456	5,916,226	1,339,364	48,968,257
	降血壓(口服)不同處方用藥日數重複率	2.35%	1.53%	2.43%	2.28%	1.85%	3.11%	2.20%	2.66%	1.81%	2.36%	2.39%	2.41%	1.78%	2.38%
97年小計	降血壓(口服)重複用藥日數(排08案件)	1,915,462	272,041	680,685	289,634	540,394	118,091	3,816,307	1,603,302	451,189	866,121	990,428	537,712	97,633	4,546,385
	降血壓(口服)之給藥日數	82,154,677	17,924,960	27,692,508	12,408,633	29,293,273	3,755,904	173,229,955	59,839,488	24,030,810	36,193,821	41,552,282	22,764,748	5,208,949	189,590,098
	降血壓(口服)不同處方用藥日數重複率	2.33%	1.52%	2.46%	2.33%	1.84%	3.14%	2.20%	2.68%	1.88%	2.39%	2.38%	2.36%	1.87%	2.40%
98年第1季	降血壓(口服)重複用藥日數(排08案件)	470,998	64,295	165,633	70,252	123,425	28,362	922,965	408,938	107,017	218,147	246,426	139,218	24,856	1,144,602
	降血壓(口服)之給藥日數	19,867,302	4,259,562	6,845,614	3,013,879	6,843,084	935,308	41,764,749	15,365,952	5,906,636	8,965,457	10,346,972	5,886,853	1,306,711	47,778,581
	降血壓(口服)不同處方用藥日數重複率	2.37%	1.51%	2.42%	2.33%	1.80%	3.03%	2.21%	2.66%	1.81%	2.43%	2.38%	2.36%	1.90%	2.40%
98年第2季	降血壓(口服)重複用藥日數(排08案件)	480,890	64,700	158,749	72,356	128,464	27,261	932,420	414,505	105,898	220,404	246,684	141,697	25,560	1,154,748
	降血壓(口服)之給藥日數	20,489,394	4,355,453	6,944,155	3,134,232	7,157,368	971,388	43,051,990	16,114,911	6,180,373	9,615,302	10,579,405	6,182,081	1,370,829	50,042,901
	降血壓(口服)不同處方用藥日數重複率	2.35%	1.49%	2.29%	2.31%	1.79%	2.81%	2.17%	2.57%	1.71%	2.29%	2.33%	2.29%	1.86%	2.31%
98年第3季	降血壓(口服)重複用藥日數(排08案件)	452,184	65,521	153,742	68,765	111,537	17,411	869,160	382,190	104,244	211,279	233,834	135,148	23,412	1,090,107
	降血壓(口服)之給藥日數	20,363,337	4,390,048	6,911,830	3,135,819	6,985,716	972,289	42,759,039	16,077,957	6,245,610	9,679,163	10,591,239	6,179,899	1,374,346	50,148,214
	降血壓(口服)不同處方用藥日數重複率	2.22%	1.49%	2.22%	2.19%	1.60%	1.79%	2.03%	2.38%	1.67%	2.18%	2.21%	2.19%	1.70%	2.17%
98年第4季	降血壓(口服)重複用藥日數(排08案件)	457,344	68,749	150,863	70,427	127,009	20,531	894,923	403,577	118,120	224,205	235,841	144,353	25,346	1,151,442
	降血壓(口服)之給藥日數	20,148,173	4,445,958	6,953,768	3,217,761	7,266,628	1,000,511	43,032,799	16,228,299	6,369,873	9,767,943	10,790,968	6,435,918	1,405,954	50,998,955
	降血壓(口服)不同處方用藥日數重複率	2.27%	1.55%	2.17%	2.19%	1.75%	2.05%	2.08%	2.49%	1.85%	2.30%	2.19%	2.24%	1.80%	2.26%
98年小計	降血壓(口服)重複用藥日數(排08案件)	1,861,416	263,265	628,987	281,800	490,435	93,565	3,619,468	1,609,210	435,279	874,035	962,785	560,416	99,174	4,540,899
	降血壓(口服)之給藥日數	80,868,206	17,451,021	27,655,367	12,501,691	28,252,796	3,879,496	170,608,577	63,787,119	24,702,492	38,027,865	42,308,584	24,684,751	5,457,840	198,968,651
	降血壓(口服)不同處方用藥日數重複率	2.30%	1.51%	2.27%	2.25%	1.74%	2.41%	2.12%	2.52%	1.76%	2.30%	2.28%	2.27%	1.82%	2.28%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之降血壓藥物(口服)不同處方給藥日數(降血壓藥物(口服)：ATC前三碼為C02、C03、C07、C08、C09)

3. 公式說明：

分子：降血壓藥物(口服)重複用藥日數(排除08案件)(同1D不同處方之就醫日期與結束用藥日期間有重疊之給藥日數)

分母：降血壓藥物(口服)之給藥日數(給藥天數不為0 或藥費不為0 或處方調劑方式為 1、0、6)

4. 資料擷取日期：99年04月28日

*監測值：4.82%(1±10%)

5. 製表單位：醫審及藥材組

指標1.14.2 醫院總額專業醫療服務品質指標-各區同院所口服降血壓藥物-不同處方用藥日數重複率(排08案件)

年季	層級別	地區醫院(含未評鑑醫院)							合計						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	降血壓(口服)重複用藥日數(排08案件)	193,461	150,662	194,040	93,435	129,280	24,094	784,972	1,104,785	343,128	597,225	419,471	405,587	79,824	2,950,020
	降血壓(口服)之給藥日數	7,745,394	6,079,685	7,651,346	3,338,227	5,669,126	1,057,065	31,540,843	43,109,826	16,572,295	23,373,182	16,588,935	18,620,790	3,262,139	121,527,167
	降血壓(口服)不同處方用藥日數重複率	2.50%	2.48%	2.54%	2.80%	2.28%	2.28%	2.49%	2.56%	2.07%	2.56%	2.53%	2.18%	2.45%	2.43%
97年第2季	降血壓(口服)重複用藥日數(排08案件)	163,867	133,663	167,808	67,451	109,177	24,652	666,618	1,034,159	310,497	545,345	385,407	368,571	80,105	2,724,084
	降血壓(口服)之給藥日數	7,179,984	5,971,087	7,605,315	2,904,795	5,513,104	1,050,571	30,224,856	42,402,264	16,289,988	23,279,701	16,422,568	18,391,938	3,267,053	120,053,512
	降血壓(口服)不同處方用藥日數重複率	2.28%	2.24%	2.21%	2.32%	1.98%	2.35%	2.21%	2.44%	1.91%	2.34%	2.35%	2.00%	2.45%	2.27%
97年第3季	降血壓(口服)重複用藥日數(排08案件)	155,885	124,429	147,978	69,246	110,827	20,286	628,651	992,376	297,059	522,284	379,759	374,664	70,793	2,636,935
	降血壓(口服)之給藥日數	7,232,731	5,882,836	7,189,796	2,962,078	5,682,362	1,056,107	30,005,910	42,325,737	16,312,307	23,269,033	16,376,275	18,628,130	3,288,994	120,200,476
	降血壓(口服)不同處方用藥日數重複率	2.16%	2.12%	2.06%	2.34%	1.95%	1.92%	2.10%	2.34%	1.82%	2.24%	2.32%	2.15%	2.15%	2.19%
97年第4季	降血壓(口服)重複用藥日數(排08案件)	177,893	129,363	154,770	72,525	112,419	22,095	669,065	1,078,550	310,663	546,548	398,082	390,987	76,129	2,800,959
	降血壓(口服)之給藥日數	7,732,711	6,009,425	7,484,575	3,083,319	5,742,541	1,100,265	31,152,836	44,047,158	16,724,213	23,895,445	16,861,556	19,024,296	3,410,675	123,963,343
	降血壓(口服)不同處方用藥日數重複率	2.30%	2.15%	2.07%	2.35%	1.96%	2.01%	2.15%	2.45%	1.86%	2.29%	2.36%	2.06%	2.23%	2.26%
97年小計	降血壓(口服)重複用藥日數(排08案件)	691,106	538,117	664,596	302,657	461,703	91,127	2,749,306	4,209,870	1,261,347	2,211,402	1,582,719	1,539,809	306,851	11,111,998
	降血壓(口服)之給藥日數	29,890,820	23,943,033	29,931,032	12,288,419	22,607,133	4,264,008	122,924,445	171,884,985	65,898,803	93,817,361	66,249,334	74,665,154	13,228,861	485,744,498
	降血壓(口服)不同處方用藥日數重複率	2.31%	2.25%	2.22%	2.46%	2.04%	2.14%	2.24%	2.45%	1.91%	2.36%	2.39%	2.06%	2.32%	2.29%
98年第1季	降血壓(口服)重複用藥日數(排08案件)	185,048	130,097	166,224	75,207	112,975	21,372	690,923	1,064,984	301,409	550,004	391,885	375,618	74,590	2,950,020
	降血壓(口服)之給藥日數	7,175,959	5,822,514	7,674,227	3,031,192	5,280,843	1,066,437	30,051,172	42,409,213	15,988,712	23,485,298	16,392,043	18,010,780	3,308,456	121,527,167
	降血壓(口服)不同處方用藥日數重複率	2.58%	2.23%	2.17%	2.48%	2.14%	2.00%	2.30%	2.51%	1.89%	2.34%	2.39%	2.09%	2.25%	2.43%
98年第2季	降血壓(口服)重複用藥日數(排08案件)	173,313	122,138	141,358	73,036	100,045	21,302	631,192	1,068,708	292,736	520,511	392,076	370,206	74,123	2,718,360
	降血壓(口服)之給藥日數	7,302,606	6,034,180	7,563,836	3,121,005	5,351,756	1,113,809	30,487,192	43,906,911	16,570,006	24,123,293	16,834,642	18,691,205	3,456,026	123,582,083
	降血壓(口服)不同處方用藥日數重複率	2.37%	2.02%	1.87%	2.34%	1.87%	1.91%	2.07%	2.43%	1.77%	2.16%	2.33%	1.98%	2.14%	2.20%
98年第3季	降血壓(口服)重複用藥日數(排08案件)	162,995	116,414	130,886	69,182	95,778	18,542	593,797	997,369	286,179	495,907	371,781	342,463	59,365	2,553,064
	降血壓(口服)之給藥日數	7,363,828	6,006,196	7,549,441	3,149,493	5,352,517	1,123,381	30,544,856	43,805,122	16,641,854	24,140,434	16,876,551	18,518,132	3,470,016	123,452,109
	降血壓(口服)不同處方用藥日數重複率	2.21%	1.94%	1.73%	2.20%	1.79%	1.65%	1.94%	2.28%	1.72%	2.05%	2.20%	1.85%	1.71%	2.07%
98年第4季	降血壓(口服)重複用藥日數(排08案件)	177,447	124,181	146,923	73,639	98,888	19,002	640,080	1,038,368	311,050	521,991	379,907	370,250	64,879	2,686,445
	降血壓(口服)之給藥日數	7,676,371	6,129,744	7,785,615	3,254,560	5,484,745	1,136,414	31,467,449	44,052,843	16,945,575	24,507,326	17,263,289	19,187,291	3,542,879	125,499,203
	降血壓(口服)不同處方用藥日數重複率	2.31%	2.03%	1.89%	2.26%	1.80%	1.67%	2.03%	2.36%	1.84%	2.13%	2.20%	1.93%	1.83%	2.14%
98年小計	降血壓(口服)重複用藥日數(排08案件)	698,803	492,830	585,391	291,064	407,686	80,218	2,555,992	4,169,429	1,191,374	2,088,413	1,535,649	1,458,537	272,957	10,716,359
	降血壓(口服)之給藥日數	29,518,764	23,992,634	30,573,119	12,556,250	21,469,861	4,440,041	122,550,669	174,174,089	66,146,147	96,256,351	67,366,525	74,407,408	13,777,377	492,127,897
	降血壓(口服)不同處方用藥日數重複率	2.37%	2.05%	1.91%	2.32%	1.90%	1.81%	2.09%	2.39%	1.80%	2.17%	2.28%	1.96%	1.98%	2.18%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之降血壓藥物(口服)不同處方給藥日數(降血壓藥物(口服)：ATC前三碼為C02、C03、C07、C08、C09)

3. 公式說明：

分子：降血壓藥物(口服)重複用藥日數(排除08案件)(同ID不同處方之就醫日期與結束用藥日期間有重疊之給藥日數)

分母：降血壓藥物(口服)之給藥日數(給藥天數不為0 或藥費不為0 或處方調劑方式為 1、0、6)

4. 資料擷取日期：99年04月28日

*監測值：4.82%(±10%)

5. 製表單位：醫審及藥材組

指標1.15.1 醫院總額專業醫療服務品質指標-各區跨院所口服降血脂藥物不同處方用藥日數重複率(排08案件)

年季	層級別	醫學中心							區域醫院						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	降血脂(口服)重複用藥日數(排08案件)	61,404	8,078	19,627	6,229	13,446	3,936	112,720	52,430	13,230	23,789	21,175	14,215	4,326	129,165
	降血脂(口服)之給藥日數	6,922,420	1,630,944	2,091,102	746,144	2,912,638	286,581	14,589,829	4,626,645	1,708,778	2,280,130	2,832,660	1,766,523	360,014	13,574,750
	降血脂(口服)不同處方用藥日數重複率	0.89%	0.50%	0.94%	0.83%	0.46%	1.37%	0.77%	1.13%	0.77%	1.04%	0.75%	0.80%	1.20%	0.95%
97年第2季	降血脂(口服)重複用藥日數(排08案件)	60,567	7,874	19,696	6,753	13,567	3,842	112,299	50,256	12,606	20,967	22,260	14,539	4,638	125,266
	降血脂(口服)之給藥日數	7,007,969	1,637,210	2,167,418	771,788	2,960,576	298,228	14,843,189	4,737,806	1,715,275	2,258,609	2,954,721	1,835,066	378,679	13,880,156
	降血脂(口服)不同處方用藥日數重複率	0.86%	0.48%	0.91%	0.87%	0.46%	1.29%	0.76%	1.06%	0.73%	0.93%	0.75%	0.79%	1.22%	0.90%
97年第3季	降血脂(口服)重複用藥日數(排08案件)	61,429	7,092	18,582	6,176	14,653	4,006	111,938	51,653	13,380	22,360	21,863	15,332	4,036	128,624
	降血脂(口服)之給藥日數	7,164,169	1,725,264	2,220,021	792,730	3,073,986	313,236	15,289,406	4,928,415	1,805,406	2,404,616	3,030,909	1,913,343	395,308	14,477,997
	降血脂(口服)不同處方用藥日數重複率	0.86%	0.41%	0.84%	0.78%	0.48%	1.28%	0.73%	1.05%	0.74%	0.93%	0.72%	0.80%	1.02%	0.89%
97年第4季	降血脂(口服)重複用藥日數(排08案件)	64,447	7,925	17,950	6,588	15,840	4,491	117,241	55,635	13,909	21,917	22,744	16,209	4,745	135,159
	降血脂(口服)之給藥日數	7,530,307	1,782,437	2,223,503	852,838	3,178,889	341,222	15,909,196	5,290,748	1,916,953	2,498,536	3,140,522	2,041,436	439,118	15,327,313
	降血脂(口服)不同處方用藥日數重複率	0.86%	0.44%	0.81%	0.77%	0.50%	1.32%	0.74%	1.05%	0.73%	0.88%	0.72%	0.79%	1.08%	0.88%
97年小計	降血脂(口服)重複用藥日數(排08案件)	247,847	30,969	75,855	25,746	57,506	16,275	454,198	209,974	53,125	89,033	88,042	60,295	17,745	518,214
	降血脂(口服)之給藥日數	28,624,865	6,775,855	8,702,044	3,163,500	12,126,089	1,239,267	60,631,620	19,583,614	7,146,412	9,441,891	11,958,812	7,556,368	1,573,119	57,260,216
	降血脂(口服)不同處方用藥日數重複率	0.87%	0.46%	0.87%	0.81%	0.47%	1.31%	0.75%	1.07%	0.74%	0.94%	0.74%	0.80%	1.13%	0.91%
98年第1季	降血脂(口服)重複用藥日數(排08案件)	60,303	6,241	17,594	6,691	15,162	4,284	110,275	55,153	13,091	20,493	21,827	14,925	5,455	130,944
	降血脂(口服)之給藥日數	7,342,319	1,678,516	2,219,065	837,881	2,981,036	344,861	15,403,678	5,338,352	1,867,153	2,402,484	3,145,075	1,970,728	461,080	15,184,872
	降血脂(口服)不同處方用藥日數重複率	0.82%	0.37%	0.79%	0.80%	0.51%	1.24%	0.72%	1.03%	0.70%	0.85%	0.69%	0.76%	1.18%	0.86%
98年第2季	降血脂(口服)重複用藥日數(排08案件)	64,305	5,993	16,567	6,805	15,617	3,922	113,209	53,072	12,496	20,108	22,879	15,003	5,419	128,977
	降血脂(口服)之給藥日數	7,737,026	1,716,182	2,294,611	895,072	3,099,710	376,381	16,118,982	5,716,795	1,943,752	2,599,087	3,348,504	2,047,398	512,138	16,167,674
	降血脂(口服)不同處方用藥日數重複率	0.83%	0.35%	0.72%	0.76%	0.50%	1.04%	0.70%	0.93%	0.64%	0.77%	0.68%	0.73%	1.06%	0.80%
98年第3季	降血脂(口服)重複用藥日數(排08案件)	63,486	6,129	15,165	7,337	12,904	1,724	106,745	48,028	13,195	19,628	21,423	15,712	5,113	123,099
	降血脂(口服)之給藥日數	7,701,339	1,761,667	2,295,844	940,188	3,014,874	369,900	16,083,812	5,694,450	1,918,928	2,603,960	3,417,989	2,081,668	516,472	16,233,467
	降血脂(口服)不同處方用藥日數重複率	0.82%	0.35%	0.66%	0.78%	0.43%	0.47%	0.66%	0.84%	0.69%	0.75%	0.63%	0.75%	0.99%	0.76%
98年第4季	降血脂(口服)重複用藥日數(排08案件)	61,232	6,679	15,867	8,194	14,383	2,362	108,717	48,495	13,908	21,529	22,287	16,208	4,787	127,214
	降血脂(口服)之給藥日數	7,710,809	1,828,288	2,373,971	995,711	3,175,004	386,794	16,470,577	5,815,931	2,012,118	2,736,434	3,549,018	2,206,714	531,356	16,851,571
	降血脂(口服)不同處方用藥日數重複率	0.79%	0.37%	0.67%	0.82%	0.45%	0.61%	0.66%	0.83%	0.69%	0.79%	0.63%	0.73%	0.90%	0.75%
98年小計	降血脂(口服)重複用藥日數(排08案件)	249,326	25,042	65,193	29,027	58,066	12,292	438,946	204,748	52,690	81,758	88,416	61,848	20,774	510,234
	降血脂(口服)之給藥日數	30,491,493	6,984,653	9,183,491	3,668,852	12,270,624	1,477,936	64,077,049	22,565,528	7,741,951	10,341,965	13,460,586	8,306,508	2,021,046	64,437,584
	降血脂(口服)不同處方用藥日數重複率	0.82%	0.36%	0.71%	0.79%	0.47%	0.83%	0.69%	0.91%	0.68%	0.79%	0.66%	0.74%	1.03%	0.79%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之降血脂藥物(口服)不同處方給藥日數(降血脂藥物(口服)：ATC前三碼= C10)

3. 公式說明：
分子：降血脂藥物(口服)重複用藥日數(排除08案件)(同ID不同處方之就醫日期與結束用藥日期間有重疊之給藥日數)
分母：降血脂藥物(口服)之給藥日數(給藥天數不為0 或藥費不為0 或處方調劑方式為 1、0、6)

4. 資料擷取日期：99年04月28日

* 監測值：2.93%(1±10%)

5. 製表單位：醫審及藥材組

指標 1.15.1 醫院總額專業醫療服務品質指標-各區跨院所口服降血脂藥物不同處方用藥日數重複率(排08案件)

年季	層級別	地區醫院(含未評鑑醫院)							合計						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	降血脂(口服)重複用藥日數(排08案件)	35,318	18,945	22,479	7,790	16,773	3,540	104,845	149,152	40,253	65,895	35,194	44,434	11,802	346,730
	降血脂(口服)之給藥日數	2,131,303	1,440,313	1,705,259	559,612	1,298,772	221,653	7,356,912	13,680,368	4,780,035	6,076,491	4,138,416	5,977,933	868,248	35,521,491
	降血脂(口服)不同處方用藥日數重複率	1.66%	1.32%	1.32%	1.39%	1.29%	1.60%	1.43%	1.09%	0.84%	1.08%	0.85%	0.74%	1.36%	0.98%
97年第2季	降血脂(口服)重複用藥日數(排08案件)	30,101	17,084	19,881	5,630	15,084	3,531	91,311	140,924	37,564	60,544	34,643	43,190	12,011	328,876
	降血脂(口服)之給藥日數	1,999,541	1,474,620	1,774,783	486,985	1,344,255	226,830	7,307,014	13,745,316	4,827,105	6,200,810	4,213,494	6,139,897	903,737	36,030,359
	降血脂(口服)不同處方用藥日數重複率	1.51%	1.16%	1.12%	1.16%	1.12%	1.56%	1.25%	1.03%	0.78%	0.98%	0.82%	0.70%	1.33%	0.91%
97年第3季	降血脂(口服)重複用藥日數(排08案件)	32,101	17,072	18,747	6,027	16,567	2,964	93,478	145,183	37,544	59,689	34,066	46,552	11,006	334,040
	降血脂(口服)之給藥日數	2,113,763	1,497,580	1,748,804	525,705	1,418,794	230,385	7,535,031	14,206,347	5,028,250	6,373,441	4,349,344	6,406,123	938,929	37,302,434
	降血脂(口服)不同處方用藥日數重複率	1.52%	1.14%	1.07%	1.15%	1.17%	1.29%	1.24%	1.02%	0.75%	0.94%	0.78%	0.73%	1.17%	0.90%
97年第4季	降血脂(口服)重複用藥日數(排08案件)	36,927	17,261	18,953	5,773	16,737	3,369	99,020	157,009	39,095	58,820	35,105	48,786	12,605	351,420
	降血脂(口服)之給藥日數	2,343,613	1,560,398	1,813,259	558,352	1,454,130	241,351	7,971,103	15,164,668	5,259,788	6,535,298	4,551,712	6,674,455	1,021,691	39,207,612
	降血脂(口服)不同處方用藥日數重複率	1.58%	1.11%	1.05%	1.03%	1.15%	1.40%	1.24%	1.04%	0.74%	0.90%	0.77%	0.73%	1.23%	0.90%
97年小計	降血脂(口服)重複用藥日數(排08案件)	134,447	70,362	80,060	25,220	65,161	13,404	388,654	592,268	154,456	244,948	139,008	182,962	47,424	1,361,066
	降血脂(口服)之給藥日數	8,588,220	5,972,911	7,042,105	2,130,654	5,515,951	920,219	30,170,060	56,796,699	19,895,178	25,186,040	17,252,966	25,198,408	3,732,605	148,061,896
	降血脂(口服)不同處方用藥日數重複率	1.57%	1.18%	1.14%	1.18%	1.18%	1.46%	1.29%	1.04%	0.78%	0.97%	0.81%	0.73%	1.27%	0.92%
98年第1季	降血脂(口服)重複用藥日數(排08案件)	39,484	16,701	20,233	6,577	16,072	3,119	102,186	154,940	36,033	58,320	35,095	46,159	12,858	343,405
	降血脂(口服)之給藥日數	2,234,311	1,517,143	1,846,439	553,237	1,370,874	238,771	7,760,775	14,914,982	5,062,812	6,467,988	4,536,193	6,322,638	1,044,712	38,349,325
	降血脂(口服)不同處方用藥日數重複率	1.77%	1.10%	1.10%	1.19%	1.17%	1.31%	1.32%	1.04%	0.71%	0.90%	0.77%	0.73%	1.23%	0.90%
98年第2季	降血脂(口服)重複用藥日數(排08案件)	38,525	14,685	19,038	6,216	14,466	3,857	96,787	155,902	33,174	55,713	35,900	45,086	13,198	338,973
	降血脂(口服)之給藥日數	2,353,764	1,535,776	1,889,174	608,793	1,435,620	267,056	8,090,183	15,807,585	5,195,710	6,782,872	4,852,369	6,582,728	1,155,575	40,376,839
	降血脂(口服)不同處方用藥日數重複率	1.64%	0.96%	1.01%	1.02%	1.01%	1.44%	1.20%	0.99%	0.64%	0.82%	0.74%	0.68%	1.14%	0.84%
98年第3季	降血脂(口服)重複用藥日數(排08案件)	35,876	15,010	17,609	6,321	14,311	3,431	92,558	147,390	34,334	52,402	35,081	42,927	10,268	322,402
	降血脂(口服)之給藥日數	2,386,200	1,531,589	1,953,073	636,596	1,429,411	268,464	8,205,333	15,781,989	5,212,184	6,852,877	4,994,773	6,525,953	1,154,836	40,522,612
	降血脂(口服)不同處方用藥日數重複率	1.50%	0.98%	0.90%	0.99%	1.00%	1.28%	1.13%	0.93%	0.66%	0.76%	0.70%	0.66%	0.89%	0.80%
98年第4季	降血脂(口服)重複用藥日數(排08案件)	37,261	17,184	18,377	6,594	15,280	3,358	98,054	146,988	37,771	55,773	37,075	45,871	10,507	333,985
	降血脂(口服)之給藥日數	2,589,360	1,630,330	2,090,780	669,834	1,483,785	273,301	8,737,390	16,116,100	5,470,736	7,201,185	5,214,563	6,865,503	1,191,451	42,059,538
	降血脂(口服)不同處方用藥日數重複率	1.44%	1.05%	0.88%	0.98%	1.03%	1.23%	0.00%	0.91%	0.69%	0.77%	0.71%	0.67%	0.88%	0.79%
98年小計	降血脂(口服)重複用藥日數(排08案件)	151,146	63,580	75,257	25,708	60,129	13,765	389,585	605,220	141,312	222,208	143,151	180,043	46,831	1,338,765
	降血脂(口服)之給藥日數	9,563,635	6,214,838	7,779,466	2,468,460	5,719,690	#####	32,793,681	62,620,656	20,941,442	27,304,922	19,597,898	26,296,822	4,546,574	161,308,314
	降血脂(口服)不同處方用藥日數重複率	1.58%	1.02%	0.97%	1.04%	1.05%	1.31%	0.00%	0.97%	0.67%	0.81%	0.73%	0.68%	1.03%	0.83%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之降血脂藥物(口服)不同處方給藥日數(降血脂藥物(口服)：ATC前三碼= C10)

3. 公式說明：分子：降血脂藥物(口服)重複用藥日數(排除08案件)(同ID不同處方之就醫日期與結束用藥日期間有重叠之給藥日數)

分母：降血脂藥物(口服)之給藥日數(給藥天數不為0 或藥費不為0 或處方調劑方式為 1、0、6)

4. 資料擷取日期：99年04月28日

* 監測值：2.93%×(1±10%)

5. 製表單位：醫審及藥材組

指標1.15.2 醫院總額專業醫療服務品質指標 - 各區同院所口服降血脂藥物不同處方用藥日數重複率(排08案件)

年季	層級別	地區醫院(含未評鑑醫院)							合計						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	降血脂(口服)重複用藥日數(排08案件)	28,140	14,808	16,207	5,769	11,566	2,406	78,896	117,280	30,726	46,510	25,890	30,046	8,742	259,194
	降血脂(口服)之給藥日數	2,131,303	1,440,313	1,705,259	559,612	1,298,772	221,653	7,356,912	13,680,368	4,780,035	6,076,491	4,138,416	5,977,933	868,248	35,521,491
	降血脂(口服)不同處方用藥日數重複率	1.32%	1.03%	0.95%	1.03%	0.89%	1.09%	1.07%	0.86%	0.64%	0.77%	0.63%	0.50%	1.01%	0.73%
97年第2季	降血脂(口服)重複用藥日數(排08案件)	22,889	11,940	13,334	3,527	10,533	2,324	64,547	107,242	26,078	41,443	23,679	28,354	8,640	235,436
	降血脂(口服)之給藥日數	1,999,541	1,474,620	1,774,783	486,985	1,344,255	226,830	7,307,014	13,745,316	4,827,105	6,200,810	4,213,494	6,139,897	903,737	36,030,359
	降血脂(口服)不同處方用藥日數重複率	1.14%	0.81%	0.75%	0.72%	0.78%	1.02%	0.88%	0.78%	0.54%	0.67%	0.56%	0.46%	0.96%	0.65%
97年第3季	降血脂(口服)重複用藥日數(排08案件)	24,091	11,641	13,097	4,140	10,777	2,115	65,861	109,043	25,792	41,064	23,150	30,225	8,600	237,874
	降血脂(口服)之給藥日數	2,113,763	1,497,580	1,748,804	525,705	1,418,794	230,385	7,535,031	14,206,347	5,028,250	6,373,441	4,349,344	6,406,123	938,929	37,302,434
	降血脂(口服)不同處方用藥日數重複率	1.14%	0.78%	0.75%	0.79%	0.76%	0.92%	0.87%	0.77%	0.51%	0.64%	0.53%	0.47%	0.92%	0.64%
97年第4季	降血脂(口服)重複用藥日數(排08案件)	28,158	12,073	13,352	4,128	11,160	2,212	71,083	116,540	26,955	40,869	24,267	32,109	9,343	250,083
	降血脂(口服)之給藥日數	2,343,613	1,560,398	1,813,259	558,352	1,454,130	241,351	7,971,103	15,164,668	5,259,788	6,535,298	4,551,712	6,674,455	1,021,691	39,207,612
	降血脂(口服)不同處方用藥日數重複率	1.20%	0.77%	0.74%	0.74%	0.77%	0.92%	0.89%	0.77%	0.51%	0.63%	0.53%	0.48%	0.91%	0.64%
97年小計	降血脂(口服)重複用藥日數(排08案件)	103,278	50,462	55,990	17,564	44,036	9,057	280,387	450,105	109,551	169,886	96,986	120,734	35,325	982,587
	降血脂(口服)之給藥日數	8,588,220	5,972,911	7,042,105	2,130,654	5,515,951	920,219	30,170,060	56,796,699	19,895,178	25,186,040	17,252,966	25,198,408	3,732,605	148,061,896
	降血脂(口服)不同處方用藥日數重複率	1.20%	0.84%	0.80%	0.82%	0.80%	0.98%	0.93%	0.79%	0.55%	0.67%	0.56%	0.48%	0.95%	0.66%
98年第1季	降血脂(口服)重複用藥日數(排08案件)	31,351	12,217	14,430	4,424	10,818	2,223	75,463	117,059	25,452	41,569	24,157	29,881	9,348	247,466
	降血脂(口服)之給藥日數	2,234,311	1,517,143	1,846,439	553,237	1,370,874	238,771	7,760,775	14,914,982	5,062,812	6,467,988	4,536,193	6,322,638	1,044,712	38,349,325
	降血脂(口服)不同處方用藥日數重複率	1.40%	0.81%	0.78%	0.80%	0.79%	0.93%	0.97%	0.78%	0.50%	0.64%	0.53%	0.47%	0.89%	0.65%
98年第2季	降血脂(口服)重複用藥日數(排08案件)	29,428	9,935	13,293	4,064	9,393	2,395	68,508	114,750	21,752	38,581	24,609	28,292	9,516	237,500
	降血脂(口服)之給藥日數	2,353,764	1,535,776	1,889,174	608,793	1,435,620	267,056	8,090,183	15,807,585	5,195,710	6,782,872	4,852,369	6,582,728	1,155,575	40,376,839
	降血脂(口服)不同處方用藥日數重複率	1.25%	0.65%	0.70%	0.67%	0.65%	0.90%	0.85%	0.73%	0.42%	0.57%	0.51%	0.43%	0.82%	0.59%
98年第3季	降血脂(口服)重複用藥日數(排08案件)	27,545	10,092	11,631	4,115	8,811	2,030	64,224	106,660	22,795	34,328	24,647	26,740	6,436	221,606
	降血脂(口服)之給藥日數	2,386,200	1,531,589	1,953,073	636,596	1,429,411	268,464	8,205,333	15,781,989	5,212,184	6,852,877	4,994,773	6,525,953	1,154,836	40,522,612
	降血脂(口服)不同處方用藥日數重複率	1.15%	0.66%	0.60%	0.65%	0.62%	0.76%	0.78%	0.68%	0.44%	0.50%	0.49%	0.41%	0.56%	0.55%
98年第4季	降血脂(口服)重複用藥日數(排08案件)	28,038	11,869	12,485	4,442	9,674	1,947	68,455	105,435	25,657	36,925	24,949	27,979	6,718	227,663
	降血脂(口服)之給藥日數	2,589,360	1,630,330	2,090,780	669,834	1,483,785	273,301	8,737,390	16,116,100	5,470,736	7,201,185	5,214,563	6,865,503	1,191,451	42,059,538
	降血脂(口服)不同處方用藥日數重複率	1.08%	0.73%	0.60%	0.66%	0.65%	0.71%	0.78%	0.65%	0.47%	0.51%	0.48%	0.41%	0.56%	0.54%
98年小計	降血脂(口服)重複用藥日數(排08案件)	116,362	44,113	51,839	17,045	38,696	8,595	276,650	443,904	95,656	151,403	98,362	112,892	32,018	934,235
	降血脂(口服)之給藥日數	9,563,635	6,214,838	7,779,466	2,468,460	5,719,690	1,047,592	32,793,681	62,620,656	20,941,442	27,304,922	19,597,898	26,296,822	4,546,574	161,308,314
	降血脂(口服)不同處方用藥日數重複率	1.22%	0.71%	0.67%	0.69%	0.68%	0.82%	0.84%	0.71%	0.46%	0.55%	0.50%	0.43%	0.70%	0.58%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之降血脂藥物(口服)不同處方給藥日數(降血脂藥物(口服)：ATC前三碼= C10)

3. 公式說明：

分子：降血脂藥物(口服)重複用藥日數(排除08案件)(同ID不同處方之就醫日期與結束用藥日期間有重疊之給藥日數)

分母：降血脂藥物(口服)之給藥日數(給藥天數不為0 或藥費不為0 或處方調劑方式為 1、0、6)

4. 資料擷取日期：99年04月28日

*監測值：2.93%×(1±10%)

5. 製表單位：醫審及藥材組

指標1.15.2 醫院總額專業醫療服務品質指標 - 各區同院所口服降血脂藥物不同處方用藥日數重複率(排08案件)

年季	層級別	醫學中心							區域醫院						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	降血脂(口服)重複用藥日數(排08案件)	47,798	6,532	13,547	4,181	8,525	3,391	83,974	41,342	9,386	16,756	15,940	9,955	2,945	96,324
	降血脂(口服)之給藥日數	6,922,420	1,630,944	2,091,102	746,144	2,912,638	286,581	14,589,829	4,626,645	1,708,778	2,280,130	2,832,660	1,766,523	360,014	13,574,750
	降血脂(口服)不同處方用藥日數重複率	0.69%	0.40%	0.65%	0.56%	0.29%	1.18%	0.58%	0.89%	0.55%	0.73%	0.56%	0.56%	0.82%	0.71%
97年第2季	降血脂(口服)重複用藥日數(排08案件)	46,041	6,173	13,587	4,304	8,300	3,177	81,582	38,312	7,965	14,522	15,848	9,521	3,139	89,307
	降血脂(口服)之給藥日數	7,007,969	1,637,210	2,167,418	771,788	2,960,576	298,228	14,843,189	4,737,806	1,715,275	2,258,609	2,954,721	1,835,066	378,679	13,880,156
	降血脂(口服)不同處方用藥日數重複率	0.66%	0.38%	0.63%	0.56%	0.28%	1.07%	0.55%	0.81%	0.46%	0.64%	0.54%	0.52%	0.83%	0.64%
97年第3季	降血脂(口服)重複用藥日數(排08案件)	46,150	5,510	12,848	4,173	9,065	3,476	81,222	38,802	8,641	15,119	14,837	10,383	3,009	90,791
	降血脂(口服)之給藥日數	7,164,169	1,725,264	2,220,021	792,730	3,073,986	313,236	15,289,406	4,928,415	1,805,406	2,404,616	3,030,909	1,913,343	395,308	14,477,997
	降血脂(口服)不同處方用藥日數重複率	0.64%	0.32%	0.58%	0.53%	0.29%	1.11%	0.53%	0.79%	0.48%	0.63%	0.49%	0.54%	0.76%	0.63%
97年第4季	降血脂(口服)重複用藥日數(排08案件)	46,852	5,877	12,672	4,501	9,973	3,819	83,694	41,530	9,005	14,845	15,638	10,976	3,312	95,306
	降血脂(口服)之給藥日數	7,530,307	1,782,437	2,223,503	852,838	3,178,889	341,222	15,909,196	5,290,748	1,916,953	2,498,536	3,140,522	2,041,436	439,118	15,327,313
	降血脂(口服)不同處方用藥日數重複率	0.62%	0.33%	0.57%	0.53%	0.31%	1.12%	0.53%	0.78%	0.47%	0.59%	0.50%	0.54%	0.75%	0.62%
97年小計	降血脂(口服)重複用藥日數(排08案件)	186,841	24,092	52,654	17,159	35,863	13,863	330,472	159,986	34,997	61,242	62,263	40,835	12,405	371,728
	降血脂(口服)之給藥日數	28,624,865	6,775,855	8,702,044	3,163,500	12,126,089	1,239,267	60,631,620	19,583,614	7,146,412	9,441,891	11,958,812	7,556,368	1,573,119	57,260,216
	降血脂(口服)不同處方用藥日數重複率	0.65%	0.36%	0.61%	0.54%	0.30%	1.12%	0.55%	0.82%	0.49%	0.65%	0.52%	0.54%	0.79%	0.65%
98年第1季	降血脂(口服)重複用藥日數(排08案件)	44,458	4,557	12,522	4,515	9,084	3,638	78,774	41,250	8,678	14,617	15,218	9,979	3,487	93,229
	降血脂(口服)之給藥日數	7,342,319	1,678,516	2,219,065	837,881	2,981,036	344,861	15,403,678	5,338,352	1,867,153	2,402,484	3,145,075	1,970,728	461,080	15,184,872
	降血脂(口服)不同處方用藥日數重複率	0.61%	0.27%	0.56%	0.54%	0.30%	1.05%	0.51%	0.77%	0.46%	0.61%	0.48%	0.51%	0.76%	0.61%
98年第2季	降血脂(口服)重複用藥日數(排08案件)	46,762	3,926	11,539	4,438	9,407	3,425	79,497	38,560	7,891	13,749	16,107	9,492	3,696	89,495
	降血脂(口服)之給藥日數	7,737,026	1,716,182	2,294,611	895,072	3,099,710	376,381	16,118,982	5,716,795	1,943,752	2,599,087	3,348,504	2,047,398	512,138	16,167,674
	降血脂(口服)不同處方用藥日數重複率	0.60%	0.23%	0.50%	0.50%	0.30%	0.91%	0.49%	0.67%	0.41%	0.53%	0.48%	0.46%	0.72%	0.55%
98年第3季	降血脂(口服)重複用藥日數(排08案件)	44,505	4,299	9,343	5,062	7,767	1,097	72,073	34,610	8,404	13,354	15,470	10,162	3,309	85,309
	降血脂(口服)之給藥日數	7,701,339	1,761,667	2,295,844	940,188	3,014,874	369,900	16,083,812	5,694,450	1,918,928	2,603,960	3,417,989	2,081,668	516,472	16,233,467
	降血脂(口服)不同處方用藥日數重複率	0.58%	0.24%	0.41%	0.54%	0.26%	0.30%	0.45%	0.61%	0.44%	0.51%	0.45%	0.49%	0.64%	0.53%
98年第4季	降血脂(口服)重複用藥日數(排08案件)	43,924	4,871	9,949	5,247	8,181	1,633	73,805	33,473	8,917	14,491	15,260	10,124	3,138	85,403
	降血脂(口服)之給藥日數	7,710,809	1,828,288	2,373,971	995,711	3,175,004	386,794	16,470,577	5,815,931	2,012,118	2,736,434	3,549,018	2,206,714	531,356	16,851,571
	降血脂(口服)不同處方用藥日數重複率	0.57%	0.27%	0.42%	0.53%	0.26%	0.42%	0.45%	0.58%	0.44%	0.53%	0.43%	0.46%	0.59%	0.51%
98年小計	降血脂(口服)重複用藥日數(排08案件)	179,649	17,653	43,353	19,262	34,439	9,793	304,149	147,893	33,890	56,211	62,055	39,757	13,630	353,436
	降血脂(口服)之給藥日數	30,491,493	6,984,653	9,183,491	3,668,852	12,270,624	1,477,936	64,077,049	22,565,528	7,741,951	10,341,965	13,460,586	8,306,508	2,021,046	64,437,584
	降血脂(口服)不同處方用藥日數重複率	0.59%	0.25%	0.47%	0.53%	0.28%	0.66%	0.47%	0.66%	0.44%	0.54%	0.46%	0.48%	0.67%	0.55%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之降血脂藥物(口服)不同處方給藥日數(降血脂藥物(口服)：ATC前三碼= C10)

3. 公式說明：分子：降血脂藥物(口服)重複用藥日數(排除08案件)(同ID不同處方之就醫日期與結束用藥日期間有重疊之給藥日數)

分母：降血脂藥物(口服)之給藥日數(給藥天數不為0 或藥費不為0 或處方調劑方式為 1、0、6)

4. 資料擷取日期：99年04月28日

*監測值：2.93%(±10%)

5. 製表單位：醫審及藥材組

指標1.16.1 醫院總額專業醫療服務品質指標-各區跨院所降血糖藥物-不同處方用藥日數重複率(排08案件)

年 季	層 級 別	醫 學 中 心							區 域 醫 院						
	分 區 別	台 北	北 區	中 區	南 區	高 屏	東 區	小 計	台 北	北 區	中 區	南 區	高 屏	東 區	小 計
97年第1季	降血糖(口服及注射)重複用藥日數(排08案件)	109,285	16,244	44,579	22,519	34,366	8,849	235,842	104,396	35,392	69,257	78,561	43,072	12,289	342,967
	降血糖(口服及注射)之給藥日數	7,408,074	1,778,891	2,684,055	1,153,887	3,026,873	343,591	16,395,371	5,538,094	2,421,443	3,546,100	4,440,462	2,384,456	518,895	18,849,450
	降血糖(口服及注射)不同處方用藥日數重複率	1.48%	0.91%	1.66%	1.95%	1.14%	2.58%	1.44%	1.89%	1.46%	1.95%	1.77%	1.81%	2.37%	1.82%
97年第2季	降血糖(口服及注射)重複用藥日數(排08案件)	105,529	14,021	42,806	21,514	34,014	8,942	226,826	102,249	35,967	67,007	79,291	40,587	12,472	337,573
	降血糖(口服及注射)之給藥日數	7,417,733	1,735,156	2,699,676	1,181,616	3,021,332	344,618	16,400,131	5,629,997	2,442,737	3,569,548	4,619,088	2,400,314	530,112	19,191,796
	降血糖(口服及注射)不同處方用藥日數重複率	1.42%	0.81%	1.59%	1.82%	1.13%	2.59%	1.38%	1.82%	1.47%	1.88%	1.72%	1.69%	2.35%	1.76%
97年第3季	降血糖(口服及注射)重複用藥日數(排08案件)	103,448	14,851	41,419	19,904	34,786	8,554	222,962	97,046	36,301	69,422	73,929	39,944	12,170	328,812
	降血糖(口服及注射)之給藥日數	7,496,862	1,836,979	2,731,090	1,163,010	3,089,936	357,021	16,674,898	5,759,269	2,531,075	3,837,973	4,651,662	2,424,262	546,692	19,750,933
	降血糖(口服及注射)不同處方用藥日數重複率	1.38%	0.81%	1.52%	1.71%	1.13%	2.40%	1.34%	1.69%	1.43%	1.81%	1.59%	1.65%	2.23%	1.66%
97年第4季	降血糖(口服及注射)重複用藥日數(排08案件)	107,243	15,040	41,255	19,293	36,114	9,635	228,580	101,503	37,449	70,345	74,046	43,676	12,798	339,817
	降血糖(口服及注射)之給藥日數	7,691,025	1,856,320	2,720,259	1,215,214	3,137,749	373,559	16,994,126	5,936,856	2,586,692	3,922,453	4,727,794	2,559,850	561,643	20,295,288
	降血糖(口服及注射)不同處方用藥日數重複率	1.39%	0.81%	1.52%	1.59%	1.15%	2.58%	1.35%	1.71%	1.45%	1.79%	1.57%	1.71%	2.28%	1.67%
97年小計	降血糖(口服及注射)重複用藥日數(排08案件)	425,505	60,156	170,059	83,230	139,280	35,980	914,210	405,194	145,109	276,031	305,827	167,279	49,729	1,349,169
	降血糖(口服及注射)之給藥日數	30,013,694	7,207,346	10,835,080	4,713,727	12,275,890	1,418,789	66,464,526	22,864,216	9,981,947	14,876,074	18,439,006	9,768,882	2,157,342	78,087,467
	降血糖(口服及注射)不同處方用藥日數重複率	1.42%	0.83%	1.57%	1.77%	1.13%	2.54%	1.38%	1.77%	1.45%	1.86%	1.66%	1.71%	2.31%	1.73%
98年第1季	降血糖(口服及注射)重複用藥日數(排08案件)	99,620	13,454	41,205	20,173	33,165	8,688	216,305	100,465	34,964	67,821	72,749	43,682	13,547	333,228
	降血糖(口服及注射)之給藥日數	7,265,458	1,722,497	2,690,630	1,141,008	2,920,615	359,846	16,100,054	5,891,886	2,466,991	3,702,639	4,611,262	2,541,932	542,811	19,757,521
	降血糖(口服及注射)不同處方用藥日數重複率	1.37%	0.78%	1.53%	1.77%	1.14%	2.41%	1.34%	1.71%	1.42%	1.83%	1.58%	1.72%	2.50%	1.69%
98年第2季	降血糖(口服及注射)重複用藥日數(排08案件)	107,835	13,832	38,470	21,185	34,560	9,063	224,945	99,801	36,368	70,923	72,898	44,303	13,008	337,301
	降血糖(口服及注射)之給藥日數	7,577,978	1,793,861	2,755,789	1,204,368	3,045,785	384,207	16,761,988	6,280,630	2,607,537	3,989,972	4,797,536	2,682,635	572,195	20,930,505
	降血糖(口服及注射)不同處方用藥日數重複率	1.42%	0.77%	1.40%	1.76%	1.13%	2.36%	1.34%	1.59%	1.39%	1.78%	1.52%	1.65%	2.27%	1.61%
98年第3季	降血糖(口服及注射)重複用藥日數(排08案件)	102,747	13,840	37,371	19,342	30,386	4,297	207,983	92,567	36,143	68,853	71,745	43,792	12,408	325,508
	降血糖(口服及注射)之給藥日數	7,678,554	1,859,169	2,790,902	1,215,371	2,945,802	374,440	16,864,238	6,367,477	2,669,905	4,058,469	4,813,941	2,725,249	584,626	21,219,667
	降血糖(口服及注射)不同處方用藥日數重複率	1.34%	0.74%	1.34%	1.59%	1.03%	1.15%	1.23%	1.45%	1.35%	1.70%	1.49%	1.61%	2.12%	1.53%
98年第4季	降血糖(口服及注射)重複用藥日數(排08案件)	100,881	15,953	36,497	19,425	31,337	5,944	210,037	88,490	38,881	68,580	72,875	46,845	12,750	328,421
	降血糖(口服及注射)之給藥日數	7,548,985	1,908,186	2,795,693	1,240,512	3,113,374	391,793	16,998,543	6,381,845	2,685,587	4,077,518	4,904,453	2,815,266	594,827	21,459,496
	降血糖(口服及注射)不同處方用藥日數重複率	1.34%	0.84%	1.31%	1.57%	1.01%	1.52%	1.24%	1.39%	1.45%	1.68%	1.49%	1.66%	2.14%	1.53%
98年小計	降血糖(口服及注射)重複用藥日數(排08案件)	411,083	57,079	153,543	80,125	129,448	27,992	859,270	381,323	146,356	276,177	290,267	178,622	51,713	1,324,458
	降血糖(口服及注射)之給藥日數	30,070,975	7,283,713	11,033,014	4,801,259	12,025,576	1,510,286	66,724,823	24,921,838	10,430,020	15,828,598	19,127,192	10,765,082	2,294,459	83,367,189
	降血糖(口服及注射)不同處方用藥日數重複率	1.37%	0.78%	1.39%	1.67%	1.08%	1.85%	1.29%	1.53%	1.40%	1.74%	1.52%	1.66%	2.25%	1.59%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之降血糖藥物(不分口服及注射)不同處方給藥日數(降血糖藥物(不分口服及注射)：ATC前三碼=A10)

3. 公式說明：分子：降血糖藥物(不分口服及注射)重複用藥日數(排除08案件)/(同ID不同處方之就醫日期與結束用藥日期間有重疊之給藥日數)
分母：降血糖藥物(不分口服及注射)之給藥日數(給藥天數不為0 或藥費不為0 或處方調劑方式為 1、0、6)

4. 資料擷取日期：99年04月28日

5. 製表單位：醫審及藥材組 * 監測值：1.95%×(1±10%)

指標1.16.1 醫院總額專業醫療服務品質指標-各區跨院所降血糖藥物-不同處方用藥日數重複率(排08案件)

年季	層級別	地區醫院(含未評鑑醫院)							合計						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	降血糖(口服及注射)重複用藥日數(排08案件)	73,308	63,607	75,932	36,091	70,844	11,297	331,079	286,989	115,243	189,768	137,171	148,282	32,435	909,888
	降血糖(口服及注射)之給藥日數	2,870,694	2,566,430	3,008,460	1,340,044	2,525,481	395,963	12,707,072	15,816,862	6,766,764	9,238,615	6,934,393	7,936,810	1,258,449	47,951,893
	降血糖(口服及注射)不同處方用藥日數重複率	2.55%	2.48%	2.52%	2.69%	2.81%	2.85%	2.61%	1.81%	1.70%	2.05%	1.98%	1.87%	2.58%	1.90%
97年第2季	降血糖(口服及注射)重複用藥日數(排08案件)	66,243	54,118	69,763	28,427	64,384	10,952	293,887	274,021	104,106	179,576	129,232	138,985	32,366	858,286
	降血糖(口服及注射)之給藥日數	2,706,572	2,563,132	3,091,906	1,183,270	2,517,818	399,571	12,462,269	15,754,302	6,741,025	9,361,130	6,983,974	7,939,464	1,274,301	48,054,196
	降血糖(口服及注射)不同處方用藥日數重複率	2.45%	2.11%	2.26%	2.40%	2.56%	2.74%	2.36%	1.74%	1.54%	1.92%	1.85%	1.75%	2.54%	1.79%
97年第3季	降血糖(口服及注射)重複用藥日數(排08案件)	65,727	52,310	64,293	27,988	65,253	10,426	285,997	266,221	103,462	175,134	121,821	139,983	31,150	837,771
	降血糖(口服及注射)之給藥日數	2,788,019	2,594,625	2,993,991	1,224,734	2,633,088	411,327	12,645,784	16,044,150	6,962,679	9,563,054	7,039,406	8,147,286	1,315,040	49,071,615
	降血糖(口服及注射)不同處方用藥日數重複率	2.36%	2.02%	2.15%	2.29%	2.48%	2.53%	2.26%	1.66%	1.49%	1.83%	1.73%	1.72%	2.37%	1.71%
97年第4季	降血糖(口服及注射)重複用藥日數(排08案件)	71,181	52,167	65,677	28,035	63,228	10,891	291,179	279,927	104,656	177,277	121,374	143,018	33,324	859,576
	降血糖(口服及注射)之給藥日數	2,937,076	2,620,016	3,095,355	1,258,506	2,622,440	431,176	12,964,569	16,564,957	7,063,028	9,738,067	7,201,514	8,320,039	1,366,378	50,253,983
	降血糖(口服及注射)不同處方用藥日數重複率	2.42%	1.99%	2.12%	2.23%	2.41%	2.53%	2.25%	1.69%	1.48%	1.82%	1.69%	1.72%	2.44%	1.71%
97年小計	降血糖(口服及注射)重複用藥日數(排08案件)	276,459	222,202	275,665	120,541	263,709	43,566	1,202,142	1,107,158	427,467	721,755	509,598	570,268	129,275	3,465,521
	降血糖(口服及注射)之給藥日數	11,302,361	10,344,203	12,189,712	5,006,554	10,298,827	1,638,037	50,779,694	64,180,271	27,533,496	37,900,866	28,159,287	32,343,599	5,214,168	195,331,687
	降血糖(口服及注射)不同處方用藥日數重複率	2.45%	2.15%	2.26%	2.41%	2.56%	2.66%	2.37%	1.73%	1.55%	1.90%	1.81%	1.76%	2.48%	1.77%
98年第1季	降血糖(口服及注射)重複用藥日數(排08案件)	70,302	53,695	67,351	28,209	61,861	10,419	291,837	270,387	102,113	176,377	121,131	138,708	32,654	841,370
	降血糖(口服及注射)之給藥日數	2,637,169	2,535,005	3,121,610	1,213,312	2,416,399	410,594	12,334,089	15,794,513	6,724,493	9,514,879	6,965,582	7,878,946	1,313,251	48,191,664
	降血糖(口服及注射)不同處方用藥日數重複率	2.67%	2.12%	2.16%	2.32%	2.56%	2.54%	2.37%	1.71%	1.52%	1.85%	1.74%	1.76%	2.49%	1.75%
98年第2季	降血糖(口服及注射)重複用藥日數(排08案件)	64,239	53,040	61,876	28,446	57,442	11,657	276,700	271,875	103,240	171,269	122,529	136,305	33,728	838,946
	降血糖(口服及注射)之給藥日數	2,701,535	2,665,562	3,148,590	1,269,475	2,494,114	440,773	12,720,049	16,560,143	7,066,960	9,894,351	7,271,379	8,222,534	1,397,175	50,412,542
	降血糖(口服及注射)不同處方用藥日數重複率	2.38%	1.99%	1.97%	2.24%	2.30%	2.64%	2.18%	1.64%	1.46%	1.73%	1.69%	1.66%	2.41%	1.66%
98年第3季	降血糖(口服及注射)重複用藥日數(排08案件)	64,426	48,990	59,656	28,649	56,495	10,655	268,871	259,740	98,973	165,880	119,736	130,673	27,360	838,946
	降血糖(口服及注射)之給藥日數	2,798,813	2,703,258	3,186,789	1,311,134	2,529,735	451,871	12,981,600	16,844,844	7,232,332	10,036,160	7,340,446	8,200,786	1,410,937	50,412,542
	降血糖(口服及注射)不同處方用藥日數重複率	2.30%	1.81%	1.87%	2.19%	2.23%	2.36%	2.07%	1.54%	1.37%	1.65%	1.63%	1.59%	1.94%	1.66%
98年第4季	降血糖(口服及注射)重複用藥日數(排08案件)	65,574	52,863	58,811	27,470	56,404	9,723	270,845	254,945	107,697	163,888	119,770	134,586	28,417	809,303
	降血糖(口服及注射)之給藥日數	2,878,421	2,739,537	3,235,640	1,326,961	2,548,769	462,064	13,191,392	16,809,251	7,333,310	10,108,851	7,471,926	8,477,409	1,448,684	51,649,431
	降血糖(口服及注射)不同處方用藥日數重複率	2.28%	1.93%	1.82%	2.07%	2.21%	2.10%	2.05%	1.52%	1.47%	1.62%	1.60%	1.59%	1.96%	1.57%
98年小計	降血糖(口服及注射)重複用藥日數(排08案件)	264,541	208,588	247,694	112,774	232,202	42,454	1,108,253	1,056,947	412,023	677,414	483,166	540,272	122,159	3,291,981
	降血糖(口服及注射)之給藥日數	11,015,938	10,643,362	12,692,629	5,120,882	9,989,017	1,765,302	51,227,130	66,008,751	28,357,095	39,554,241	29,049,333	32,779,675	5,570,047	201,319,142
	降血糖(口服及注射)不同處方用藥日數重複率	2.40%	1.96%	1.95%	2.20%	2.32%	2.40%	2.16%	1.60%	1.45%	1.71%	1.66%	1.65%	2.19%	1.64%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之降血糖藥物(不分口服及注射)不同處方給藥日數(降血糖藥物(不分口服及注射)：ATC前三碼=A10)

3. 公式說明：

分子：降血糖藥物(不分口服及注射)重複用藥日數(排除08案件)/(同ID不同處方之就醫日期與結束用藥日期間有重疊之給藥日數)

分母：降血糖藥物(不分口服及注射)之給藥日數(給藥天數不為0 或藥費不為0 或處方調劑方式為 1、0、6)

4. 資料擷取日期：99年04月28日

5. 製表單位：醫審及藥材組 * 監測值：1.95%×(1±10%)

指標1.16.2 醫院總額專業醫療服務品質指標 - 各區同院所降血糖藥物-不同處方用藥日數重複率(排08案件)

年季	層級別	醫學中心							區域醫院						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	降血糖(口服及注射)重複用藥日數(排08案件)	71,407	10,145	25,804	10,796	14,216	5,992	138,360	69,324	18,230	41,326	45,273	22,366	6,551	203,070
	降血糖(口服及注射)之給藥日數	7,408,074	1,778,891	2,684,055	1,153,887	3,026,873	343,591	16,395,371	5,538,094	2,421,443	3,546,100	4,440,462	2,384,456	518,895	18,849,450
	降血糖(口服及注射)不同處方用藥日數重複率	0.96%	0.57%	0.96%	0.94%	0.47%	1.74%	0.84%	1.25%	0.75%	1.17%	1.02%	0.94%	1.26%	1.08%
97年第2季	降血糖(口服及注射)重複用藥日數(排08案件)	68,028	8,745	24,576	10,354	14,576	5,936	132,215	66,207	17,430	38,387	44,851	19,675	6,500	193,050
	降血糖(口服及注射)之給藥日數	7,417,733	1,735,156	2,699,676	1,181,616	3,021,332	344,618	16,400,131	5,629,997	2,442,737	3,569,548	4,619,088	2,400,314	530,112	19,191,796
	降血糖(口服及注射)不同處方用藥日數重複率	0.92%	0.50%	0.91%	0.88%	0.48%	1.72%	0.81%	1.18%	0.71%	1.08%	0.97%	0.82%	1.23%	1.01%
97年第3季	降血糖(口服及注射)重複用藥日數(排08案件)	66,027	9,294	23,455	8,830	15,100	5,759	128,465	61,980	17,918	40,617	40,370	19,134	6,566	186,585
	降血糖(口服及注射)之給藥日數	7,496,862	1,836,979	2,731,090	1,163,010	3,089,936	357,021	16,674,898	5,759,269	2,531,075	3,837,973	4,651,662	2,424,262	546,692	19,750,933
	降血糖(口服及注射)不同處方用藥日數重複率	0.88%	0.51%	0.86%	0.76%	0.49%	1.61%	0.77%	1.08%	0.71%	1.06%	0.87%	0.79%	1.20%	0.94%
97年第4季	降血糖(口服及注射)重複用藥日數(排08案件)	67,187	9,488	22,523	8,833	15,610	6,462	130,103	65,717	19,235	40,881	41,811	21,755	6,653	196,052
	降血糖(口服及注射)之給藥日數	7,691,025	1,856,320	2,720,259	1,215,214	3,137,749	373,559	16,994,126	5,936,856	2,586,692	3,922,453	4,727,794	2,559,850	561,643	20,295,288
	降血糖(口服及注射)不同處方用藥日數重複率	0.87%	0.51%	0.83%	0.73%	0.50%	1.73%	0.77%	1.11%	0.74%	1.04%	0.88%	0.85%	1.18%	0.97%
97年小計	降血糖(口服及注射)重複用藥日數(排08案件)	272,649	37,672	96,358	38,813	59,502	24,149	529,143	263,228	72,813	161,211	172,305	82,930	26,270	778,757
	降血糖(口服及注射)之給藥日數	30,013,694	7,207,346	10,835,080	4,713,727	12,275,890	1,418,789	66,464,526	22,864,216	9,981,947	14,876,074	18,439,006	9,768,882	2,157,342	78,087,467
	降血糖(口服及注射)不同處方用藥日數重複率	0.91%	0.52%	0.89%	0.82%	0.48%	1.70%	0.80%	1.15%	0.73%	1.08%	0.93%	0.85%	1.22%	1.00%
98年第1季	降血糖(口服及注射)重複用藥日數(排08案件)	62,820	8,693	22,352	10,346	14,091	5,671	123,973	65,274	17,795	40,449	42,470	23,332	7,740	197,060
	降血糖(口服及注射)之給藥日數	7,265,458	1,722,497	2,690,630	1,141,008	2,920,615	359,846	16,100,054	5,891,886	2,466,991	3,702,639	4,611,262	2,541,932	542,811	19,757,521
	降血糖(口服及注射)不同處方用藥日數重複率	0.86%	0.50%	0.83%	0.91%	0.48%	1.58%	0.77%	1.11%	0.72%	1.09%	0.92%	0.92%	1.43%	1.00%
98年第2季	降血糖(口服及注射)重複用藥日數(排08案件)	67,563	7,510	20,878	10,610	13,774	5,822	126,157	61,517	17,836	40,373	41,823	22,740	6,797	191,086
	降血糖(口服及注射)之給藥日數	7,577,978	1,793,861	2,755,789	1,204,368	3,045,785	384,207	16,761,988	6,280,630	2,607,537	3,989,972	4,797,536	2,682,635	572,195	20,930,505
	降血糖(口服及注射)不同處方用藥日數重複率	0.89%	0.42%	0.76%	0.88%	0.45%	1.52%	0.75%	0.98%	0.68%	1.01%	0.87%	0.85%	1.19%	0.91%
98年第3季	降血糖(口服及注射)重複用藥日數(排08案件)	64,808	8,276	19,567	9,840	12,379	1,766	116,636	57,068	18,335	40,043	40,789	22,314	6,710	185,259
	降血糖(口服及注射)之給藥日數	7,678,554	1,859,169	2,790,902	1,215,371	2,945,802	374,440	16,864,238	6,367,477	2,669,905	4,058,469	4,813,941	2,725,249	584,626	21,219,667
	降血糖(口服及注射)不同處方用藥日數重複率	0.84%	0.45%	0.70%	0.81%	0.42%	0.47%	0.69%	0.90%	0.69%	0.99%	0.85%	0.82%	1.15%	0.87%
98年第4季	降血糖(口服及注射)重複用藥日數(排08案件)	62,122	9,783	18,166	9,601	11,776	2,925	114,373	53,869	19,712	40,175	41,691	23,329	6,694	185,470
	降血糖(口服及注射)之給藥日數	7,548,985	1,908,186	2,795,693	1,240,512	3,113,374	391,793	16,998,543	6,381,845	2,685,587	4,077,518	4,904,453	2,815,266	594,827	21,459,496
	降血糖(口服及注射)不同處方用藥日數重複率	0.82%	0.51%	0.65%	0.77%	0.38%	0.75%	0.67%	0.84%	0.73%	0.99%	0.85%	0.83%	1.13%	0.86%
98年小計	降血糖(口服及注射)重複用藥日數(排08案件)	257,313	34,262	80,963	40,397	52,020	16,184	481,139	237,728	73,678	161,040	166,773	91,715	27,941	758,875
	降血糖(口服及注射)之給藥日數	30,070,975	7,283,713	11,033,014	4,801,259	12,025,576	1,510,286	66,724,823	24,921,838	10,430,020	15,828,598	19,127,192	10,765,082	2,294,459	83,367,189
	降血糖(口服及注射)不同處方用藥日數重複率	0.86%	0.47%	0.73%	0.84%	0.43%	1.07%	0.72%	0.95%	0.71%	1.02%	0.87%	0.85%	1.22%	0.91%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之降血糖藥物(不分口服及注射)不同處方給藥日數(降血糖藥物(不分口服及注射)：ATC前三碼=A10)
3. 公式說明：
- 分子：降血糖藥物(不分口服及注射)重複用藥日數(排除08案件)(同ID不同處方之就醫日期與結束用藥日期間有重疊之給藥日數)
- 分母：降血糖藥物(不分口服及注射)之給藥日數(給藥天數不為0 或藥費不為0 或處方調劑方式為 1、0、6)
4. 資料擷取日期：99年04月28日
5. 製表單位：醫審及藥材組 *監測值：1.95%(1±10%)

指標1.16.2 醫院總額專業醫療服務品質指標 - 各區同院所降血糖藥物-不同處方用藥日數重複率(排08案件)

年季	層級別	地區醫院(含未評鑑醫院)							合計						
	分 區 別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	降血糖(口服及注射)重複用藥日數(排08案件)	48,967	39,061	45,195	19,732	38,973	6,329	198,257	189,698	67,436	112,325	75,801	75,555	18,872	539,687
	降血糖(口服及注射)之給藥日數	2,870,694	2,566,430	3,008,460	1,340,044	2,525,481	395,963	12,707,072	15,816,862	6,766,764	9,238,615	6,934,393	7,936,810	1,258,449	47,951,893
	降血糖(口服及注射)不同處方用藥日數重複率	1.71%	1.52%	1.50%	1.47%	1.54%	1.60%	1.56%	1.20%	1.00%	1.22%	1.09%	0.95%	1.50%	1.13%
97年第2季	降血糖(口服及注射)重複用藥日數(排08案件)	42,033	31,571	38,744	13,821	33,294	6,011	165,474	176,268	57,746	101,707	69,026	67,545	18,447	490,739
	降血糖(口服及注射)之給藥日數	2,706,572	2,563,132	3,091,906	1,183,270	2,517,818	399,571	12,462,269	15,754,302	6,741,025	9,361,130	6,983,974	7,939,464	1,274,301	48,054,196
	降血糖(口服及注射)不同處方用藥日數重複率	1.55%	1.23%	1.25%	1.17%	1.32%	1.50%	1.33%	1.12%	0.86%	1.09%	0.99%	0.85%	1.45%	1.02%
97年第3季	降血糖(口服及注射)重複用藥日數(排08案件)	41,259	29,985	36,540	14,407	34,445	5,958	162,594	169,266	57,197	100,612	63,607	68,679	18,283	477,644
	降血糖(口服及注射)之給藥日數	2,788,019	2,594,625	2,993,991	1,224,734	2,633,088	411,327	12,645,784	16,044,150	6,962,679	9,563,054	7,039,406	8,147,286	1,315,040	49,071,615
	降血糖(口服及注射)不同處方用藥日數重複率	1.48%	1.16%	1.22%	1.18%	1.31%	1.45%	1.29%	1.06%	0.82%	1.05%	0.90%	0.84%	1.39%	0.97%
97年第4季	降血糖(口服及注射)重複用藥日數(排08案件)	44,285	30,704	37,148	14,099	32,793	5,822	164,851	177,189	59,427	100,552	64,743	70,158	18,937	491,006
	降血糖(口服及注射)之給藥日數	2,937,076	2,620,016	3,095,355	1,258,506	2,622,440	431,176	12,964,569	16,564,957	7,063,028	9,738,067	7,201,514	8,320,039	1,366,378	50,253,983
	降血糖(口服及注射)不同處方用藥日數重複率	1.51%	1.17%	1.20%	1.12%	1.25%	1.35%	1.27%	1.07%	0.84%	1.03%	0.90%	0.84%	1.39%	0.98%
97年小計	降血糖(口服及注射)重複用藥日數(排08案件)	176,544	131,321	157,627	62,059	139,505	24,120	691,176	712,421	241,806	415,196	273,177	281,937	74,539	1,999,076
	降血糖(口服及注射)之給藥日數	11,302,361	10,344,203	12,189,712	5,006,554	#####	1,638,037	50,779,694	64,180,271	27,533,496	37,900,866	28,159,287	32,343,599	5,214,168	195,331,687
	降血糖(口服及注射)不同處方用藥日數重複率	1.56%	1.27%	1.29%	1.24%	1.35%	1.47%	1.36%	1.11%	0.88%	1.10%	0.97%	0.87%	1.43%	1.02%
98年第1季	降血糖(口服及注射)重複用藥日數(排08案件)	45,334	31,730	38,804	14,527	33,398	5,691	169,484	173,428	58,218	101,605	67,343	70,821	19,102	490,517
	降血糖(口服及注射)之給藥日數	2,637,169	2,535,005	3,121,610	1,213,312	2,416,399	410,594	12,334,089	15,794,513	6,724,493	9,514,879	6,965,582	7,878,946	1,313,251	48,191,664
	降血糖(口服及注射)不同處方用藥日數重複率	1.72%	1.25%	1.24%	1.20%	1.38%	1.39%	1.37%	1.10%	0.87%	1.07%	0.97%	0.90%	1.45%	1.02%
98年第2季	降血糖(口服及注射)重複用藥日數(排08案件)	41,133	29,756	34,011	14,394	29,018	6,140	154,452	170,213	55,102	95,262	66,827	65,532	18,759	471,695
	降血糖(口服及注射)之給藥日數	2,701,535	2,665,562	3,148,590	1,269,475	2,494,114	440,773	12,720,049	16,560,143	7,066,960	9,894,351	7,271,379	8,222,534	1,397,175	50,412,542
	降血糖(口服及注射)不同處方用藥日數重複率	1.52%	1.12%	1.08%	1.13%	1.16%	1.39%	1.21%	1.03%	0.78%	0.96%	0.92%	0.80%	1.34%	0.94%
98年第3季	降血糖(口服及注射)重複用藥日數(排08案件)	41,014	27,568	31,435	14,438	28,086	5,346	147,887	162,890	54,179	91,045	65,067	62,779	13,822	471,695
	降血糖(口服及注射)之給藥日數	2,798,813	2,703,258	3,186,789	1,311,134	2,529,735	451,871	12,981,600	16,844,844	7,232,332	10,036,160	7,340,446	8,200,786	1,410,937	50,412,542
	降血糖(口服及注射)不同處方用藥日數重複率	1.47%	1.02%	0.99%	1.10%	1.11%	1.18%	1.14%	0.97%	0.75%	0.91%	0.89%	0.77%	0.98%	0.94%
98年第4季	降血糖(口服及注射)重複用藥日數(排08案件)	42,337	31,372	32,344	13,808	27,803	5,152	152,816	158,328	60,867	90,685	65,100	62,908	14,771	452,659
	降血糖(口服及注射)之給藥日數	2,878,421	2,739,537	3,235,640	1,326,961	2,548,769	462,064	13,191,392	16,809,251	7,333,310	10,108,851	7,471,926	8,477,409	1,448,684	51,649,431
	降血糖(口服及注射)不同處方用藥日數重複率	1.47%	1.15%	1.00%	1.04%	1.09%	1.11%	1.16%	0.94%	0.83%	0.90%	0.87%	0.74%	1.02%	0.88%
98年小計	降血糖(口服及注射)重複用藥日數(排08案件)	169,818	120,426	136,594	57,167	118,305	22,329	624,639	664,859	228,366	378,597	264,337	262,040	66,454	1,864,653
	降血糖(口服及注射)之給藥日數	11,015,938	10,643,362	12,692,629	5,120,882	9,989,017	1,765,302	51,227,130	66,008,751	28,357,095	39,554,241	29,049,333	32,779,675	5,570,047	201,319,142
	降血糖(口服及注射)不同處方用藥日數重複率	1.54%	1.13%	1.08%	1.12%	1.18%	1.26%	1.22%	1.01%	0.81%	0.96%	0.91%	0.80%	1.19%	0.93%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之降血糖藥物(不分口服及注射)不同處方給藥日數(降血糖藥物(不分口服及注射)：ATC前三碼=A10)
3. 公式說明：

分子：降血糖藥物(不分口服及注射)重複用藥日數(排除08案件)(同ID不同處方之就醫日期與結束用藥日期間有重疊之給藥

分母：降血糖藥物(不分口服及注射)之給藥日數(給藥天數不為0 或藥費不為0 或處方調劑方式為 1、0、6)
4. 資料擷取日期：99年04月28日
5. 製表單位：醫審及藥材組 * 監測值：1.95%×(1±10%)

指標1.17醫院總額專業醫療服務品質指標 - 清淨手術抗生素3日使用率

年季	層級別	醫學中心							區域醫院						
	分區別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	手術後使用抗生素3日案件數	45	4	23	25	26	31	154	63	27	139	87	102	4	422
	清淨手術案件數	947	421	467	316	492	79	2,722	746	358	762	641	416	84	3,007
	清淨手術抗生素3日使用率	4.75%	0.95%	4.93%	7.91%	5.28%	39.24%	5.66%	8.45%	7.54%	18.24%	13.57%	24.52%	4.76%	14.03%
97年第2季	手術後使用抗生素3日案件數	47	21	34	18	82	46	248	86	39	201	117	164	2	609
	清淨手術案件數	1,255	577	650	356	584	88	3,510	863	428	950	807	557	94	3,699
	清淨手術抗生素3日使用率	3.75%	3.64%	5.23%	5.06%	14.04%	52.27%	7.07%	9.97%	9.11%	21.16%	14.50%	29.44%	2.13%	16.46%
97年第3季	手術後使用抗生素3日案件數	79	8	24	9	24	51	195	106	38	164	68	26	2	404
	清淨手術案件數	1,234	557	636	359	642	121	3,549	980	444	1,033	849	578	113	3,997
	清淨手術抗生素3日使用率	6.40%	1.44%	3.77%	2.51%	3.74%	42.15%	5.49%	10.82%	8.56%	15.88%	8.01%	4.50%	1.77%	10.11%
97年第4季	手術後使用抗生素3日案件數	82	18	21	3	15	42	181	110	26	126	46	21	1	330
	清淨手術案件數	1,167	526	598	351	638	113	3,393	984	400	994	781	528	89	3,776
	清淨手術抗生素3日使用率	7.03%	3.42%	3.51%	0.85%	2.35%	37.17%	5.33%	11.18%	6.50%	12.68%	5.89%	3.98%	1.12%	8.74%
97年小計	手術後使用抗生素3日案件數	253	51	102	55	147	170	778	365	130	630	318	313	9	1,765
	清淨手術案件數	4,603	2,081	2,351	1,382	2,356	401	13,174	3,573	1,630	3,739	3,078	2,079	380	14,479
	清淨手術抗生素3日使用率	5.50%	2.45%	4.34%	3.98%	6.24%	42.39%	5.91%	10.22%	7.98%	16.85%	10.33%	15.06%	2.37%	12.19%
98年第1季	手術後使用抗生素3日案件數	57	17	24	2	5	28	133	83	22	86	49	37	2	279
	清淨手術案件數	1,069	388	484	301	450	79	2,771	774	383	855	667	509	68	3,256
	清淨手術抗生素3日使用率	5.33%	4.38%	4.96%	0.66%	1.11%	35.44%	4.80%	10.72%	5.74%	10.06%	7.35%	7.27%	2.94%	8.57%
98年第2季	手術後使用抗生素3日案件數	70	39	17	7	8	52	193	62	18	61	56	39	1	237
	清淨手術案件數	1,318	542	605	339	558	125	3,487	937	436	1,063	820	560	67	3,883
	清淨手術抗生素3日使用率	5.31%	7.20%	2.81%	2.06%	1.43%	41.60%	5.53%	6.62%	4.13%	5.74%	6.83%	6.96%	1.49%	6.10%
98年第3季	手術後使用抗生素3日案件數	77	21	11	10	12	8	139	67	34	55	45	27	4	232
	清淨手術案件數	1,284	550	610	341	602	129	3,516	985	473	996	881	591	83	4,009
	清淨手術抗生素3日使用率	6.00%	3.82%	1.80%	2.93%	1.99%	6.20%	3.95%	6.80%	7.19%	5.52%	5.11%	4.57%	4.82%	5.79%
98年第4季	手術後使用抗生素3日案件數	83	14	4	9	7	-	117	67	25	51	38	50	3	234
	清淨手術案件數	1,264	542	479	351	560	102	3,298	913	438	915	814	590	67	3,737
	清淨手術抗生素3日使用率	6.57%	2.58%	0.84%	2.56%	1.25%	0.00%	3.55%	7.34%	5.71%	5.57%	4.67%	8.47%	4.48%	6.26%
98年小計	手術後使用抗生素3日案件數	287	91	56	28	32	88	582	279	99	253	188	153	10	982
	清淨手術案件數	4,935	2,022	2,178	1,332	2,170	435	13,072	3,609	1,730	3,829	3,182	2,250	285	14,885
	清淨手術抗生素3日使用率	5.82%	4.50%	2.57%	2.10%	1.47%	20.23%	4.45%	7.73%	5.72%	6.61%	5.91%	6.80%	3.51%	6.60%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之清淨手術之案件數

3. 公式說明：

分子：執行清淨手術案件，其手術醫令最大執行迄日減抗生素醫令最大執行迄日=3之案件數

分母：清淨手術案件數(案件分類為2（論病例計酬），且DRG碼為0163A、0163B、0209A、0209B、029

4. 資料擷取日期：99年04月28日

*監測值：10.51%×(1±10%)

5. 製表單位：醫審及藥材組

指標1.17 醫院總額專業醫療服務品質指標 - 清淨手術抗生素3日使用率

年季	層級別	地區醫院(含未評鑑醫院)							合計						
	分區別	台北	北區	中區	南區	高屏	東區	小計	台北	北區	中區	南區	高屏	東區	小計
97年第1季	手術後使用抗生素3日案件數	26	25	22	11	42	3	129	134	56	184	123	170	38	705
	清淨手術案件數	454	407	755	348	506	62	2,532	2,147	1,186	1,984	1,305	1,414	225	8,261
	清淨手術抗生素3日使用率	5.73%	6.14%	2.91%	3.16%	8.30%	4.84%	5.09%	6.24%	4.72%	9.27%	9.43%	12.02%	16.89%	8.53%
97年第2季	手術後使用抗生素3日案件數	41	40	33	21	55	5	195	174	100	268	156	301	53	1,052
	清淨手術案件數	566	558	852	424	608	76	3,084	2,684	1,563	2,452	1,587	1,749	258	10,293
	清淨手術抗生素3日使用率	7.24%	7.17%	3.87%	4.95%	9.05%	6.58%	6.32%	6.48%	6.40%	10.93%	9.83%	17.21%	20.54%	10.22%
97年第3季	手術後使用抗生素3日案件數	34	56	16	28	46	7	187	219	102	204	105	96	60	786
	清淨手術案件數	559	522	815	451	632	69	3,048	2,773	1,523	2,484	1,659	1,852	303	10,594
	清淨手術抗生素3日使用率	6.08%	10.73%	1.96%	6.21%	7.28%	10.14%	6.14%	7.90%	6.70%	8.21%	6.33%	5.18%	19.80%	7.42%
97年第4季	手術後使用抗生素3日案件數	30	100	22	36	34	11	233	222	144	169	85	70	54	744
	清淨手術案件數	573	495	841	430	640	63	3,042	2,724	1,421	2,433	1,562	1,806	265	10,211
	清淨手術抗生素3日使用率	5.24%	20.20%	2.62%	8.37%	5.31%	17.46%	7.66%	8.15%	10.13%	6.95%	5.44%	3.88%	20.38%	7.29%
97年小計	手術後使用抗生素3日案件數	131	221	93	96	177	26	744	749	402	825	469	637	205	3,287
	清淨手術案件數	2,152	1,982	3,263	1,653	2,386	270	11,706	10,328	5,693	9,353	6,113	6,821	1,051	39,359
	清淨手術抗生素3日使用率	6.09%	11.15%	2.85%	5.81%	7.42%	9.63%	6.36%	7.25%	7.06%	8.82%	7.67%	9.34%	19.51%	8.35%
98年第1季	手術後使用抗生素3日案件數	30	91	11	38	19	6	195	170	130	121	89	61	36	607
	清淨手術案件數	539	432	734	383	531	59	2,678	2,382	1,203	2,073	1,351	1,490	206	8,705
	清淨手術抗生素3日使用率	5.57%	21.06%	1.50%	9.92%	3.58%	10.17%	7.28%	7.14%	10.81%	5.84%	6.59%	4.09%	17.48%	6.97%
98年第2季	手術後使用抗生素3日案件數	36	35	32	34	26	12	175	168	92	110	97	73	65	605
	清淨手術案件數	630	535	934	458	578	71	3,206	2,885	1,513	2,602	1,617	1,696	263	10,576
	清淨手術抗生素3日使用率	5.71%	6.54%	3.43%	7.42%	4.50%	16.90%	5.46%	5.82%	6.08%	4.23%	6.00%	4.30%	24.71%	5.72%
98年第3季	手術後使用抗生素3日案件數	42	34	16	33	39	16	180	186	89	82	88	78	28	551
	清淨手術案件數	627	517	915	463	593	82	3,197	2,896	1,540	2,521	1,685	1,786	294	10,722
	清淨手術抗生素3日使用率	6.70%	6.58%	1.75%	7.13%	6.58%	19.51%	5.63%	6.42%	5.78%	3.25%	5.22%	4.37%	9.52%	5.14%
98年第4季	手術後使用抗生素3日案件數	29	12	25	30	41	5	142	179	51	80	77	98	8	493
	清淨手術案件數	640	590	936	489	702	70	3,427	2,817	1,570	2,330	1,654	1,852	239	10,462
	清淨手術抗生素3日使用率	4.53%	2.03%	2.67%	6.13%	5.84%	7.14%	4.14%	6.35%	3.25%	3.43%	4.66%	5.29%	3.35%	4.71%
98年小計	手術後使用抗生素3日案件數	137	172	84	135	125	39	692	703	362	393	351	310	137	2,256
	清淨手術案件數	2,436	2,074	3,519	1,793	2,404	282	12,508	10,980	5,826	9,526	6,307	6,824	1,002	40,465
	清淨手術抗生素3日使用率	5.62%	8.29%	2.39%	7.53%	5.20%	13.83%	5.53%	6.40%	6.21%	4.13%	5.57%	4.54%	13.67%	5.58%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之清淨手術之案件數

3. 公式說明：

分子：執行清淨手術案件，其手術醫令最大執行迄日減抗生素醫令最大執行迄日=3之案件數

分母：清淨手術案件數(案件分類為2 (論病例計酬)，且DRG碼為0163A、0163B、0209A、0209B、0290A、0471者)

4. 資料擷取日期：99年04月28日

*監測值：10.51%×(1±10%)

5. 製表單位：醫審及藥材組