

指標1.5 醫院總計

年季	層級別	醫學中心			
	分局別	台北分局	北區分局	中區分局	南區分局
91年第1季	抗生素給藥案件數	170,256	67,454	86,901	42,235
	給藥案件數	2,170,244	839,575	1,059,362	448,116
	抗生素使用率	7.85%	8.03%	8.20%	9.43%
91年第2季	抗生素給藥案件數	186,637	78,378	92,355	45,638
	給藥案件數	2,335,941	919,905	1,136,783	483,646
	抗生素使用率	7.99%	8.52%	8.12%	9.44%
91年第3季	抗生素給藥案件數	171,206	69,345	83,561	41,389
	給藥案件數	2,303,712	890,248	1,128,254	484,501
	抗生素使用率	7.43%	7.79%	7.41%	8.54%
91年第4季	抗生素給藥案件數	153,674	63,515	75,914	33,985
	給藥案件數	2,245,060	861,395	1,069,668	460,480
	抗生素使用率	6.84%	7.37%	7.10%	7.38%
91年小計	抗生素給藥案件數	681,773	278,692	338,731	163,247
	給藥案件數	9,054,957	3,511,123	4,394,067	1,876,743
	抗生素使用率	7.53%	7.94%	7.71%	8.70%
92年第1季	抗生素給藥案件數	172,685	66,599	90,878	37,881
	給藥案件數	2,186,703	837,677	1,045,217	457,919
	抗生素使用率	7.90%	7.95%	8.69%	8.27%
92年第2季	抗生素給藥案件數	94,310	43,878	60,302	29,607
	給藥案件數	1,519,476	595,882	801,131	387,015
	抗生素使用率	6.21%	7.36%	7.53%	7.65%
92年第3季	抗生素給藥案件數	137,833	60,373	75,719	36,369
	給藥案件數	1,873,943	718,056	913,319	399,495
	抗生素使用率	7.36%	8.41%	8.29%	9.10%
92年第4季	抗生素給藥案件數	155,335	64,030	83,386	37,612
	給藥案件數	2,222,706	861,091	1,063,341	463,537
	抗生素使用率	6.99%	7.44%	7.84%	8.11%
92年小計	抗生素給藥案件數	560,163	234,880	310,285	141,469
	給藥案件數	7,802,828	3,012,706	3,823,008	1,707,966
	抗生素使用率	7.18%	7.80%	8.12%	8.28%
93年第1季	抗生素給藥案件數	151,267	58,106	81,509	34,492
	給藥案件數	2,169,641	821,829	1,037,488	460,267

	抗生素使用率	6.97%	7.07%	7.86%	7.49%
93年第2季	抗生素給藥案件數	161,820	41,988	77,201	35,955
	給藥案件數	2,309,995	673,122	1,032,949	484,130
	抗生素使用率	7.01%	6.24%	7.47%	7.43%
93年第3季	抗生素給藥案件數	154,426	26,659	72,131	28,600
	給藥案件數	2,323,440	505,478	980,474	437,468
	抗生素使用率	6.65%	5.27%	7.36%	6.54%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之門診給藥案件(藥費不為0，或給藥天數不為0，或處方

3. 公式說明：

分子：給藥案件之抗生素藥品(醫令代碼為10碼，且AHFS藥理分類為08:1200)案件數。

分母：給藥案件數。

4. 資料擷取日期：93年12月2日

5. 製表單位：醫審小組

額專業醫療服務 品質指標-門診抗生素使用率(2-1)

高屏分局	東區分局	小計	台北分局	北區分局	中區分局
64,375	7,509	438,730	240,445	108,555	109,692
921,769	81,864	5,520,930	2,236,435	1,036,371	1,092,752
6.98%	9.17%	7.95%	10.75%	10.47%	10.04%
67,129	7,630	477,767	266,312	130,304	123,485
953,911	91,930	5,922,116	2,450,242	1,133,160	1,218,735
7.04%	8.30%	8.07%	10.87%	11.50%	10.13%
62,082	5,918	433,501	257,130	121,978	121,232
970,573	90,913	5,868,201	2,439,991	1,122,386	1,253,137
6.40%	6.51%	7.39%	10.54%	10.87%	9.67%
58,480	5,004	390,572	235,579	111,712	103,967
941,991	90,581	5,669,175	2,366,012	1,066,714	1,149,737
6.21%	5.52%	6.89%	9.96%	10.47%	9.04%
252,066	26,061	1,740,570	999,466	472,549	458,376
3,788,244	355,288	22,980,422	9,492,680	4,358,631	4,714,361
6.65%	7.34%	7.57%	10.53%	10.84%	9.72%
66,902	8,715	443,660	257,162	120,293	124,000
916,637	91,616	5,535,769	2,362,484	1,054,158	1,190,136
7.30%	9.51%	8.01%	10.89%	11.41%	10.42%
35,765	6,510	270,372	163,736	85,072	90,466
603,091	74,844	3,981,439	1,641,497	767,422	945,320
5.93%	8.70%	6.79%	9.97%	11.09%	9.57%
50,780	8,199	369,273	211,416	104,309	111,957
748,428	83,551	4,736,792	2,045,507	932,408	1,110,607
6.78%	9.81%	7.80%	10.34%	11.19%	10.08%
60,039	8,806	409,208	235,110	126,428	118,838
910,458	99,484	5,620,617	2,377,374	1,136,951	1,212,560
6.59%	8.85%	7.28%	9.89%	11.12%	9.80%
213,486	32,230	1,492,513	867,424	436,102	445,261
3,178,614	349,495	19,874,617	8,426,862	3,890,939	4,458,623
6.72%	9.22%	7.51%	10.29%	11.21%	9.99%
56,296	8,508	390,178	226,614	123,354	113,171
905,203	98,059	5,492,487	2,330,328	1,129,546	1,175,013

6.22%	8.68%	7.10%	9.72%	10.92%	9.63%
48,074	9,419	374,457	252,146	119,339	116,443
912,349	105,845	5,518,390	2,523,403	1,121,798	1,252,583
5.27%	8.90%	6.79%	9.99%	10.64%	9.30%
52,144	10,397	344,357	231,464	106,952	105,307
883,248	110,582	5,240,690	2,398,969	1,061,479	1,179,572
5.90%	9.40%	6.57%	9.65%	10.08%	8.93%

i調劑方式為1、0、6其中一種)。

區域醫院

南區分局	高屏分局	東區分局	小計
109,833	69,268	18,819	656,612
954,832	667,771	215,139	6,203,300
11.50%	10.37%	8.75%	10.58%
114,120	70,312	20,984	725,517
999,752	719,463	224,992	6,746,344
11.41%	9.77%	9.33%	10.75%
106,280	69,234	21,473	697,327
1,070,385	796,549	219,728	6,902,176
9.93%	8.69%	9.77%	10.10%
107,831	71,635	18,428	649,152
1,187,720	899,996	212,046	6,882,225
9.08%	7.96%	8.69%	9.43%
438,064	280,449	79,704	2,728,608
4,212,689	3,083,779	871,905	26,734,045
10.40%	9.09%	9.14%	10.21%
117,138	86,422	21,359	726,374
1,177,593	864,269	212,580	6,861,220
9.95%	10.00%	10.05%	10.59%
81,339	67,884	15,885	504,382
914,068	698,109	177,666	5,144,082
8.90%	9.72%	8.94%	9.81%
98,292	75,396	19,253	620,623
1,062,194	804,417	204,616	6,159,749
9.25%	9.37%	9.41%	10.08%
106,594	79,816	18,674	685,460
1,217,926	885,799	213,149	7,043,759
8.75%	9.01%	8.76%	9.73%
403,363	309,518	75,171	2,536,839
4,371,781	3,252,594	808,011	25,208,810
9.23%	9.52%	9.30%	10.06%
101,566	78,841	17,386	660,932
1,207,919	881,257	204,250	6,928,313

8.41%	8.95%	8.51%	9.54%
103,126	77,355	18,060	686,469
1,258,890	911,916	215,373	7,283,963
8.19%	8.48%	8.39%	9.42%
93,080	82,456	16,525	635,784
1,251,172	941,498	204,202	7,036,892
7.44%	8.76%	8.09%	9.04%

指標1.5 醫院總計

年季	層級別	地區醫院(含未評鑑醫院)			
	分局別	台北分局	北區分局	中區分局	南區分局
91年第1季	抗生素給藥案件數	234,286	155,576	207,692	174,286
	給藥案件數	1,512,622	1,119,778	1,604,575	1,136,055
	抗生素使用率	15.49%	13.89%	12.94%	15.34%
91年第2季	抗生素給藥案件數	263,446	172,712	228,890	175,480
	給藥案件數	1,615,277	1,188,574	1,672,909	1,186,683
	抗生素使用率	16.31%	14.53%	13.68%	14.79%
91年第3季	抗生素給藥案件數	257,070	163,112	218,871	168,986
	給藥案件數	1,595,289	1,203,615	1,626,818	1,144,477
	抗生素使用率	16.11%	13.55%	13.45%	14.77%
91年第4季	抗生素給藥案件數	229,156	149,294	193,055	148,367
	給藥案件數	1,585,030	1,243,625	1,534,341	999,294
	抗生素使用率	14.46%	12.00%	12.58%	14.85%
91年小計	抗生素給藥案件數	983,958	640,694	848,508	667,119
	給藥案件數	6,308,218	4,755,592	6,438,643	4,466,509
	抗生素使用率	15.60%	13.47%	13.18%	14.94%
92年第1季	抗生素給藥案件數	246,740	168,126	222,252	158,754
	給藥案件數	1,585,212	1,294,379	1,613,321	993,307
	抗生素使用率	15.57%	12.99%	13.78%	15.98%
92年第2季	抗生素給藥案件數	205,899	149,484	196,341	136,065
	給藥案件數	1,260,051	1,063,094	1,351,135	837,947
	抗生素使用率	16.34%	14.06%	14.53%	16.24%
92年第3季	抗生素給藥案件數	222,684	174,824	212,469	138,598
	給藥案件數	1,472,300	1,256,788	1,496,764	882,055
	抗生素使用率	15.12%	13.91%	14.20%	15.71%
92年第4季	抗生素給藥案件數	210,161	157,687	210,513	147,787
	給藥案件數	1,599,179	1,245,223	1,597,727	953,909
	抗生素使用率	13.14%	12.66%	13.18%	15.49%
92年小計	抗生素給藥案件數	885,484	650,121	841,575	581,204
	給藥案件數	5,916,742	4,859,484	6,058,947	3,667,218
	抗生素使用率	14.97%	13.38%	13.89%	15.85%
93年第1季	抗生素給藥案件數	197,069	148,991	191,180	147,353
	給藥案件數	1,543,255	1,227,261	1,525,966	912,627

	抗生素使用率	12.77%	12.14%	12.53%	16.15%
93年第2季	抗生素給藥案件數	214,679	162,586	182,367	142,657
	給藥案件數	1,614,473	1,280,889	1,497,948	915,457
	抗生素使用率	13.30%	12.69%	12.17%	15.58%
93年第3季	抗生素給藥案件數	208,715	160,277	176,094	132,133
	給藥案件數	1,590,533	1,280,779	1,540,757	938,988
	抗生素使用率	13.12%	12.51%	11.43%	14.07%

備註：1. 資料來源：醫療給付檔案分析系統。

2. 資料範圍：每季所有屬醫院總額之門診給藥案件（藥費不為0，或給藥天數不為0，或處方

3. 公式說明：

分子：給藥案件之抗生素藥品（醫令代碼為10碼，且AHFS藥理分類為08：1200）

分母：給藥案件數。

4. 資料擷取日期：93年12月2日

5. 製表單位：醫審小組

額專業醫療服務 品質指標-門診抗生素使用率(2-2)

醫院)					
高屏分局	東區分局	小計	台北分局	北區分局	中區分局
284,303	13,485	1,069,628	644,987	331,585	404,285
1,941,014	155,324	7,469,368	5,919,301	2,995,724	3,756,689
14.65%	8.68%	14.32%	10.90%	11.07%	10.76%
282,247	14,464	1,137,239	716,395	381,394	444,730
1,996,999	161,819	7,822,261	6,401,460	3,241,639	4,028,427
14.13%	8.94%	14.54%	11.19%	11.77%	11.04%
266,592	14,471	1,089,102	685,406	354,435	423,664
1,955,098	158,462	7,683,759	6,338,992	3,216,249	4,008,209
13.64%	9.13%	14.17%	10.81%	11.02%	10.57%
234,255	13,157	967,284	618,409	324,521	372,936
1,807,863	167,510	7,337,663	6,196,102	3,171,734	3,753,746
12.96%	7.85%	13.18%	9.98%	10.23%	9.94%
1,067,397	55,577	4,263,253	2,665,197	1,391,935	1,645,615
7,700,974	643,115	30,313,051	24,855,855	12,625,346	15,547,071
13.86%	8.64%	14.06%	10.72%	11.02%	10.58%
244,988	15,872	1,056,732	676,587	355,018	437,130
1,777,762	168,647	7,432,628	6,134,399	3,186,214	3,848,674
13.78%	9.41%	14.22%	11.03%	11.14%	11.36%
224,618	12,893	925,300	463,945	278,434	347,109
1,534,137	152,830	6,199,194	4,421,024	2,426,398	3,097,586
14.64%	8.44%	14.93%	10.49%	11.48%	11.21%
240,921	14,512	1,004,008	571,933	339,506	400,145
1,691,967	163,473	6,963,347	5,391,750	2,907,252	3,520,690
14.24%	8.88%	14.42%	10.61%	11.68%	11.37%
261,773	16,107	1,004,028	600,606	348,145	412,737
1,856,968	192,190	7,445,196	6,199,259	3,243,265	3,873,628
14.10%	8.38%	13.49%	9.69%	10.73%	10.66%
972,300	59,384	3,990,068	2,313,071	1,321,103	1,597,121
6,860,834	677,140	28,040,365	22,146,432	11,763,129	14,340,578
14.17%	8.77%	14.23%	10.44%	11.23%	11.14%
255,283	14,781	954,657	574,950	330,451	385,860
1,808,744	185,165	7,203,018	6,043,224	3,178,636	3,738,467

14.11%	7.98%	13.25%	9.51%	10.40%	10.32%
250,356	14,827	967,472	628,645	323,913	376,011
1,808,836	191,708	7,309,311	6,447,871	3,075,809	3,783,480
13.84%	7.73%	13.24%	9.75%	10.53%	9.94%
247,096	14,375	938,690	594,605	293,888	353,532
1,828,910	179,844	7,359,811	6,312,942	2,847,736	3,700,803
13.51%	7.99%	12.75%	9.42%	10.32%	9.55%

調劑方式為1、0、6其中一種）。

案件數。

合計			
南區分局	高屏分局	東區分局	小計
326,354	417,946	39,813	2,164,970
2,539,003	3,530,554	452,327	19,193,598
12.85%	11.84%	8.80%	11.28%
335,238	419,688	43,078	2,340,523
2,670,081	3,670,373	478,741	20,490,721
12.56%	11.43%	9.00%	11.42%
316,655	397,908	41,862	2,219,930
2,699,363	3,722,220	469,103	20,454,136
11.73%	10.69%	8.92%	10.85%
290,183	364,370	36,589	2,007,008
2,647,494	3,649,850	470,137	19,889,063
10.96%	9.98%	7.78%	10.09%
1,268,430	1,599,912	161,342	8,732,431
10,555,941	14,572,997	1,870,308	80,027,518
12.02%	10.98%	8.63%	10.91%
313,773	398,312	45,946	2,226,766
2,628,819	3,558,668	472,843	19,829,617
11.94%	11.19%	9.72%	11.23%
247,011	328,267	35,288	1,700,054
2,139,030	2,835,337	405,340	15,324,715
11.55%	11.58%	8.71%	11.09%
273,259	367,097	41,964	1,993,904
2,343,744	3,244,812	451,640	17,859,888
11.66%	11.31%	9.29%	11.16%
291,993	401,628	43,587	2,098,696
2,635,372	3,653,225	504,823	20,109,572
11.08%	10.99%	8.63%	10.44%
1,126,036	1,495,304	166,785	8,019,420
9,746,965	13,292,042	1,834,646	73,123,792
11.55%	11.25%	9.09%	10.97%
283,411	390,420	40,675	2,005,767
2,580,813	3,595,204	487,474	19,623,818

10.98%	10.86%	8.34%	10.22%
281,738	375,785	42,306	2,028,398
2,658,477	3,633,101	512,926	20,111,664
10.63%	10.34%	8.25%	10.09%
253,813	381,696	41,297	1,918,831
2,627,628	3,653,656	494,628	19,637,393
9.66%	10.45%	8.35%	9.77%