

指標1.5 醫院總額專業醫療服務品質指標-門診抗生素使用率(1)

| 年季     | 資料       | 醫學中心      |           |           |           |           |          |            | 區域醫院      |           |           |           |           |              |
|--------|----------|-----------|-----------|-----------|-----------|-----------|----------|------------|-----------|-----------|-----------|-----------|-----------|--------------|
|        |          | 台北分局      | 北區分局      | 中區分局      | 南區分局      | 高屏分局      | 東區分局     | 小計         | 台北分局      | 北區分局      | 中區分局      | 南區分局      | 高屏分局      | 東區分局         |
| 90年第1季 | 抗生素給藥案件數 | 170,261   | 79,339    | 98,578    | 38,435    | 77,207    | 8,548    | 472,368    | 241,285   | 122,770   | 134,164   | 105,509   | 77,120    | 15,583       |
|        | 給藥案件數    | 2,026,386 | 848,723   | 1,058,698 | 437,242   | 893,067   | 78,568   | 5,342,684  | 2,270,734 | 975,808   | 1,097,621 | 929,663   | 596,779   | 158,061      |
|        | 抗生素使用率   | 8.40%     | 9.35%     | 9.31%     | 8.79%     | 8.65%     | 10.88%   | 8.84%      | 10.63%    | 12.58%    | 12.22%    | 11.35%    | 12.92%    | 9.86%        |
| 90年第2季 | 抗生素給藥案件數 | 192,807   | 77,829    | 95,305    | 46,635    | 72,640    | 8,913    | 494,129    | 270,560   | 120,633   | 131,888   | 124,112   | 78,331    | 16,718       |
|        | 給藥案件數    | 2,277,017 | 891,165   | 1,147,954 | 467,601   | 936,951   | 85,232   | 5,805,920  | 2,363,365 | 1,078,820 | 1,191,934 | 999,282   | 656,283   | 174,681      |
|        | 抗生素使用率   | 8.47%     | 8.73%     | 8.30%     | 9.97%     | 7.75%     | 10.46%   | 8.51%      | 11.45%    | 11.18%    | 11.07%    | 12.42%    | 11.94%    | 9.57%        |
| 90年第3季 | 抗生素給藥案件數 | 170,175   | 76,773    | 93,477    | 45,484    | 70,750    | 8,542    | 465,201    | 256,834   | 121,023   | 124,005   | 111,946   | 75,002    | 19,333       |
|        | 給藥案件數    | 2,103,085 | 881,259   | 1,122,923 | 464,971   | 941,474   | 82,997   | 5,596,709  | 2,417,465 | 1,049,323 | 1,148,833 | 969,493   | 645,234   | 206,091      |
|        | 抗生素使用率   | 8.09%     | 8.71%     | 8.32%     | 9.78%     | 7.51%     | 10.29%   | 8.31%      | 10.62%    | 11.53%    | 10.79%    | 11.55%    | 11.62%    | 9.38%        |
| 90年第4季 | 抗生素給藥案件數 | 175,102   | 71,123    | 91,114    | 42,470    | 67,105    | 8,376    | 455,290    | 244,475   | 112,520   | 117,538   | 109,014   | 72,077    | 19,546       |
|        | 給藥案件數    | 2,265,737 | 889,170   | 1,152,223 | 470,055   | 965,677   | 87,575   | 5,830,437  | 2,381,098 | 1,083,652 | 1,162,121 | 1,011,943 | 720,069   | 234,626      |
|        | 抗生素使用率   | 7.73%     | 8.00%     | 7.91%     | 9.04%     | 6.95%     | 9.56%    | 7.81%      | 10.27%    | 10.38%    | 10.11%    | 10.77%    | 10.01%    | 8.33%        |
| 90年小計  | 抗生素給藥案件數 | 708,345   | 305,064   | 378,474   | 173,024   | 287,702   | 34,379   | 1,886,988  | 1,013,154 | 476,946   | 507,595   | 450,581   | 302,530   | 71,180       |
|        | 給藥案件數    | 8,672,225 | 3,510,317 | 4,481,798 | 1,839,869 | 3,737,169 | 334,372  | 22,575,750 | 9,432,662 | 4,187,603 | 4,600,509 | 3,910,381 | 2,618,365 | 773,459      |
|        | 抗生素使用率   | 8.17%     | 8.69%     | 8.44%     | 9.40%     | 7.70%     | 10.28%   | 8.36%      | 10.74%    | 11.39%    | 11.03%    | 11.52%    | 11.55%    | 9.20%        |
| 91年第1季 | 抗生素給藥案件數 | 170,256   | 67,454    | 86,901    | 42,235    | 64,375    | 7,509    | 438,730    | 240,445   | 108,555   | 109,692   | 109,833   | 69,268    | 18,819       |
|        | 給藥案件數    | 2,170,244 | 839,575   | 1,059,362 | 448,116   | 921,769   | 81,864   | 5,520,930  | 2,236,435 | 1,036,371 | 1,092,752 | 954,832   | 667,771   | 215,139      |
|        | 抗生素使用率   | 7.85%     | 8.03%     | 8.20%     | 9.43%     | 6.98%     | 9.17%    | 7.95%      | 10.75%    | 10.47%    | 10.04%    | 11.50%    | 10.37%    | 8.75%        |
| 91年第2季 | 抗生素給藥案件數 | 186,637   | 78,378    | 92,355    | 45,638    | 67,129    | 7,630    | 477,767    | 266,312   | 130,304   | 123,485   | 114,120   | 70,312    | 20,984       |
|        | 給藥案件數    | 2,335,941 | 919,905   | 1,136,783 | 483,646   | 953,911   | 91,930   | 5,922,116  | 2,450,242 | 1,133,160 | 1,218,735 | 999,752   | 719,463   | 224,992      |
|        | 抗生素使用率   | 7.99%     | 8.52%     | 8.12%     | 9.44%     | 7.04%     | 8.30%    | 8.07%      | 10.87%    | 11.50%    | 10.13%    | 11.41%    | 9.77%     | 9.33%        |
| 91年第3季 | 抗生素給藥案件數 | 171,206   | 69,345    | 83,561    | 41,389    | 62,082    | 5,918    | 433,501    | 257,130   | 121,978   | 121,232   | 106,280   | 69,234    | 21,473       |
|        | 給藥案件數    | 2,303,712 | 890,248   | 1,128,254 | 484,501   | 970,573   | 90,913   | 5,868,201  | 2,439,991 | 1,122,386 | 1,253,137 | 1,070,385 | 796,549   | 219,728      |
|        | 抗生素使用率   | 7.43%     | 7.79%     | 7.41%     | 8.54%     | 6.40%     | 6.51%    | 7.39%      | 10.54%    | 10.87%    | 9.67%     | 9.93%     | 8.69%     | 9.77%        |
| 91年第4季 | 抗生素給藥案件數 | 153,674   | 63,515    | 75,914    | 33,985    | 58,480    | 5,004    | 390,572    | 235,579   | 111,712   | 103,967   | 107,831   | 71,635    | 18,428       |
|        | 給藥案件數    | 2,245,060 | 861,395   | 1,069,668 | 460,480   | 941,991   | 90,581   | 5,669,175  | 2,366,012 | 1,066,714 | 1,149,737 | 1,187,720 | 899,996   | 212,046      |
|        | 抗生素使用率   | 6.84%     | 7.37%     | 7.10%     | 7.38%     | 6.21%     | 5.52%    | 6.89%      | 9.96%     | 10.47%    | 9.04%     | 9.08%     | 7.96%     | 8.69%        |
| 91年小計  | 抗生素給藥案件數 | 681,773   | 278,692   | 338,731   | 163,247   | 252,066   | 26,061   | 1,740,570  | 999,466   | 472,549   | 458,376   | 438,064   | 280,449   | 79,704       |
|        | 給藥案件數    | 9,054,957 | 3,511,123 | 4,394,067 | 1,876,743 | 3,788,244 | 355,288  | 22,980,422 | 9,492,680 | 4,358,631 | 4,714,361 | 4,212,689 | 3,083,779 | 871,905      |
|        | 抗生素使用率   | 7.53%     | 7.94%     | 7.71%     | 8.70%     | 6.65%     | 7.34%    | 7.57%      | 10.53%    | 10.84%    | 9.72%     | 10.40%    | 9.09%     | 9.14%        |
| 92年第1季 | 抗生素給藥案件數 | 172,685   | 66,599    | 90,878    | 37,881    | 66,902    | 8,715    | 443,660    | 257,162   | 120,293   | 124,000   | 117,138   | 86,422    | 21,359       |
|        | 給藥案件數    | 2,186,703 | 837,677   | 1,045,217 | 457,919   | 916,637   | 91,616   | 5,535,769  | 2,362,484 | 1,054,158 | 1,190,136 | 1,177,593 | 864,269   | 212,580      |
|        | 抗生素使用率   | 7.90%     | 7.95%     | 8.69%     | 8.27%     | 7.30%     | 9.51%    | 8.01%      | 10.89%    | 11.41%    | 10.42%    | 9.95%     | 10.00%    | 10.05%       |
| 92年第2季 | 抗生素給藥案件數 | 94,310    | 43,878    | 60,302    | 29,607    | 35,765    | 6,510    | 270,372    | 163,736   | 85,072    | 90,466    | 81,339    | 67,884    | 15,885       |
|        | 給藥案件數    | 1,519,476 | 595,882   | 801,131   | 387,015   | 603,091   | 74,844   | 3,981,439  | 1,641,497 | 767,422   | 945,320   | 914,068   | 698,109   | 177,666      |
|        | 抗生素使用率   | 6.21%     | 7.36%     | 7.53%     | 7.65%     | 5.93%     | 8.70%    | 6.79%      | 9.97%     | 11.09%    | 9.57%     | 8.90%     | 9.72%     | 8.94%        |
| 92年第3季 | 抗生素給藥案件數 | 137,833   | 60,373    | 75,719    | 36,369    | 50,780    | 8,199    | 369,273    | 211,416   | 104,309   | 111,957   | 98,292    | 75,396    | 19,253       |
|        | 給藥案件數    | 1,873,943 | 718,056   | 913,319   | 399,495   | 748,428   | 83,551   | 4,736,792  | 2,045,507 | 932,408   | 1,110,607 | 1,062,194 | 804,417   | 204,616      |
|        | 抗生素使用率   | 7.36%     | 8.41%     | 8.29%     | 9.10%     | 6.78%     | 9.81%    | 7.80%      | 10.34%    | 11.19%    | 10.08%    | 9.25%     | 9.37%     | 9.41%        |
| 92年第4季 | 抗生素給藥案件數 | 155,335   | 64,030    | 83,386    | 37,612    | 60,039    | 8,806    | 409,208    | 235,110   | 126,428   | 118,838   | 106,594   | 79,816    | 18,674       |
|        | 給藥案件數    | 2,222,706 | 861,091   | 1,063,341 | 463,537   | 910,458   | 99,484   | 5,620,617  | 2,377,374 | 1,136,951 | 1,212,560 | 1,217,926 | 885,799   | 213,149      |
|        | 抗生素使用率   | 6.99%     | 7.44%     | 7.84%     | 8.11%     | 6.59%     | 8.85%    | 7.28%      | 9.89%     | 11.12%    | 9.80%     | 8.75%     | 9.01%     | 8.76%        |
| 92年小計  | 抗生素給藥案件數 | 560,163   | 234,880   | 310,285   | 141,469   | 213,486   | 32,230   | 1,492,513  | 867,424   | 436,102   | 445,261   | 403,363   | 309,518   | 75,171       |
|        | 給藥案件數    | 7,802,828 | 3,012,706 | 3,823,008 | 1,707,966 | 3,178,614 | 349,495  | 19,874,617 | 8,426,862 | 3,890,939 | 4,458,623 | 4,371,781 | 3,252,594 | 808,011      |
|        | 抗生素使用率   | 7.18%     | 7.80%     | 8.12%     | 8.28%     | 6.72%     | 9.22%    | 7.51%      | 10.29%    | 11.21%    | 9.99%     | 9.23%     | 9.52%     | 9.30%        |
| 93年第1季 | 抗生素給藥案件數 | 151,267   | 58,106    | 81,509    | 34,492    | 56,296    | 8,508    | 390,178    | 226,614   | 123,354   | 113,171   | 101,566   | 78,841    | 17,386       |
|        | 給藥案件數    | 2,169,641 | 821,829   | 1,037,488 | 460,267   | 905,203   | 98,059   | 5,492,487  | 2,330,328 | 1,129,546 | 1,175,013 | 1,207,919 | 881,257   | 204,250      |
|        | 抗生素使用率   | 6.97%     | 7.07%     | 7.86%     | 7.49%     | 6.22%     | -208.68% | 7.10%      | 9.72%     | 10.92%    | 9.63%     | 8.41%     | 8.95%     | 2006/7/1451% |

|                                   |
|-----------------------------------|
|                                   |
| 小計                                |
| 696,431<br>6,028,666<br>11.55%    |
| 742,242<br>6,464,365<br>11.48%    |
| 708,143<br>6,436,439<br>11.00%    |
| 675,170<br>6,593,509<br>10.24%    |
| 2,821,986<br>25,522,979<br>11.06% |
| 656,612<br>6,203,300<br>10.58%    |
| 725,517<br>6,746,344<br>10.75%    |
| 697,327<br>6,902,176<br>10.10%    |
| 649,152<br>6,882,225<br>9.43%     |
| 2,728,608<br>26,734,045<br>10.21% |
| 726,374<br>6,861,220<br>10.59%    |
| 504,382<br>5,144,082<br>9.81%     |
| 620,623<br>6,159,749<br>10.08%    |
| 685,460<br>7,043,759<br>9.73%     |
| 2,536,839<br>25,208,810<br>10.06% |
| 660,932<br>6,928,313<br>-209.54%  |

指標1.5 醫院總額專業醫療服務品質指標-門診抗生素使用率(2)

| 年季     | 資料       | 地區醫院(未評監醫院) |           |           |           |           |         |            | 合計         |            |            |            |            |           |            |
|--------|----------|-------------|-----------|-----------|-----------|-----------|---------|------------|------------|------------|------------|------------|------------|-----------|------------|
|        |          | 台北分局        | 北區分局      | 中區分局      | 南區分局      | 高屏分局      | 東區分局    | 小計         | 台北分局       | 北區分局       | 中區分局       | 南區分局       | 高屏分局       | 東區分局      | 小計         |
| 90年第1季 | 抗生素給藥案件數 | 291,050     | 204,155   | 256,507   | 192,680   | 365,396   | 20,091  | 1,329,879  | 702,596    | 406,264    | 489,249    | 336,624    | 519,723    | 44,222    | 2,498,678  |
|        | 給藥案件數    | 1,545,673   | 1,181,963 | 1,677,522 | 1,069,603 | 2,002,171 | 197,518 | 7,674,450  | 5,842,793  | 3,006,494  | 3,833,841  | 2,436,508  | 3,492,017  | 434,147   | 19,045,800 |
|        | 抗生素使用率   | 18.83%      | 17.27%    | 15.29%    | 18.01%    | 18.25%    | 10.17%  | 17.33%     | 12.03%     | 13.51%     | 12.76%     | 13.82%     | 14.88%     | 10.19%    | 13.12%     |
| 90年第2季 | 抗生素給藥案件數 | 289,019     | 184,775   | 252,657   | 181,679   | 332,669   | 19,982  | 1,260,781  | 752,386    | 383,237    | 479,850    | 352,426    | 483,640    | 45,613    | 2,497,152  |
|        | 給藥案件數    | 1,620,239   | 1,244,954 | 1,715,719 | 1,110,175 | 2,041,412 | 207,736 | 7,940,235  | 6,260,621  | 3,214,939  | 4,055,607  | 2,577,058  | 3,634,646  | 467,649   | 20,210,520 |
|        | 抗生素使用率   | 17.84%      | 14.84%    | 14.73%    | 16.36%    | 16.30%    | 9.62%   | 15.88%     | 12.02%     | 11.92%     | 11.83%     | 13.68%     | 13.31%     | 9.75%     | 12.36%     |
| 90年第3季 | 抗生素給藥案件數 | 276,164     | 186,382   | 244,979   | 178,924   | 316,258   | 14,696  | 1,217,403  | 703,173    | 384,178    | 462,461    | 336,354    | 462,010    | 42,571    | 2,390,747  |
|        | 給藥案件數    | 1,555,281   | 1,201,260 | 1,645,157 | 1,092,915 | 1,967,059 | 163,874 | 7,625,546  | 6,075,831  | 3,131,842  | 3,916,913  | 2,527,379  | 3,553,767  | 452,962   | 19,658,694 |
|        | 抗生素使用率   | 17.76%      | 15.52%    | 14.89%    | 16.37%    | 16.08%    | 8.97%   | 15.96%     | 11.57%     | 12.27%     | 11.81%     | 13.31%     | 13.00%     | 9.40%     | 12.16%     |
| 90年第4季 | 抗生素給藥案件數 | 263,687     | 170,487   | 222,112   | 177,076   | 308,169   | 12,915  | 1,154,446  | 683,264    | 354,130    | 430,764    | 328,560    | 447,351    | 40,837    | 2,284,906  |
|        | 給藥案件數    | 1,666,005   | 1,220,599 | 1,744,589 | 1,184,906 | 2,086,096 | 163,114 | 8,065,309  | 6,312,840  | 3,193,421  | 4,058,933  | 2,666,904  | 3,771,842  | 485,315   | 20,489,255 |
|        | 抗生素使用率   | 15.83%      | 13.97%    | 12.73%    | 14.94%    | 14.77%    | 7.92%   | 14.31%     | 10.82%     | 11.09%     | 10.61%     | 12.32%     | 11.86%     | 8.41%     | 11.15%     |
| 90年小計  | 抗生素給藥案件數 | 1,119,920   | 745,799   | 976,255   | 730,359   | 1,322,492 | 67,684  | 4,962,509  | 2,841,419  | 1,527,809  | 1,862,324  | 1,353,964  | 1,912,724  | 173,243   | 9,671,483  |
|        | 給藥案件數    | 6,387,198   | 4,848,776 | 6,782,987 | 4,457,599 | 8,096,738 | 732,242 | 31,305,540 | 24,492,085 | 12,546,696 | 15,865,294 | 10,207,849 | 14,452,272 | 1,840,073 | 79,404,269 |
|        | 抗生素使用率   | 17.53%      | 15.38%    | 14.39%    | 16.38%    | 16.33%    | 9.24%   | 15.85%     | 11.60%     | 12.18%     | 11.74%     | 13.26%     | 13.23%     | 9.42%     | 12.18%     |
| 91年第1季 | 抗生素給藥案件數 | 234,286     | 155,576   | 207,692   | 174,286   | 284,303   | 13,485  | 1,069,628  | 644,987    | 331,585    | 404,285    | 326,354    | 417,946    | 39,813    | 2,164,970  |
|        | 給藥案件數    | 1,512,622   | 1,119,778 | 1,604,575 | 1,136,055 | 1,941,014 | 155,324 | 7,469,368  | 5,919,301  | 2,995,724  | 3,756,689  | 2,539,003  | 3,530,554  | 452,327   | 19,193,598 |
|        | 抗生素使用率   | 15.49%      | 13.89%    | 12.94%    | 15.34%    | 14.65%    | 8.68%   | 14.32%     | 10.90%     | 11.07%     | 10.76%     | 12.85%     | 11.84%     | 8.80%     | 11.28%     |
| 91年第2季 | 抗生素給藥案件數 | 263,446     | 172,712   | 228,890   | 175,480   | 282,247   | 14,464  | 1,137,239  | 716,395    | 381,394    | 444,730    | 335,238    | 419,688    | 43,078    | 2,340,523  |
|        | 給藥案件數    | 1,615,277   | 1,188,574 | 1,672,909 | 1,186,683 | 1,996,999 | 161,819 | 7,822,261  | 6,401,460  | 3,241,639  | 4,028,427  | 2,670,081  | 3,670,373  | 478,741   | 20,490,721 |
|        | 抗生素使用率   | 16.31%      | 14.53%    | 13.68%    | 14.79%    | 14.13%    | 8.94%   | 14.54%     | 11.19%     | 11.77%     | 11.04%     | 12.56%     | 11.43%     | 9.00%     | 11.42%     |
| 91年第3季 | 抗生素給藥案件數 | 257,070     | 163,112   | 218,871   | 168,986   | 266,592   | 14,471  | 1,089,102  | 685,406    | 354,435    | 423,664    | 316,655    | 397,908    | 41,862    | 2,219,930  |
|        | 給藥案件數    | 1,595,289   | 1,203,615 | 1,626,818 | 1,144,477 | 1,955,098 | 158,462 | 7,683,759  | 6,338,992  | 3,216,249  | 4,008,209  | 2,699,363  | 3,722,220  | 469,103   | 20,454,136 |
|        | 抗生素使用率   | 16.11%      | 13.55%    | 13.45%    | 14.77%    | 13.64%    | 9.13%   | 14.17%     | 10.81%     | 11.02%     | 10.57%     | 11.73%     | 10.69%     | 8.92%     | 10.85%     |
| 91年第4季 | 抗生素給藥案件數 | 229,156     | 149,294   | 193,055   | 148,367   | 234,255   | 13,157  | 967,284    | 618,409    | 324,521    | 372,936    | 290,183    | 364,370    | 36,589    | 2,007,008  |
|        | 給藥案件數    | 1,585,030   | 1,243,625 | 1,534,341 | 999,294   | 1,807,863 | 167,510 | 7,337,663  | 6,196,102  | 3,171,734  | 3,753,746  | 2,647,494  | 3,649,850  | 470,137   | 19,889,063 |
|        | 抗生素使用率   | 14.46%      | 12.00%    | 12.58%    | 14.85%    | 12.96%    | 7.85%   | 13.18%     | 9.98%      | 10.23%     | 9.94%      | 10.96%     | 9.98%      | 7.78%     | 10.09%     |
| 91年小計  | 抗生素給藥案件數 | 983,958     | 640,694   | 848,508   | 667,119   | 1,067,397 | 55,577  | 4,263,253  | 2,665,197  | 1,391,935  | 1,645,615  | 1,268,430  | 1,599,912  | 161,342   | 8,732,431  |
|        | 給藥案件數    | 6,308,218   | 4,755,592 | 6,438,643 | 4,466,509 | 7,700,974 | 643,115 | 30,313,051 | 24,855,855 | 12,625,346 | 15,547,071 | 10,555,941 | 14,572,997 | 1,870,308 | 80,027,518 |
|        | 抗生素使用率   | 15.60%      | 13.47%    | 13.18%    | 14.94%    | 13.86%    | 8.64%   | 14.06%     | 10.72%     | 11.02%     | 10.58%     | 12.02%     | 10.98%     | 8.63%     | 10.91%     |
| 92年第1季 | 抗生素給藥案件數 | 246,740     | 168,126   | 222,252   | 158,754   | 244,988   | 15,872  | 1,056,732  | 676,587    | 355,018    | 437,130    | 313,773    | 398,312    | 45,946    | 2,226,766  |
|        | 給藥案件數    | 1,585,212   | 1,294,379 | 1,613,321 | 993,307   | 1,777,762 | 168,647 | 7,432,628  | 6,134,399  | 3,186,214  | 3,848,674  | 2,628,819  | 3,558,668  | 472,843   | 19,829,617 |
|        | 抗生素使用率   | 15.57%      | 12.99%    | 13.78%    | 15.98%    | 13.78%    | 9.41%   | 14.22%     | 11.03%     | 11.14%     | 11.36%     | 11.94%     | 11.19%     | 9.72%     | 11.23%     |
| 92年第2季 | 抗生素給藥案件數 | 205,899     | 149,484   | 196,341   | 136,065   | 224,618   | 12,893  | 925,300    | 463,945    | 278,434    | 347,109    | 247,011    | 328,267    | 35,288    | 1,700,054  |
|        | 給藥案件數    | 1,260,051   | 1,063,094 | 1,351,135 | 837,947   | 1,534,137 | 152,830 | 6,199,194  | 4,421,024  | 2,426,398  | 3,097,586  | 2,139,030  | 2,835,337  | 405,340   | 15,324,715 |
|        | 抗生素使用率   | 16.34%      | 14.06%    | 14.53%    | 16.24%    | 14.64%    | 8.44%   | 14.93%     | 10.49%     | 11.48%     | 11.21%     | 11.55%     | 11.58%     | 8.71%     | 11.09%     |
| 92年第3季 | 抗生素給藥案件數 | 222,684     | 174,824   | 212,469   | 138,598   | 240,921   | 14,512  | 1,004,008  | 571,933    | 339,506    | 400,145    | 273,259    | 367,097    | 41,964    | 1,993,904  |
|        | 給藥案件數    | 1,472,300   | 1,256,788 | 1,496,764 | 882,055   | 1,691,967 | 163,473 | 6,963,347  | 5,391,750  | 2,907,252  | 3,520,690  | 2,343,744  | 3,244,812  | 451,640   | 17,859,888 |
|        | 抗生素使用率   | 15.12%      | 13.91%    | 14.20%    | 15.71%    | 14.24%    | 8.88%   | 14.42%     | 10.61%     | 11.68%     | 11.37%     | 11.66%     | 11.31%     | 9.29%     | 11.16%     |
| 92年第4季 | 抗生素給藥案件數 | 210,161     | 157,687   | 210,513   | 147,787   | 261,773   | 16,107  | 1,004,028  | 600,606    | 348,145    | 412,737    | 291,993    | 401,628    | 43,587    | 2,098,696  |
|        | 給藥案件數    | 1,599,179   | 1,245,223 | 1,597,727 | 953,909   | 1,856,968 | 192,190 | 7,445,196  | 6,199,259  | 3,243,265  | 3,873,628  | 2,635,372  | 3,653,225  | 504,823   | 20,109,572 |
|        | 抗生素使用率   | 13.14%      | 12.66%    | 13.18%    | 15.49%    | 14.10%    | 8.38%   | 13.49%     | 9.69%      | 10.73%     | 10.66%     | 11.08%     | 10.99%     | 8.63%     | 10.44%     |
| 92年小計  | 抗生素給藥案件數 | 885,484     | 650,121   | 841,575   | 581,204   | 972,300   | 59,384  | 3,990,068  | 2,313,071  | 1,321,103  | 1,597,121  | 1,126,036  | 1,495,304  | 166,785   | 8,019,420  |
|        | 給藥案件數    | 5,916,742   | 4,859,484 | 6,058,947 | 3,667,218 | 6,860,834 | 677,140 | 28,040,365 | 22,146,432 | 11,763,129 | 14,340,578 | 9,746,965  | 13,292,042 | 1,834,646 | 73,123,792 |
|        | 抗生素使用率   | 14.97%      | 13.38%    | 13.89%    | 15.85%    | 14.17%    | 8.77%   | 14.23%     | 10.44%     | 11.23%     | 11.14%     | 11.55%     | 11.25%     | 9.09%     | 10.97%     |
| 93年第1季 | 抗生素給藥案件數 | 197,069     | 148,991   | 191,180   | 147,353   | 255,283   | 14,781  | 954,657    | 574,950    | 330,451    | 385,860    | 283,411    | 390,420    | 40,675    | 2,005,767  |
|        | 給藥案件數    | 1,543,255   | 1,227,261 | 1,525,966 | 912,627   | 1,808,744 | 185,165 | 7,203,018  | 6,043,224  | 3,178,636  | 3,738,467  | 2,580,813  | 3,595,204  | 487,474   | 19,623,818 |
|        | 抗生素使用率   | 12.77%      | 12.14%    | 12.53%    | 16.15%    | 14.11%    | 7.98%   | 13.25%     | 9.51%      | 10.40%     | 10.32%     | 10.98%     | 10.86%     | 8.34%     | 10.22%     |

備註：

1. 資料來源：醫療給付檔案分析系統
2. 資料範圍：每季所有屬醫院總額之門診給藥案件（藥費不為0，或給藥天數不為0，或處方調劑方式為1、0、6其中一種）
3. 公式說明：  
分子：給藥案件之抗生素藥品（醫令代碼為10碼，且AHFS藥理分類為08：1200）案件數  
分母：給藥案件數
4. 指標解讀：屬負向指標
5. 資料擷取日期：93年5月30日
6. 製表日期：93年6月30日