

表1：長期使用呼吸器醫療品質指標-新病人數統計

分局	人數統計階段	94Q1	94Q2	94Q3	94Q4	94年	95Q1	95Q2	95Q3	95Q4	95年	96Q1	96Q2	96Q3	96Q4	96年	97Q1	97Q2	97Q3	97Q4	97年	98Q1	98Q2	98Q3	98Q4	98年	99Q1
臺北業務組	使用呼吸器新病人數	10,358	10,947	10,571	10,685	42,561	10,823	11,064	10,894	11,182	43,963	11,806	12,062	11,774	12,102	47,744	12,515	12,089	11,434	12,186	48,224	12,528	12,833	12,340	12,426	50,127	12,659
	新病患使用呼吸器進入22~63日人數	1,967	2,005	1,858	1,809	7,639	1,832	1,777	1,736	1,802	7,147	2,070	1,986	2,019	1,947	8,022	2,075	2,076	1,942	2,025	8,118	2,124	2,129	2,008	2,018	8,279	2,132
	新病患使用呼吸器≥64日人數	716	690	619	612	2,637	613	560	615	605	2,393	700	699	696	669	2,764	737	681	688	690	2,796	723	771	716	698	2,908	758
北區業務組	使用呼吸器新病人數	5,974	5,853	5,613	5,719	23,159	5,881	5,752	5,561	5,681	22,875	6,025	5,756	5,889	5,928	23,598	6,219	5,960	5,649	5,816	23,644	5,972	5,961	5,732	6,088	23,753	6,001
	新病患使用呼吸器進入22~63日人數	958	1,014	962	878	3,812	865	908	892	898	3,563	999	976	910	907	3,792	1,025	970	874	931	3,800	1,001	944	835	850	3,630	896
	新病患使用呼吸器≥64日人數	317	414	405	334	1,470	322	367	355	317	1,361	363	359	349	345	1,416	350	379	329	308	1,366	341	351	276	304	1,272	316
中區業務組	使用呼吸器新病人數	8,846	8,473	8,376	8,255	33,950	8,337	8,413	7,738	8,071	32,559	8,718	8,710	8,224	8,865	34,517	9,255	8,988	8,606	9,217	36,066	9,382	9,018	8,615	9,141	36,156	9,125
	新病患使用呼吸器進入22~63日人數	1,879	1,755	1,605	1,557	6,796	1,611	1,697	1,378	1,477	6,163	1,746	1,619	1,496	1,608	6,469	1,634	1,501	1,447	1,578	6,160	1,583	1,514	1,375	1,436	5,908	1,547
	新病患使用呼吸器≥64日人數	755	683	580	539	2,557	555	582	469	452	2,058	569	511	472	480	2,032	504	477	433	527	1,941	461	466	433	451	1,811	472
南區業務組	使用呼吸器新病人數	6,082	6,006	5,989	5,989	24,066	6,198	6,092	6,062	6,230	24,582	6,565	6,141	6,128	6,332	25,166	6,715	6,440	6,110	6,606	25,871	6,605	6,405	6,366	6,630	26,006	6,687
	新病患使用呼吸器進入22~63日人數	1,160	1,103	996	885	4,144	1,007	957	963	988	3,915	1,106	1,008	1,018	967	4,099	1,070	1,079	1,018	1,094	4,261	1,057	973	1,022	1,012	4,064	1,055
	新病患使用呼吸器≥64日人數	438	391	373	281	1,483	349	325	331	352	1,357	386	353	343	361	1,443	361	411	366	407	1,545	416	364	371	377	1,528	369
高屏業務組	使用呼吸器新病人數	6,628	6,453	6,854	6,789	26,724	6,701	6,587	6,514	6,742	26,544	7,066	6,667	6,707	6,878	27,318	7,396	6,914	6,621	6,834	27,765	7,070	6,818	6,697	6,810	27,395	6,832
	新病患使用呼吸器進入22~63日人數	1,269	1,308	1,282	1,124	4,983	1,147	1,118	1,082	1,082	4,429	1,187	1,087	1,089	1,082	4,445	1,237	1,053	1,034	1,062	4,386	1,104	1,072	1,038	1,167	4,381	1,112
	新病患使用呼吸器≥64日人數	473	516	556	465	2,010	424	439	427	444	1,734	463	440	431	426	1,760	509	410	395	379	1,693	418	418	374	454	1,664	418
東區業務組	使用呼吸器新病人數	1,685	1,608	1,558	1,576	6,427	1,551	1,552	1,585	1,605	6,293	1,650	1,551	1,553	1,637	6,391	1,627	1,559	1,458	1,526	6,170	1,538	1,548	1,570	1,591	6,247	1,626
	新病患使用呼吸器進入22~63日人數	319	280	240	264	1,103	258	282	273	264	1,077	314	241	255	244	1,054	301	260	273	285	1,119	301	298	259	259	1,117	275
	新病患使用呼吸器≥64日人數	110	81	62	73	326	71	105	92	79	347	112	92	83	78	365	111	83	98	90	382	108	108	82	101	399	96
合計	使用呼吸器新病人數	39,573	39,340	38,961	39,013	156,887	39,491	39,460	38,354	39,511	156,816	41,830	40,887	40,275	41,742	164,734	43,727	41,950	39,878	42,185	167,740	43,095	42,583	41,320	42,686	169,684	42,930
	新病患使用呼吸器進入22~63日人數	7,552	7,465	6,943	6,517	28,477	6,720	6,739	6,324	6,511	26,294	7,422	6,917	6,787	6,755	27,881	7,342	6,939	6,588	6,975	27,844	7,170	6,930	6,537	6,742	27,379	7,017
	新病患使用呼吸器≥64日人數	2,809	2,775	2,595	2,304	10,483	2,334	2,378	2,289	2,249	9,250	2,593	2,454	2,374	2,359	9,780	2,572	2,441	2,309	2,401	9,723	2,467	2,478	2,252	2,385	9,582	2,429

註：1.每季新使用呼吸器病人追蹤至次季，依連續使用天數區分三段期間(1~21日、22~63日、≥64日)。
2.當季內有中斷超過5日以上病人重新起算。

表2：長期使用呼吸器醫療品質指標 - 全局

指標名稱	94Q1	94Q2	94Q3	94Q4	94年	95Q1	95Q2	95Q3	95Q4	95年	96Q1	96Q2	96Q3	96年	97Q1	97Q2	97Q3	97Q4	97年	98Q1	98Q2	98Q3	98Q4	98年	99Q1
新病人使用呼吸器急性期(1~21日)指標																									
1 新使用呼吸器病人於連續使用呼吸器1~21日期間住ICU人數比率	80.4%	81.4%	81.9%	83.0%	81.7%	82.4%	82.8%	83.1%	83.1%	82.8%	82.1%	83.0%	82.3%	82.6%	81.7%	83.1%	82.9%	83.3%	82.7%	82.3%	82.8%	83.1%	83.2%	82.8%	82.3%
2 新使用呼吸器病人於連續使用呼吸器1~21日期間住ICU日數比率	73.3%	73.7%	74.5%	75.4%	74.2%	75.3%	75.1%	74.8%	75.8%	75.2%	75.6%	75.5%	75.0%	75.4%	75.0%	75.6%	74.9%	75.3%	75.2%	74.8%	74.4%	74.9%	75.5%	74.9%	76.5%
3 新使用呼吸器病人於連續使用呼吸器1~21日期間平均住ICU日數	6.24	6.31	6.15	6.07	6.19	6.18	6.21	6.01	6.16	6.14	6.42	6.24	6.13	6.24	6.29	6.27	6.13	6.19	6.22	6.24	6.13	5.98	6.04	6.10	6.27
4 新使用呼吸器病人於連續使用呼吸器1~21日期間死亡率	26.5%	23.3%	23.9%	24.4%	24.5%	24.7%	22.8%	23.2%	23.4%	23.5%	23.9%	22.0%	23.0%	22.7%	24.3%	21.6%	22.0%	22.4%	22.6%	23.4%	21.3%	21.8%	21.6%	22.0%	22.6%
5 新使用呼吸器病人於連續使用呼吸器1~21日期間脫離呼吸器超過5日之人數比率	54.4%	57.7%	58.2%	58.9%	57.3%	58.3%	60.2%	60.3%	60.1%	59.7%	58.4%	61.1%	60.1%	60.3%	58.9%	61.8%	61.4%	61.1%	60.8%	60.0%	62.5%	62.4%	62.6%	61.9%	61.1%
6 新使用呼吸器病人連續使用呼吸器>21日人數比率	19.1%	19.0%	17.8%	16.7%	18.2%	17.0%	17.1%	16.5%	16.5%	16.8%	17.7%	16.9%	16.9%	16.9%	16.8%	16.5%	16.5%	16.5%	16.6%	16.6%	16.3%	15.8%	15.8%	16.1%	16.3%
新病人使用呼吸器脫離期(22~63日)指標																									
7 連續使用呼吸器>=22日病人於連續使用呼吸器22~63日期間住ICU人數比率	35.2%	35.6%	35.3%	34.6%	35.2%	33.9%	34.4%	33.2%	33.7%	33.8%	34.0%	32.8%	33.5%	33.2%	32.0%	31.9%	31.0%	31.8%	31.7%	31.4%	28.9%	32.0%	31.4%	30.9%	31.6%
8 連續使用呼吸器>=22日病人於連續使用呼吸器22~63日期間住ICU日數比率	29.3%	30.0%	29.6%	29.4%	29.6%	28.7%	28.3%	27.6%	28.3%	28.2%	28.4%	27.7%	27.9%	27.7%	26.6%	26.4%	25.3%	25.3%	25.9%	25.8%	24.4%	25.6%	25.6%	25.3%	26.6%
9 連續使用呼吸器>=22日病人於連續使用呼吸器22~63日期間有住過RCC人數比率	20.1%	19.0%	21.1%	22.8%	20.7%	25.4%	23.8%	24.9%	27.2%	25.3%	26.5%	27.6%	26.7%	27.3%	28.6%	27.7%	28.0%	28.5%	28.2%	28.6%	28.2%	28.5%	29.1%	28.6%	31.2%
10 連續使用呼吸器>=22日病人於連續使用呼吸器22~63日期間未住過ICU且未住過RCC人數比率	31.7%	32.5%	31.1%	31.4%	31.7%	29.2%	31.0%	31.2%	28.6%	30.0%	28.7%	29.0%	30.4%	29.3%	30.0%	31.1%	32.0%	31.2%	31.0%	31.5%	33.7%	32.3%	31.7%	32.3%	30.0%
11 連續使用呼吸器>=22日病人於連續使用呼吸器22~63日期間死亡率	23.6%	22.6%	21.9%	22.7%	22.7%	24.0%	23.7%	23.3%	23.1%	23.5%	24.6%	22.3%	23.7%	23.2%	24.5%	23.4%	24.2%	24.5%	24.2%	24.8%	23.2%	23.2%	24.1%	23.8%	24.0%
12 連續使用呼吸器>=22日病人於連續使用呼吸器22~63日期間脫離呼吸器超過5日之人數比率	39.2%	40.2%	40.7%	42.0%	40.5%	41.3%	41.0%	40.5%	42.3%	41.3%	40.4%	42.2%	41.3%	41.7%	40.5%	41.4%	40.7%	41.1%	40.9%	40.8%	41.0%	42.3%	40.5%	41.2%	41.4%
13 連續使用呼吸器>=22日病人中連續使用呼吸器>63日人數比率	37.2%	37.2%	37.4%	35.4%	36.8%	34.7%	35.3%	36.2%	34.5%	35.2%	34.9%	35.5%	35.0%	35.1%	35.0%	35.2%	35.0%	34.4%	34.9%	34.4%	35.8%	34.5%	35.4%	35.0%	34.6%
14 連續使用呼吸器>=22日病人於連續使用呼吸器22~63日期間回轉ICU人數比率	8.9%	8.5%	8.7%	8.4%	8.6%	8.5%	7.9%	8.0%	7.7%	8.1%	7.0%	7.2%	7.1%	7.1%	6.3%	7.2%	7.0%	6.9%	6.8%	6.8%	6.6%	6.6%	7.0%	6.7%	6.7%
新病人使用呼吸器依賴期(≥64日)指標																									
15 呼吸器依賴病人於連續使用呼吸器>=64日期間住ICU人數比率	26.5%	25.7%	27.8%	27.7%	26.9%	25.6%	24.7%	25.0%	23.6%	24.7%	23.2%	24.3%	25.6%	24.1%	22.1%	23.2%	21.6%	22.0%	22.2%	22.2%	23.4%	21.5%	21.9%	22.3%	22.7%
16 呼吸器依賴病人於連續使用呼吸器>=64日期間住ICU日數比率	6.9%	7.5%	7.6%	8.3%	7.5%	7.3%	5.8%	6.5%	7.7%	6.8%	6.9%	7.2%	7.5%	7.2%	7.4%	6.4%	5.7%	6.4%	6.5%	5.8%	6.3%	5.6%	5.5%	5.8%	6.1%
17 呼吸器依賴病人於連續使用呼吸器1~63日期間未住過ICU但住過RCC人數比率	0.2%	0.4%	0.2%	0.2%	0.3%	0.5%	0.6%	0.5%	0.4%	0.5%	0.2%	0.6%	0.3%	0.3%	0.5%	0.5%	0.6%	0.3%	0.5%	0.2%	0.6%	0.3%	0.4%	0.4%	0.5%
18 呼吸器依賴病人於連續使用呼吸器1~63日期間未住過ICU且未住過RCC人數比率	27.0%	25.8%	25.0%	25.5%	25.9%	22.4%	27.6%	27.3%	23.7%	25.3%	21.6%	24.9%	24.7%	23.6%	24.3%	25.5%	27.3%	26.7%	26.0%	25.9%	27.4%	28.5%	25.7%	26.9%	22.6%
19 呼吸器依賴病人於連續使用呼吸器>=64日期間死亡率	30.3%	29.5%	29.5%	30.2%	29.9%	29.0%	28.9%	28.4%	29.2%	28.9%	30.5%	25.7%	30.7%	28.9%	29.2%	28.1%	28.3%	28.3%	28.5%	26.0%	30.8%	23.3%	28.0%	27.0%	29.1%
20 呼吸器依賴病人於連續使用呼吸器>=64日期間使用抗生素3日以上人數比率	72.3%	73.5%	73.3%	72.1%	72.8%	71.7%	73.5%	71.6%	71.7%	72.2%	71.0%	72.2%	72.7%	71.9%	71.6%	70.5%	71.2%	69.5%	70.7%	69.2%	69.8%	70.2%	71.4%	70.1%	70.3%
21 呼吸器依賴病人於連續使用呼吸器>=64日期間使用抗生素7日以上人數比率	64.2%	63.5%	64.1%	62.7%	63.7%	62.9%	64.7%	62.8%	63.1%	63.4%	63.4%	64.7%	62.9%	63.3%	62.8%	61.7%	61.5%	60.5%	61.6%	61.0%	61.1%	60.7%	62.0%	61.2%	61.9%
22 呼吸器依賴病人於第94日內脫離人數比率	12.4%	13.6%	13.8%	12.6%	13.1%	12.8%	11.9%	12.7%	12.0%	12.3%	12.5%	15.0%	11.9%	13.0%	12.1%	12.0%	11.2%	11.3%	11.7%	11.5%	10.9%	11.1%	9.2%	10.6%	
23 呼吸器依賴病人於第124日內脫離人數比率	16.6%	18.7%	19.8%	18.2%	18.3%	18.4%	16.9%	17.5%	17.7%	17.6%	17.8%	20.8%	17.3%	18.5%	17.8%	16.7%	15.5%	16.0%	16.5%	15.8%	14.7%	13.8%	12.9%	14.3%	
呼吸器依賴(使用≥64日)所有病人相關指標																									
24 呼吸器依賴所有病人於連續使用呼吸器>=64日期間住ICU人數比率	18.5%	19.0%	18.8%	19.6%	19.0%	19.2%	18.7%	17.8%	18.1%	18.5%	18.1%	17.3%	17.4%	17.7%	16.4%	16.3%	16.2%	16.1%	16.2%	16.5%	16.8%	16.1%	15.6%	16.2%	15.9%
25 呼吸器依賴所有病人於連續使用呼吸器>=64日期間回轉ICU人數比率	13.2%	13.3%	13.7%	14.5%	13.7%	14.4%	13.5%	13.1%	13.6%	13.6%	13.3%	12.7%	12.3%	12.7%	11.5%	11.5%	11.9%	11.9%	11.7%	12.1%	12.5%	11.8%	11.6%	12.0%	11.4%
其他指標																									
26 住ICU病人有使用呼吸器人數比率	56.5%	56.1%	55.2%	54.2%	55.5%	54.6%	54.6%	53.6%	54.1%	54.2%	56.3%	55.7%	54.9%	55.4%	57.0%	55.7%	54.6%	54.9%	55.5%	56.7%	55.4%	54.3%	54.0%	55.1%	55.2%

註：1.每季新病人監控指標：

- (1) 每季新使用呼吸器病人追蹤至次季，依連續使用天數區分出三段期間(1~21日、22~63日、≥64日)。
- (2) 當季內有中斷超過5日以上病人重新起算。
- (3) 依各指標定義計算每段使用呼吸器期間內之分子、分母及指標值。

2.每季呼吸器依賴所有病人監控指標：

- (1) 當季使用呼吸器所有病人往前追蹤2季，找出已連續使用呼吸器≥64日之病人。
- (2) 依各指標定義計算使用呼吸器≥64日期間之分子、分母及指標值。

3.第1~21項指標統計期間為當季至次季季底；第22~23項指標統計期間為當季至次季第2個月；第24~25項指標統計期間為當季往前2季且往後至次季第2個月；第26項指標統計期間為當季。

表3-1：長期使用呼吸器醫療品質指標 -臺北業務組

指標名稱	94Q1	94Q2	94Q3	94Q4	94年	95Q1	95Q2	95Q3	95Q4	95年	96Q1	96Q2	96Q3	96年	97Q1
新病人使用呼吸器急性期(1~21日)指標															
1 新使用呼吸器病人於連續使用呼吸器1~21日期間住ICU人數比率	83.6%	84.7%	85.3%	85.7%	84.8%	85.5%	86.3%	85.9%	86.2%	86.0%	85.2%	85.2%	84.61%	84.9%	83.52%
2 新使用呼吸器病人於連續使用呼吸器1~21日期間住ICU日數比率	75.8%	77.3%	79.0%	77.9%	77.5%	77.7%	78.0%	77.6%	77.3%	77.6%	77.5%	75.9%	75.69%	76.4%	75.90%
3 新使用呼吸器病人於連續使用呼吸器1~21日期間平均住ICU日數	6.46	6.42	6.50	6.20	6.39	6.27	6.27	6.10	6.13	6.19	6.46	6.12	6.11	6.18	6.28
4 新使用呼吸器病人於連續使用呼吸器1~21日期間死亡率	23.4%	19.9%	20.6%	21.3%	21.3%	21.2%	20.1%	20.1%	20.5%	20.5%	20.7%	19.6%	20.00%	19.93%	22.21%
5 新使用呼吸器病人於連續使用呼吸器1~21日期間脫離呼吸器超過5日之人數比率	57.6%	61.8%	61.8%	61.8%	60.8%	61.8%	63.9%	63.9%	63.4%	63.3%	61.8%	63.9%	62.85%	63.26%	61.21%
6 新使用呼吸器病人連續使用呼吸器>21日人數比率	19.0%	18.3%	17.6%	16.9%	17.9%	16.9%	16.1%	15.9%	16.1%	16.3%	17.5%	16.5%	17.15%	16.81%	16.58%
新病人使用呼吸器脫離期(22~63日)指標															
7 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間住ICU人數比率	43.8%	45.4%	45.1%	43.6%	44.5%	43.7%	43.3%	42.3%	41.2%	42.6%	42.8%	39.7%	40.07%	40.4%	37.40%
8 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間住ICU日數比率	38.8%	40.3%	39.6%	38.8%	39.4%	37.7%	37.1%	36.0%	34.5%	36.3%	37.2%	33.5%	33.89%	34.7%	32.14%
9 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間有住過RCC人數比率	11.6%	11.9%	13.0%	14.2%	12.6%	15.1%	15.7%	16.0%	18.1%	16.2%	17.4%	18.6%	17.73%	18.1%	19.66%
10 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間未住過ICU且未住過RCC人數比率	30.1%	28.7%	26.4%	30.0%	28.8%	29.6%	29.8%	30.0%	30.1%	29.9%	28.5%	29.8%	31.10%	30.1%	31.42%
11 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間死亡率	22.9%	22.7%	23.4%	22.8%	22.9%	24.3%	25.4%	21.9%	24.0%	23.9%	24.3%	21.8%	23.97%	23.3%	24.87%
12 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間脫離呼吸器超過5日之人數比率	40.7%	42.9%	43.3%	43.4%	42.5%	42.2%	43.1%	42.7%	42.5%	42.6%	41.9%	43.0%	41.56%	42.3%	39.61%
13 連續使用呼吸器≥22日病人中連續使用呼吸器>63日人數比率	36.4%	34.4%	33.3%	33.8%	34.5%	33.5%	31.5%	35.4%	33.6%	33.5%	33.8%	35.2%	34.47%	34.5%	35.52%
14 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間回轉ICU人數比率	7.3%	8.1%	7.9%	7.1%	7.6%	8.1%	7.1%	7.3%	7.5%	7.5%	6.0%	7.2%	7.03%	6.9%	6.55%
新病人使用呼吸器依賴期(≥64日)指標															
15 呼吸器依賴病人於連續使用呼吸器≥64日期間住ICU人數比率	32.3%	30.7%	32.3%	34.5%	32.4%	31.3%	30.7%	31.5%	27.4%	30.3%	30.6%	29.5%	31.32%	29.9%	27.41%
16 呼吸器依賴病人於連續使用呼吸器≥64日期間住ICU日數比率	10.3%	11.3%	10.0%	11.2%	10.7%	11.0%	9.0%	9.0%	9.1%	9.5%	9.2%	9.6%	9.52%	9.1%	9.32%
17 呼吸器依賴病人於連續使用呼吸器1~63日期間未住過ICU但住過RCC人數比率	0.3%	0.3%	0.0%	0.3%	0.2%	0.2%	0.2%	0.5%	0.7%	0.4%	0.3%	0.4%	0.00%	0.2%	0.54%
18 呼吸器依賴病人於連續使用呼吸器1~63日期間未住過ICU且未住過RCC人數比率	23.3%	18.8%	18.9%	18.8%	20.1%	16.6%	20.9%	23.9%	23.8%	21.3%	19.3%	25.6%	25.00%	23.0%	21.30%
19 呼吸器依賴病人於連續使用呼吸器≥64日期間死亡率	33.4%	28.0%	30.4%	31.2%	30.8%	29.5%	28.9%	27.3%	26.1%	28.0%	32.0%	25.6%	31.32%	29.5%	26.19%
20 呼吸器依賴病人於連續使用呼吸器≥64日期間使用抗生素3日以上人數比率	75.6%	74.2%	75.4%	75.0%	75.0%	76.3%	75.9%	73.8%	75.2%	75.3%	74.7%	76.1%	77.16%	75.8%	74.49%
21 呼吸器依賴病人於連續使用呼吸器≥64日期間使用抗生素7日以上人數比率	67.3%	64.6%	65.6%	65.2%	65.7%	67.7%	67.1%	63.7%	66.9%	66.4%	68.6%	70.0%	67.96%	68.0%	65.81%
22 呼吸器依賴病人於第94日內脫離人數比率	14.5%	15.2%	14.4%	12.2%	14.1%	12.7%	10.1%	12.6%	12.6%	12.0%	11.5%	13.5%	8.53%	11.3%	10.98%
23 呼吸器依賴病人於第124日內脫離人數比率	18.5%	20.4%	18.5%	17.4%	18.7%	17.7%	14.3%	16.3%	18.0%	16.6%	16.5%	17.1%	13.66%	16.0%	16.40%
呼吸器依賴(使用≥64日)所有病人相關指標															
24 呼吸器依賴所有病人於連續使用呼吸器≥64日期間住ICU人數比率	18.8%	19.9%	19.1%	19.6%	19.4%	20.2%	19.2%	18.2%	18.7%	19.0%	18.5%	18.5%	18.41%	18.7%	17.62%
25 呼吸器依賴所有病人於連續使用呼吸器≥64日期間回轉ICU人數比率	11.4%	12.0%	13.1%	13.1%	12.4%	13.1%	12.3%	12.0%	13.2%	12.7%	12.2%	12.6%	12.25%	12.5%	11.80%
其他指標															
26 住ICU病人有使用呼吸器人數比率	57.9%	58.5%	56.7%	56.1%	57.3%	55.5%	56.0%	53.6%	55.7%	55.2%	57.7%	58.4%	57.73%	57.6%	59.09%

註：1.每季新病人監控指標：

- (1) 每季新使用呼吸器病人追蹤至次季，依連續使用天數區分出三段期間(1~21日、22~63日、≥64日)。
- (2) 當季內有中斷超過5日以上病人重新起算。
- (3) 依各指標定義計算每段使用呼吸器期間內之分子、分母及指標值。

2.每季呼吸器依賴所有病人監控指標：

- (1) 當季使用呼吸器所有病人往前追蹤2季，找出已連續使用呼吸器≥64日之病人。
- (2) 依各指標定義計算使用呼吸器≥64日期間之分子、分母及指標值。

3.第1~21項指標統計期間為當季至次季季底；第22~23項指標統計期間為當季至次季第2個月；

第24~25項指標統計期間為當季往前2季且往後至次季第2個月；第26項指標統計期間為當季。

97Q2	97Q3	97Q4	97年	98Q1	98Q2	98Q3	98Q4	98年	99Q1
84.85%	84.93%	84.94%	84.6%	83.61%	84.72%	84.05%	84.11%	84.1%	83.92%
75.63%	75.30%	75.87%	75.7%	75.49%	75.10%	74.98%	75.22%	75.2%	76.78%
6.21	6.07	6.10	6.17	6.18	6.10	5.91	5.98	6.04	6.24
19.55%	18.93%	20.36%	20.3%	20.69%	18.89%	19.49%	20.12%	19.8%	20.48%
63.27%	64.08%	63.02%	62.9%	62.36%	64.52%	64.24%	63.64%	63.7%	62.67%
17.17%	16.98%	16.62%	16.8%	16.95%	16.59%	16.27%	16.24%	16.5%	16.84%
36.75%	37.08%	37.63%	37.2%	36.96%	35.09%	37.05%	36.37%	36.4%	36.30%
31.34%	31.44%	30.70%	31.4%	31.73%	30.08%	30.98%	31.07%	31.0%	31.32%
17.82%	18.74%	19.65%	19.0%	19.16%	19.26%	19.57%	19.92%	19.5%	23.08%
34.54%	33.78%	32.69%	33.1%	33.43%	33.68%	32.72%	32.51%	33.1%	30.16%
24.66%	24.82%	24.00%	24.6%	23.73%	22.69%	23.51%	22.65%	23.1%	24.02%
42.53%	39.75%	41.93%	41.0%	42.23%	41.10%	40.84%	42.77%	41.7%	40.43%
32.80%	35.43%	34.07%	34.5%	34.04%	36.21%	35.66%	34.59%	35.1%	35.55%
7.61%	8.03%	6.91%	7.3%	7.44%	7.56%	7.52%	7.48%	7.5%	7.88%
27.75%	27.91%	26.67%	27.4%	30.15%	28.53%	25.42%	26.36%	27.6%	28.89%
8.42%	7.92%	8.67%	8.6%	7.29%	8.37%	6.98%	7.11%	7.4%	8.27%
0.59%	0.87%	0.29%	0.6%	0.14%	0.26%	0.28%	0.43%	0.3%	0.40%
24.67%	26.45%	25.51%	24.5%	27.25%	27.63%	29.61%	27.51%	28.0%	27.31%
28.05%	28.05%	25.07%	26.8%	27.25%	31.52%	23.04%	24.64%	26.6%	27.57%
71.95%	73.26%	67.68%	71.8%	70.68%	66.54%	69.13%	73.07%	69.9%	67.15%
61.53%	64.39%	55.36%	61.8%	61.41%	57.59%	61.45%	64.33%	61.2%	59.37%
12.32%	11.14%	14.14%	12.1%	10.23%	9.82%	9.78%	8.65%	9.6%	
16.81%	14.76%	19.14%	16.8%	14.19%	11.24%	11.98%	11.91%	12.3%	
17.68%	17.43%	17.74%	17.6%	18.12%	19.31%	18.75%	16.94%	18.3%	17.12%
12.14%	12.57%	13.02%	12.4%	13.31%	13.96%	13.63%	12.81%	13.4%	12.35%
57.67%	55.52%	55.93%	57.0%	57.99%	57.03%	55.42%	53.83%	56.1%	56.22%

表3-2：長期使用呼吸器醫療品質指標 -北區業務組

指標名稱	94Q1	94Q2	94Q3	94Q4	94年	95Q1	95Q2	95Q3	95Q4	95年	96Q1	96Q2	96Q3	96年	97Q1	97Q2	97Q3	97Q4	97年	98Q1	98Q2	98Q3	98Q4	98年	99Q1	
新病人使用呼吸器急性期(1~21日)指標																										
1 新使用呼吸器病人於連續使用呼吸器1~21日期間住ICU人數比率	78.9%	77.9%	78.7%	79.0%	78.6%	78.1%	77.5%	78.8%	79.2%	78.4%	77.0%	78.2%	76.29%	77.5%	78.13%	78.22%	77.36%	78.01%	77.9%	78.53%	76.90%	76.69%	77.14%	77.3%	76.72%	
2 新使用呼吸器病人於連續使用呼吸器1~21日期間住ICU日數比率	75.6%	73.7%	73.7%	75.8%	74.7%	75.5%	74.1%	75.1%	77.2%	75.5%	75.1%	75.7%	72.74%	74.9%	75.99%	74.12%	73.22%	73.49%	74.2%	74.01%	72.88%	73.01%	73.84%	73.4%	74.92%	
3 新使用呼吸器病人於連續使用呼吸器1~21日期間平均住ICU日數	6.03	6.13	5.96	5.91	6.01	5.94	6.00	5.97	6.12	6.01	6.18	6.28	5.72	6.07	6.28	6.09	5.84	5.92	6.03	6.16	5.96	5.58	5.55	5.81	5.85	
4 新使用呼吸器病人於連續使用呼吸器1~21日期間死亡率	24.8%	22.3%	21.9%	21.8%	22.7%	23.3%	20.5%	19.6%	20.5%	21.0%	22.3%	20.2%	20.46%	20.9%	22.35%	19.98%	19.97%	19.86%	20.5%	21.03%	18.64%	19.40%	19.10%	19.5%	20.93%	
5 新使用呼吸器病人於連續使用呼吸器1~21日期間脫離呼吸器超過5日之人數比率	59.2%	60.4%	60.9%	62.8%	60.8%	62.0%	63.7%	64.4%	63.7%	63.4%	61.1%	62.9%	64.09%	63.1%	61.17%	63.74%	64.56%	64.13%	63.4%	62.21%	65.53%	66.03%	66.93%	65.18%	64.14%	
6 新使用呼吸器病人連續使用呼吸器>21日人數比率	16.0%	17.3%	17.1%	15.4%	16.5%	14.7%	15.8%	16.0%	15.8%	15.6%	16.6%	17.0%	15.45%	16.1%	16.48%	16.28%	15.47%	16.01%	16.1%	16.76%	15.84%	14.57%	13.96%	15.28%	14.93%	
新病人使用呼吸器脫離期(22~63日)指標																										
7 連續使用呼吸器>=22日病人於連續使用呼吸器22~63日期間住ICU人數比率	38.5%	36.6%	36.0%	36.9%	37.0%	33.8%	35.2%	32.6%	39.1%	35.2%	34.9%	37.4%	34.51%	35.3%	34.63%	31.65%	30.55%	33.30%	32.5%	30.47%	30.83%	29.58%	30.71%	30.4%	32.81%	
8 連續使用呼吸器>=22日病人於連續使用呼吸器22~63日期間住ICU日數比率	30.0%	29.1%	27.7%	29.2%	29.0%	27.4%	28.3%	26.8%	32.7%	28.8%	27.4%	30.3%	28.83%	28.7%	28.18%	25.53%	23.06%	26.29%	25.8%	23.74%	25.20%	22.79%	23.59%	23.8%	26.48%	
9 連續使用呼吸器>=22日病人於連續使用呼吸器22~63日期間有住過RCC人數比率	26.3%	21.2%	22.6%	29.5%	24.7%	30.4%	29.0%	31.2%	31.8%	30.6%	32.2%	33.2%	33.52%	33.3%	32.78%	30.93%	31.58%	30.40%	31.4%	30.27%	29.87%	31.62%	32.24%	31.0%	30.47%	
# 連續使用呼吸器>=22日病人於連續使用呼吸器22~63日期間未住過ICU且未住過RCC人數比率	24.3%	32.3%	31.9%	27.1%	29.0%	26.8%	30.9%	28.9%	23.4%	27.5%	25.3%	25.0%	27.36%	25.4%	27.12%	31.03%	31.58%	28.89%	29.7%	29.77%	33.37%	32.69%	30.24%	31.5%	29.02%	
# 連續使用呼吸器>=22日病人於連續使用呼吸器22~63日期間死亡率	25.5%	18.4%	18.6%	19.5%	20.5%	21.3%	19.6%	20.0%	20.5%	20.3%	21.0%	20.0%	20.33%	20.2%	23.02%	20.82%	21.74%	24.17%	22.4%	23.98%	22.14%	21.20%	24.12%	22.9%	22.21%	
# 連續使用呼吸器>=22日病人於連續使用呼吸器22~63日期間脫離呼吸器超過5日之人數比率	41.4%	40.7%	39.3%	42.5%	40.9%	41.5%	40.0%	40.2%	44.2%	41.5%	42.6%	43.2%	41.32%	42.4%	42.83%	40.10%	40.62%	42.75%	41.6%	41.96%	40.68%	45.75%	40.12%	42.1%	42.52%	
# 連續使用呼吸器>=22日病人中連續使用呼吸器>63日人數比率	33.1%	40.8%	42.1%	38.0%	38.6%	37.2%	40.4%	39.8%	35.3%	38.2%	36.3%	36.8%	38.35%	37.4%	34.15%	39.07%	37.64%	33.08%	36.0%	34.07%	37.18%	33.05%	35.76%	35.0%	35.27%	
# 連續使用呼吸器>=22日病人於連續使用呼吸器22~63日期間回轉ICU人數比率	8.8%	8.0%	7.5%	7.4%	7.9%	4.4%	5.2%	4.6%	5.3%	4.9%	4.4%	4.4%	4.73%	4.6%	4.68%	5.36%	4.81%	4.62%	4.9%	4.30%	3.81%	4.07%	4.94%	4.3%	4.69%	
新病人使用呼吸器依賴期(≥64日)指標																										
# 呼吸器依賴病人於連續使用呼吸器>=64日期間住ICU人數比率	25.6%	25.8%	24.4%	22.2%	24.6%	17.7%	19.6%	19.2%	22.7%	19.8%	19.3%	20.9%	21.49%	20.3%	20.29%	25.33%	15.81%	18.83%	20.1%	18.18%	20.23%	14.13%	16.78%	17.3%	18.99%	
# 呼吸器依賴病人於連續使用呼吸器>=64日期間住ICU日數比率	6.1%	6.1%	6.5%	6.1%	6.2%	4.5%	4.5%	5.9%	8.8%	5.8%	7.1%	7.0%	6.91%	7.4%	7.91%	6.08%	3.27%	6.71%	6.0%	4.06%	5.13%	3.11%	3.58%	4.0%	5.00%	
# 呼吸器依賴病人於連續使用呼吸器1~63日期間未住過ICU且住過RCC人數比率	0.0%	0.2%	0.2%	0.0%	0.1%	0.0%	0.5%	0.8%	0.3%	0.4%	0.0%	0.3%	0.57%	0.4%	1.14%	0.26%	0.00%	0.32%	0.4%	0.29%	0.57%	0.72%	0.33%	0.5%	0.32%	
# 呼吸器依賴病人於連續使用呼吸器1~63日期間未住過ICU且未住過RCC人數比率	22.1%	37.2%	33.8%	36.8%	32.9%	32.3%	41.1%	38.6%	26.8%	35.0%	29.5%	34.3%	34.10%	30.5%	26.29%	33.25%	37.99%	29.55%	31.8%	28.74%	32.76%	32.97%	29.28%	30.9%	18.99%	
# 呼吸器依賴病人於連續使用呼吸器>=64日期間死亡率	29.7%	25.6%	22.5%	24.3%	25.3%	20.8%	23.2%	21.1%	29.0%	23.4%	25.6%	23.1%	32.09%	26.7%	26.86%	26.91%	23.71%	25.32%	25.7%	24.93%	27.35%	21.74%	23.03%	24.3%	29.43%	
# 呼吸器依賴病人於連續使用呼吸器>=64日期間使用抗生素3日以上人數比率	69.4%	73.9%	74.3%	73.1%	72.9%	71.4%	77.1%	74.9%	71.9%	74.0%	72.5%	69.6%	73.64%	71.5%	71.71%	71.50%	66.26%	67.21%	69.2%	65.69%	67.81%	71.01%	64.80%	67.3%	71.20%	
# 呼吸器依賴病人於連續使用呼吸器>=64日期間使用抗生素7日以上人數比率	61.2%	62.3%	67.2%	65.3%	64.1%	63.7%	70.0%	66.2%	63.1%	65.9%	66.7%	62.4%	61.32%	63.0%	61.43%	62.01%	55.93%	57.14%	59.1%	58.06%	60.97%	60.87%	59.54%	59.9%	62.34%	
# 呼吸器依賴病人於第94日內脫離人數比率	13.4%	11.7%	13.4%	11.3%	12.4%	10.8%	12.4%	11.8%	9.0%	11.1%	10.3%	15.6%	10.92%	12.3%	12.04%	10.31%	11.78%	9.91%	11.0%	11.90%	13.09%	11.31%	10.29%	11.6%		
# 呼吸器依賴病人於第124日內脫離人數比率	16.2%	15.8%	18.3%	14.8%	16.3%	12.6%	19.1%	17.1%	13.9%	15.8%	15.2%	19.7%	15.97%	17.8%	17.65%	15.46%	15.41%	15.48%	16.0%	13.60%	14.76%	13.43%	14.79%	14.1%		
呼吸器依賴(使用≥64日)所有病人相關指標																										
# 呼吸器依賴所有病人於連續使用呼吸器>=64日期間住ICU人數比率	19.3%	20.9%	21.8%	22.0%	21.0%	18.2%	17.3%	16.8%	17.7%	17.5%	16.7%	17.5%	16.95%	17.2%	16.70%	15.44%	16.48%	15.87%	16.1%	17.92%	17.69%	17.39%	15.24%	17.1%	16.02%	
# 呼吸器依賴所有病人於連續使用呼吸器>=64日期間回轉ICU人數比率	15.4%	15.5%	16.2%	16.5%	15.9%	14.2%	13.5%	12.9%	12.6%	13.3%	12.3%	12.7%	11.86%	12.5%	12.03%	11.35%	12.23%	11.41%	11.8%	12.58%	13.35%	12.94%	11.14%	12.5%	11.76%	
其他指標																										
# 住ICU病人有使用呼吸器人數比率	56.7%	55.9%	53.7%	52.6%	54.7%	54.3%	53.3%	52.4%	53.7%	53.4%	57.0%	55.2%	53.17%	54.7%	57.23%	56.61%	53.84%	54.87%	55.6%	58.70%	56.94%	53.65%	55.02%	56.1%	55.23%	

註：1.每季新病人監控指標：

- (1) 每季新使用呼吸器病人追蹤至次季，依連續使用天數區分出三段期間(1~21日、22~63日、≥64日)。
- (2) 當季內有中斷超過5日以上病人重新起算。
- (3) 依各指標定義計算每段使用呼吸器期間內之分子、分母及指標值。

2.每季呼吸器依賴所有病人監控指標：

- (1) 當季使用呼吸器所有病人往前追蹤2季，找出已連續使用呼吸器≥64日之病人。
- (2) 依各指標定義計算使用呼吸器≥64日期間之分子、分母及指標值。

3.第1~21項指標統計期間為當季至次季季底；第22~23項指標統計期間為當季至次季第2個月；第24~25項指標統計期間為當季往前2季日往後至次季第2個月；第26項指標統計期間為當季。

表3-3：長期使用呼吸器醫療品質指標 -中區業務組

指標名稱	94Q1	94Q2	94Q3	94Q4	94年	95Q1	95Q2	95Q3	95Q4	95年	96Q1	96Q2	96Q3	96年	97Q1
新病人使用呼吸器急性期(1~21日)指標															
1 新使用呼吸器病人於連續使用呼吸器1~21日期間住ICU人數比率	77.5%	79.1%	79.7%	81.1%	79.3%	81.3%	81.3%	81.9%	81.8%	81.6%	81.5%	82.7%	81.44%	82.1%	81.23%
2 新使用呼吸器病人於連續使用呼吸器1~21日期間住ICU日數比率	70.7%	72.2%	74.1%	75.3%	73.0%	75.7%	75.6%	75.5%	77.8%	76.1%	76.9%	77.6%	77.43%	77.2%	76.99%
3 新使用呼吸器病人於連續使用呼吸器1~21日期間平均住ICU日數	6.34	6.48	6.24	6.35	6.35	6.59	6.78	6.33	6.69	6.60	6.90	6.67	6.63	6.71	6.65
4 新使用呼吸器病人於連續使用呼吸器1~21日期間死亡率	25.8%	22.3%	22.6%	23.6%	23.6%	24.6%	23.1%	22.8%	24.3%	23.7%	25.0%	22.1%	24.61%	23.59%	25.91%
5 新使用呼吸器病人於連續使用呼吸器1~21日期間脫離呼吸器超過5日之人數比率	52.9%	57.0%	58.2%	57.5%	56.4%	56.1%	56.7%	59.4%	57.4%	57.4%	55.0%	59.3%	57.20%	57.67%	56.43%
6 新使用呼吸器病人連續使用呼吸器>21日人數比率	21.2%	20.7%	19.2%	18.9%	20.0%	19.3%	20.2%	17.8%	18.3%	18.9%	20.0%	18.6%	18.19%	18.74%	17.66%
新病人使用呼吸器脫離期(22~63日)指標															
7 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間住ICU人數比率	27.4%	28.5%	30.3%	28.9%	28.7%	27.2%	30.6%	29.7%	27.6%	28.8%	29.4%	26.9%	27.14%	27.7%	26.25%
8 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間住ICU日數比率	24.1%	25.2%	25.0%	23.9%	24.6%	24.3%	25.2%	25.2%	24.1%	24.7%	24.2%	23.4%	22.21%	23.1%	21.69%
9 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間有住過RCC人數比率	26.5%	25.0%	27.2%	28.6%	26.7%	33.7%	29.5%	31.8%	39.1%	33.4%	36.5%	39.1%	38.17%	39.1%	44.31%
10 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間未住過ICU且未住過RCC人數比率	34.3%	33.3%	30.9%	30.6%	32.4%	25.8%	28.6%	27.5%	23.2%	26.3%	24.9%	25.6%	25.40%	24.5%	22.89%
11 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間死亡率	20.0%	20.7%	19.8%	21.8%	20.6%	22.0%	23.6%	23.8%	23.3%	23.2%	24.2%	21.7%	23.80%	22.7%	25.46%
12 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間脫離呼吸器超過5日之人數比率	39.8%	40.3%	44.1%	43.5%	41.8%	43.5%	42.1%	42.2%	46.1%	43.4%	43.2%	46.8%	44.65%	45.9%	43.70%
13 連續使用呼吸器≥22日病人中連續使用呼吸器>63日人數比率	40.2%	38.9%	36.1%	34.6%	37.6%	34.5%	34.3%	34.0%	30.6%	33.4%	32.6%	31.6%	31.55%	31.4%	30.84%
14 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間回轉ICU人數比率	9.6%	8.5%	9.3%	10.0%	9.3%	9.0%	8.2%	9.4%	7.5%	8.5%	8.0%	7.2%	7.49%	7.3%	6.36%
新病人使用呼吸器依賴期(≥64日)指標															
15 呼吸器依賴病人於連續使用呼吸器≥64日期間住ICU人數比率	27.8%	26.4%	28.4%	29.5%	27.9%	27.0%	23.4%	26.0%	21.0%	24.4%	16.7%	23.3%	21.19%	21.2%	17.66%
16 呼吸器依賴病人於連續使用呼吸器≥64日期間住ICU日數比率	6.3%	6.7%	6.2%	7.4%	6.6%	6.3%	4.0%	5.9%	5.9%	5.4%	3.8%	4.9%	4.76%	5.1%	4.87%
17 呼吸器依賴病人於連續使用呼吸器1~63日期間未住過ICU但住過RCC人數比率	0.3%	1.0%	0.3%	0.2%	0.5%	0.4%	1.5%	0.0%	0.7%	0.7%	0.2%	0.8%	0.42%	0.4%	0.60%
18 呼吸器依賴病人於連續使用呼吸器1~63日期間未住過ICU且未住過RCC人數比率	28.5%	23.6%	20.9%	21.7%	24.0%	18.7%	21.1%	13.0%	12.4%	16.7%	14.9%	13.1%	13.14%	13.7%	14.68%
19 呼吸器依賴病人於連續使用呼吸器≥64日期間死亡率	28.1%	33.8%	32.4%	29.9%	31.0%	32.1%	32.5%	30.7%	26.3%	30.6%	28.5%	23.9%	27.33%	26.4%	30.36%
20 呼吸器依賴病人於連續使用呼吸器≥64日期間使用抗生素3日以上人數比率	68.6%	73.1%	74.5%	76.4%	72.8%	74.2%	74.6%	75.3%	73.0%	74.3%	74.2%	74.2%	76.48%	75.2%	75.20%
21 呼吸器依賴病人於連續使用呼吸器≥64日期間使用抗生素7日以上人數比率	60.8%	62.5%	66.0%	65.1%	63.4%	65.9%	66.5%	67.6%	63.3%	65.9%	65.0%	65.9%	67.37%	66.5%	68.65%
22 呼吸器依賴病人於第94日內脫離人數比率	12.4%	12.6%	13.1%	11.5%	12.4%	12.3%	12.5%	12.6%	16.0%	13.2%	16.1%	15.6%	15.13%	15.5%	12.16%
23 呼吸器依賴病人於第124日內脫離人數比率	17.3%	18.1%	20.7%	19.0%	18.7%	18.7%	17.6%	19.1%	21.1%	19.0%	21.0%	23.4%	19.75%	21.0%	15.69%
呼吸器依賴(使用≥64日)所有病人相關指標															
24 呼吸器依賴所有病人於連續使用呼吸器≥64日期間住ICU人數比率	20.3%	20.8%	19.3%	20.4%	20.2%	20.8%	19.9%	19.7%	17.8%	19.6%	17.2%	15.4%	16.43%	16.2%	15.30%
25 呼吸器依賴所有病人於連續使用呼吸器≥64日期間回轉ICU人數比率	16.1%	16.1%	14.9%	16.5%	15.9%	17.8%	16.0%	16.2%	14.9%	16.3%	14.5%	12.5%	12.82%	13.1%	11.98%
其他指標															
26 住ICU病人有使用呼吸器人數比率	56.3%	55.5%	54.6%	53.8%	55.1%	54.9%	55.1%	54.2%	53.3%	54.4%	55.5%	54.8%	53.84%	54.7%	55.63%

註：1.每季新病人監控指標：

- (1) 每季新使用呼吸器病人追蹤至次季，依連續使用天數區分出三段期間(1~21日、22~63日、≥64日)。
- (2) 當季內有中斷超過5日以上病人重新起算。
- (3) 依各指標定義計算每段使用呼吸器期間內之分子、分母及指標值。

2.每季呼吸器依賴所有病人監控指標：

- (1) 當季使用呼吸器所有病人往前追蹤2季，找出已連續使用呼吸器≥64日之病人。
- (2) 依各指標定義計算使用呼吸器≥64日期間之分子、分母及指標值。

3.第1~21項指標統計期間為當季至次季季底；第22~23項指標統計期間為當季至次季第2個月；

第24~25項指標統計期間為當季往前2季且往後至次季第2個月；第26項指標統計期間為當季。

97Q2	97Q3	97Q4	97年	98Q1	98Q2	98Q3	98Q4	98年	99Q1
82.82%	82.40%	82.92%	82.3%	81.87%	81.80%	82.11%	83.59%	82.3%	81.62%
77.60%	76.47%	76.48%	76.9%	75.21%	74.97%	74.97%	77.27%	75.6%	76.98%
6.56	6.47	6.48	6.54	6.51	6.35	6.19	6.27	6.33	6.51
22.01%	23.33%	23.47%	23.7%	24.12%	23.13%	23.11%	22.70%	23.27%	24.34%
61.29%	59.85%	59.41%	59.2%	59.01%	60.08%	60.93%	61.59%	60.40%	58.71%
16.70%	16.81%	17.12%	17.1%	16.87%	16.79%	15.96%	15.71%	16.33%	16.95%
27.45%	25.92%	26.49%	26.5%	27.80%	24.70%	25.89%	26.74%	26.3%	27.67%
23.20%	22.80%	22.16%	22.5%	22.91%	21.01%	20.99%	21.84%	21.7%	25.08%
44.30%	42.02%	42.65%	43.3%	42.70%	43.46%	42.47%	40.39%	42.3%	42.21%
22.45%	23.98%	23.76%	23.3%	23.06%	25.17%	26.18%	26.53%	25.2%	25.66%
21.45%	24.40%	24.40%	23.9%	25.84%	24.57%	21.82%	23.96%	24.0%	23.01%
46.77%	45.68%	42.21%	44.6%	45.04%	44.65%	46.69%	44.64%	45.3%	46.48%
31.78%	29.92%	33.40%	31.5%	29.12%	30.78%	31.49%	31.41%	30.7%	30.51%
7.53%	7.74%	7.67%	7.3%	7.64%	6.41%	6.47%	7.10%	6.9%	6.92%
21.38%	21.71%	24.86%	21.4%	19.31%	24.89%	22.40%	21.06%	21.9%	24.15%
5.02%	4.99%	5.63%	5.1%	6.13%	5.46%	5.19%	4.92%	5.4%	5.08%
0.63%	0.69%	0.38%	0.6%	0.22%	0.86%	0.23%	0.44%	0.4%	0.85%
19.08%	18.48%	20.11%	18.1%	16.49%	17.60%	22.86%	15.96%	18.2%	17.37%
27.04%	29.79%	30.93%	29.5%	24.95%	33.26%	21.94%	33.48%	28.4%	30.93%
74.42%	79.68%	74.76%	76.0%	69.41%	78.33%	73.67%	76.27%	74.4%	72.25%
68.13%	69.75%	66.98%	68.4%	62.04%	68.88%	63.97%	64.75%	64.9%	63.14%
13.07%	10.76%	11.01%	11.7%	11.18%	9.77%	11.67%	8.53%	10.3%	
19.09%	15.56%	14.18%	16.1%	15.91%	14.23%	15.10%	10.94%	14.0%	
15.42%	14.89%	15.51%	15.3%	16.59%	14.50%	12.89%	14.70%	14.7%	15.40%
11.67%	11.63%	12.17%	11.9%	13.05%	11.14%	9.56%	11.49%	11.3%	11.08%
54.66%	54.58%	55.05%	55.0%	56.96%	55.48%	54.80%	54.35%	55.4%	53.90%

表3-4：長期使用呼吸器醫療品質指標 -南區業務組

指標名稱	94Q1	94Q2	94Q3	94Q4	94年	95Q1	95Q2	95Q3	95Q4	95年	96Q1	96Q2	96Q3	96年	97Q1
新病人使用呼吸器急性期(1~21日)指標															
1 新使用呼吸器病人於連續使用呼吸器1~21日期間住ICU人數比率	82.6%	84.0%	85.9%	87.2%	84.9%	85.6%	86.5%	87.3%	86.5%	86.5%	84.7%	86.1%	86.19%	85.9%	85.08%
2 新使用呼吸器病人於連續使用呼吸器1~21日期間住ICU日數比率	75.0%	75.9%	76.4%	79.5%	76.6%	77.6%	78.6%	77.6%	78.6%	78.1%	77.4%	78.7%	79.58%	78.7%	79.02%
3 新使用呼吸器病人於連續使用呼吸器1~21日期間平均住ICU日數	6.36	6.47	6.22	6.24	6.32	6.20	6.16	6.17	6.30	6.21	6.50	6.40	6.41	6.39	6.39
4 新使用呼吸器病人於連續使用呼吸器1~21日期間死亡率	28.4%	25.9%	26.7%	27.0%	27.0%	25.7%	24.4%	25.2%	24.3%	24.9%	25.1%	22.6%	23.96%	23.75%	24.07%
5 新使用呼吸器病人於連續使用呼吸器1~21日期間脫離呼吸器超過5日之人數比率	52.5%	55.8%	56.7%	58.2%	55.8%	58.0%	59.8%	58.9%	59.8%	59.2%	58.0%	61.0%	59.43%	59.97%	60.00%
6 新使用呼吸器病人連續使用呼吸器>21日人數比率	19.1%	18.4%	16.6%	14.8%	17.2%	16.2%	15.7%	15.9%	15.9%	15.9%	16.8%	16.4%	16.61%	16.29%	15.93%
新病人使用呼吸器脫離期(22~63日)指標															
7 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間住ICU人數比率	35.0%	36.1%	32.2%	35.4%	34.7%	34.0%	32.1%	30.2%	31.3%	31.9%	28.9%	30.6%	35.17%	31.3%	29.81%
8 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間住ICU日數比率	25.6%	28.7%	27.0%	29.8%	27.6%	28.2%	24.3%	24.3%	26.0%	25.7%	24.1%	25.3%	28.69%	25.3%	24.79%
9 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間有住過RCC人數比率	20.3%	21.4%	26.5%	31.4%	24.4%	30.6%	30.9%	31.9%	32.5%	31.5%	33.1%	33.5%	31.83%	32.9%	35.23%
10 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間未住過ICU且未住過RCC人數比率	31.6%	29.4%	27.5%	22.9%	28.2%	25.0%	24.8%	27.4%	24.5%	25.4%	25.7%	22.1%	22.79%	23.9%	24.02%
11 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間死亡率	24.7%	25.9%	23.3%	25.0%	24.8%	26.9%	24.3%	25.6%	24.0%	25.2%	27.9%	26.3%	28.00%	26.6%	25.70%
12 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間脫離呼吸器超過5日之人數比率	37.5%	38.6%	39.3%	43.3%	39.5%	38.4%	41.7%	40.0%	40.4%	40.1%	37.2%	38.7%	38.31%	38.1%	40.56%
13 連續使用呼吸器≥22日病人中連續使用呼吸器>63日人數比率	37.8%	35.4%	37.4%	31.8%	35.8%	34.7%	34.0%	34.4%	35.6%	34.7%	34.9%	35.0%	33.69%	35.2%	33.74%
14 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間回轉ICU人數比率	8.2%	9.2%	9.9%	8.2%	8.9%	11.5%	9.0%	8.1%	8.8%	9.4%	6.5%	7.2%	7.86%	7.4%	6.07%
新病人使用呼吸器依賴期(≥64日)指標															
15 呼吸器依賴病人於連續使用呼吸器≥64日期間住ICU人數比率	18.3%	18.2%	23.9%	19.2%	19.8%	21.8%	17.2%	19.9%	21.6%	20.2%	17.6%	18.4%	20.70%	19.2%	18.84%
16 呼吸器依賴病人於連續使用呼吸器≥64日期間住ICU日數比率	3.5%	4.5%	8.7%	7.2%	5.5%	7.0%	3.4%	5.1%	6.0%	5.3%	5.0%	5.4%	7.84%	6.1%	6.74%
17 呼吸器依賴病人於連續使用呼吸器1~63日期間未住過ICU但住過RCC人數比率	0.2%	0.0%	0.3%	0.4%	0.2%	0.0%	0.3%	0.9%	0.0%	0.3%	0.0%	1.1%	0.29%	0.4%	0.28%
18 呼吸器依賴病人於連續使用呼吸器1~63日期間未住過ICU且未住過RCC人數比率	33.3%	22.3%	19.8%	14.9%	23.5%	18.3%	24.0%	20.2%	18.2%	20.1%	17.1%	17.8%	18.08%	18.3%	20.78%
19 呼吸器依賴病人於連續使用呼吸器≥64日期間死亡率	29.0%	25.6%	29.0%	30.2%	28.3%	30.1%	31.7%	33.5%	32.7%	32.0%	32.4%	26.1%	33.82%	31.4%	34.90%
20 呼吸器依賴病人於連續使用呼吸器≥64日期間使用抗生素3日以上人數比率	73.7%	70.3%	67.0%	65.5%	69.6%	62.8%	60.9%	62.8%	61.4%	62.0%	55.4%	63.5%	61.52%	60.3%	63.71%
21 呼吸器依賴病人於連續使用呼吸器≥64日期間使用抗生素7日以上人數比率	65.1%	61.9%	56.0%	54.8%	60.0%	52.4%	50.2%	51.7%	51.1%	51.4%	46.9%	52.7%	49.56%	50.3%	55.12%
22 呼吸器依賴病人於第94日內脫離人數比率	9.8%	14.8%	12.2%	11.3%	12.0%	11.5%	9.7%	9.3%	9.0%	9.9%	7.9%	18.3%	9.28%	12.1%	9.32%
23 呼吸器依賴病人於第124日內脫離人數比率	12.3%	18.1%	18.5%	18.8%	16.6%	16.9%	14.9%	14.7%	15.0%	15.4%	14.0%	22.5%	13.04%	16.1%	15.07%
呼吸器依賴(使用≥64日)所有病人相關指標															
24 呼吸器依賴所有病人於連續使用呼吸器≥64日期間住ICU人數比率	14.2%	13.7%	14.0%	15.3%	14.3%	13.0%	13.5%	10.7%	13.4%	12.6%	15.2%	12.2%	13.19%	13.6%	12.81%
25 呼吸器依賴所有病人於連續使用呼吸器≥64日期間回轉ICU人數比率	10.8%	9.8%	10.3%	10.7%	10.4%	10.1%	10.1%	7.7%	9.8%	9.4%	10.7%	9.1%	9.31%	9.7%	8.24%
其他指標															
26 住ICU病人有使用呼吸器人數比率	54.4%	54.2%	53.3%	51.7%	53.4%	51.2%	52.4%	52.5%	52.9%	52.3%	54.5%	53.2%	52.88%	53.3%	55.55%

註：1.每季新病人監控指標：

- (1) 每季新使用呼吸器病人追蹤至次季，依連續使用天數區分出三段期間(1~21日、22~63日、≥64日)。
- (2) 當季內有中斷超過5日以上病人重新起算。
- (3) 依各指標定義計算每段使用呼吸器期間內之分子、分母及指標值。

2.每季呼吸器依賴所有病人監控指標：

- (1) 當季使用呼吸器所有病人往前追蹤2季，找出已連續使用呼吸器≥64日之病人。
- (2) 依各指標定義計算使用呼吸器≥64日期間之分子、分母及指標值。

3.第1~21項指標統計期間為當季至次季季底；第22~23項指標統計期間為當季至次季第2個月；

第24~25項指標統計期間為當季往前2季且往後至次季第2個月；第26項指標統計期間為當季。

97Q2	97Q3	97Q4	97年	98Q1	98Q2	98Q3	98Q4	98年	99Q1
85.96%	86.01%	85.95%	85.7%	85.92%	86.48%	87.95%	86.89%	86.8%	86.12%
78.27%	77.86%	78.70%	78.5%	78.71%	78.43%	80.22%	79.26%	79.2%	80.22%
6.53	6.34	6.42	6.42	6.38	6.31	6.44	6.20	6.33	6.62
21.66%	22.31%	23.07%	22.8%	24.03%	22.03%	22.23%	21.60%	22.47%	22.49%
61.58%	61.03%	60.37%	60.7%	59.97%	62.78%	61.72%	63.14%	61.90%	61.73%
16.75%	16.66%	16.56%	16.5%	16.00%	15.19%	16.05%	15.26%	15.63%	15.78%
30.31%	27.80%	28.06%	29.0%	27.15%	23.84%	29.06%	25.69%	26.4%	27.77%
23.71%	19.63%	20.65%	22.2%	21.83%	19.94%	21.96%	18.95%	20.7%	21.18%
33.73%	34.77%	36.56%	35.1%	37.18%	34.74%	35.42%	36.96%	36.1%	36.40%
25.30%	30.06%	29.16%	27.1%	30.65%	33.09%	29.06%	30.34%	30.8%	28.53%
24.84%	24.07%	24.95%	24.9%	26.58%	23.95%	23.97%	27.08%	25.4%	26.45%
37.07%	39.98%	37.84%	38.9%	34.06%	38.64%	39.73%	35.67%	37.0%	38.58%
38.09%	35.95%	37.20%	36.2%	39.36%	37.41%	36.30%	37.25%	37.6%	34.98%
7.04%	5.21%	6.31%	6.2%	5.30%	5.96%	6.36%	6.82%	6.1%	5.69%
18.00%	15.85%	16.22%	17.2%	15.87%	18.41%	19.14%	18.30%	17.9%	17.34%
6.48%	6.52%	6.68%	6.6%	6.08%	6.95%	6.13%	4.85%	6.0%	4.49%
0.73%	1.09%	0.49%	0.6%	0.48%	1.10%	0.27%	0.27%	0.5%	0.54%
23.36%	23.22%	25.80%	23.3%	22.36%	22.80%	20.75%	20.69%	21.7%	17.34%
30.90%	32.24%	32.19%	32.6%	26.68%	31.04%	25.34%	30.77%	28.5%	29.54%
63.99%	62.57%	67.57%	64.5%	69.47%	69.78%	64.15%	65.25%	67.2%	71.00%
55.72%	53.83%	61.67%	56.6%	60.34%	60.16%	52.29%	54.91%	56.9%	62.06%
7.97%	9.26%	9.05%	8.9%	11.37%	8.09%	11.32%	8.42%	9.8%	
11.59%	15.53%	12.47%	13.7%	17.54%	14.56%	13.21%	10.79%	14.0%	
12.53%	11.90%	12.77%	12.5%	11.45%	12.30%	13.16%	13.15%	12.5%	12.94%
8.30%	8.34%	8.57%	8.4%	7.94%	9.10%	9.48%	9.68%	9.1%	8.94%
53.55%	52.92%	53.56%	53.9%	54.03%	52.39%	52.11%	52.25%	52.7%	54.18%

表3-5：長期使用呼吸器醫療品質指標 -高屏業務組

指標名稱	94Q1	94Q2	94Q3	94Q4	94年	95Q1	95Q2	95Q3	95Q4	95年	96Q1	96Q2	96Q3	96年	97Q1
新病人使用呼吸器急性期(1~21日)指標															
1 新使用呼吸器病人於連續使用呼吸器1~21日期間住ICU人數比率	79.2%	80.1%	79.0%	81.2%	79.9%	79.9%	80.6%	80.5%	80.5%	80.4%	80.8%	82.0%	82.05%	81.6%	80.49%
2 新使用呼吸器病人於連續使用呼吸器1~21日期間住ICU日數比率	71.3%	69.7%	68.3%	69.2%	69.6%	70.0%	68.7%	68.3%	69.6%	69.2%	70.8%	71.5%	70.41%	70.9%	69.58%
3 新使用呼吸器病人於連續使用呼吸器1~21日期間平均住ICU日數	5.98	6.03	5.69	5.53	5.80	5.76	5.60	5.43	5.61	5.60	5.94	5.89	5.75	5.85	5.95
4 新使用呼吸器病人於連續使用呼吸器1~21日期間死亡率	32.0%	29.0%	29.6%	29.7%	30.1%	30.7%	27.1%	29.9%	28.8%	29.1%	28.0%	26.6%	27.66%	27.18%	27.37%
5 新使用呼吸器病人於連續使用呼吸器1~21日期間脫離呼吸器超過5日之人數比率	48.9%	50.8%	51.7%	53.8%	51.3%	52.2%	56.0%	53.5%	55.1%	54.2%	55.2%	57.1%	56.11%	56.55%	55.91%
6 新使用呼吸器病人連續使用呼吸器>21日人數比率	19.1%	20.3%	18.7%	16.6%	18.6%	17.1%	17.0%	16.6%	16.0%	16.7%	16.8%	16.3%	16.24%	16.27%	16.73%
新病人使用呼吸器脫離期(22~63日)指標															
7 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間住ICU人數比率	30.7%	28.6%	27.3%	25.3%	28.0%	26.6%	27.1%	25.0%	26.2%	26.2%	28.6%	28.2%	27.73%	27.9%	29.67%
8 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間住ICU日數比率	25.0%	23.5%	23.3%	21.7%	23.4%	21.7%	22.1%	20.0%	20.8%	21.2%	22.9%	23.2%	22.47%	22.7%	24.23%
9 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間有住過RCC人數比率	20.3%	19.1%	20.4%	16.4%	19.1%	22.8%	19.0%	20.0%	20.2%	20.5%	19.0%	18.4%	18.27%	18.4%	16.98%
10 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間未住過ICU且未住過RCC人數比率	35.1%	39.6%	40.6%	45.2%	40.0%	39.0%	41.9%	42.4%	40.7%	41.0%	40.1%	40.7%	43.80%	41.9%	42.20%
11 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間死亡率	27.0%	25.5%	23.0%	24.2%	24.9%	26.1%	24.5%	25.9%	22.9%	24.9%	26.5%	23.6%	23.14%	24.0%	23.28%
12 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間脫離呼吸器超過5日之人數比率	35.8%	35.0%	33.6%	34.4%	34.7%	37.0%	36.2%	34.7%	36.0%	36.0%	34.5%	36.0%	37.28%	36.4%	35.57%
13 連續使用呼吸器≥22日病人中連續使用呼吸器>63日人數比率	37.3%	39.4%	43.4%	41.4%	40.3%	37.0%	39.3%	39.5%	41.0%	39.2%	39.0%	40.5%	39.58%	39.6%	41.15%
14 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間回轉ICU人數比率	11.0%	9.5%	10.0%	8.5%	9.8%	9.0%	9.2%	10.8%	9.6%	9.6%	9.2%	9.2%	8.17%	8.5%	6.79%
新病人使用呼吸器依賴期(≥64日)指標															
15 呼吸器依賴病人於連續使用呼吸器≥64日期間住ICU人數比率	22.8%	22.9%	26.3%	24.5%	24.2%	23.3%	25.3%	23.7%	22.5%	23.7%	24.8%	23.9%	26.68%	23.8%	20.63%
16 呼吸器依賴病人於連續使用呼吸器≥64日期間住ICU日數比率	6.2%	7.0%	6.3%	7.4%	6.7%	5.9%	5.6%	5.3%	7.3%	6.1%	7.0%	7.0%	6.74%	6.5%	6.87%
17 呼吸器依賴病人於連續使用呼吸器1~63日期間未住過ICU但住過RCC人數比率	0.2%	0.2%	0.0%	0.0%	0.1%	2.1%	0.2%	0.0%	0.0%	0.6%	0.2%	0.2%	0.23%	0.2%	0.20%
18 呼吸器依賴病人於連續使用呼吸器1~63日期間未住過ICU且未住過RCC人數比率	28.5%	33.3%	34.9%	38.5%	33.8%	31.8%	37.8%	44.3%	37.4%	37.8%	33.5%	34.8%	35.27%	34.7%	35.36%
19 呼吸器依賴病人於連續使用呼吸器≥64日期間死亡率	30.4%	32.4%	31.8%	31.4%	31.5%	30.0%	26.7%	29.7%	32.9%	29.8%	32.2%	28.9%	29.23%	30.2%	31.04%
20 呼吸器依賴病人於連續使用呼吸器≥64日期間使用抗生素3日以上人數比率	74.6%	76.7%	74.8%	68.2%	73.7%	71.7%	76.8%	72.1%	75.9%	74.2%	75.4%	74.3%	72.62%	74.1%	72.69%
21 呼吸器依賴病人於連續使用呼吸器≥64日期間使用抗生素7日以上人數比率	66.8%	66.7%	66.0%	60.4%	65.1%	62.7%	67.4%	65.1%	70.0%	66.4%	67.2%	66.8%	64.73%	65.8%	62.08%
22 呼吸器依賴病人於第94日內脫離人數比率	11.1%	12.4%	13.1%	14.7%	12.8%	14.3%	13.2%	14.5%	11.1%	13.2%	12.9%	13.0%	13.36%	12.8%	13.70%
23 呼吸器依賴病人於第124日內脫離人數比率	15.3%	18.8%	20.4%	19.8%	18.7%	22.7%	18.0%	18.9%	18.0%	19.4%	18.5%	22.5%	21.66%	20.2%	22.50%
呼吸器依賴(使用≥64日)所有病人相關指標															
24 呼吸器依賴所有病人於連續使用呼吸器≥64日期間住ICU人數比率	16.6%	16.5%	17.9%	19.0%	17.5%	20.3%	19.4%	19.7%	20.2%	19.9%	20.5%	20.7%	18.85%	19.9%	16.90%
25 呼吸器依賴所有病人於連續使用呼吸器≥64日期間回轉ICU人數比率	11.8%	11.4%	13.3%	15.1%	12.9%	15.3%	14.0%	14.6%	15.0%	14.7%	15.7%	15.8%	13.22%	14.5%	12.00%
其他指標															
26 住ICU病人有使用呼吸器人數比率	54.3%	53.1%	55.0%	53.5%	54.0%	54.3%	53.3%	53.3%	52.6%	53.4%	54.7%	53.9%	53.65%	54.0%	56.16%

註：1.每季新病人監控指標：

- (1) 每季新使用呼吸器病人追蹤至次季，依連續使用天數區分出三段期間(1~21日、22~63日、≥64日)。
- (2) 當季內有中斷超過5日以上病人重新起算。
- (3) 依各指標定義計算每段使用呼吸器期間內之分子、分母及指標值。

2.每季呼吸器依賴所有病人監控指標：

- (1) 當季使用呼吸器所有病人往前追蹤2季，找出已連續使用呼吸器≥64日之病人。
- (2) 依各指標定義計算使用呼吸器≥64日期間之分子、分母及指標值。

3.第1~21項指標統計期間為當季至次季季底；第22~23項指標統計期間為當季至次季第2個月；

第24~25項指標統計期間為當季往前2季且往後至次季第2個月；第26項指標統計期間為當季。

97Q2	97Q3	97Q4	97年	98Q1	98Q2	98Q3	98Q4	98年	99Q1
83.11%	82.89%	83.57%	82.5%	81.05%	82.91%	84.32%	83.10%	82.8%	82.54%
73.27%	72.72%	72.35%	72.0%	71.53%	71.91%	72.82%	72.84%	72.3%	74.50%
5.95	5.89	5.98	5.94	5.90	5.91	5.81	6.13	5.94	6.11
25.57%	26.87%	25.81%	26.40%	27.77%	24.66%	25.74%	25.23%	25.85%	25.59%
59.20%	57.51%	58.65%	57.82%	56.62%	59.62%	58.76%	57.64%	58.16%	58.14%
15.23%	15.62%	15.54%	15.78%	15.62%	15.72%	15.50%	17.14%	15.99%	16.28%
30.48%	29.79%	29.85%	29.9%	29.71%	26.21%	35.45%	33.25%	31.2%	31.21%
23.92%	23.31%	21.87%	23.3%	23.70%	21.46%	26.39%	27.03%	24.6%	25.02%
17.38%	18.67%	17.04%	17.5%	19.47%	18.94%	20.62%	23.22%	20.6%	28.51%
40.84%	41.30%	41.81%	41.5%	41.30%	45.43%	40.37%	38.56%	41.4%	35.70%
25.07%	26.69%	26.27%	25.3%	25.18%	23.51%	26.01%	24.94%	24.9%	24.64%
35.99%	35.11%	38.04%	36.2%	36.96%	37.50%	37.96%	36.16%	37.1%	37.77%
38.94%	38.20%	35.69%	38.5%	37.86%	38.99%	36.03%	38.90%	37.9%	37.59%
7.88%	7.64%	8.29%	7.6%	7.34%	7.37%	7.13%	7.37%	7.3%	6.21%
21.71%	19.49%	16.62%	19.6%	20.81%	19.62%	19.25%	21.59%	20.3%	17.46%
5.30%	4.04%	3.75%	5.0%	4.49%	4.31%	5.12%	5.94%	5.0%	4.98%
0.49%	0.00%	0.26%	0.2%	0.00%	0.48%	0.27%	0.66%	0.4%	0.48%
27.32%	30.63%	33.77%	31.8%	32.06%	34.21%	34.49%	32.60%	33.3%	25.84%
29.51%	29.62%	29.29%	29.9%	25.84%	29.19%	24.06%	27.09%	26.5%	29.67%
74.39%	73.16%	70.18%	72.6%	72.01%	69.62%	73.53%	75.11%	72.6%	73.21%
64.88%	62.28%	62.01%	62.8%	66.03%	61.48%	62.83%	64.76%	63.8%	64.59%
14.32%	10.83%	10.44%	12.3%	11.96%	12.65%	10.90%	9.45%	11.2%	
18.45%	15.37%	17.23%	18.4%	16.75%	19.57%	14.36%	16.04%	16.7%	
17.57%	17.69%	15.31%	16.9%	14.27%	15.88%	14.66%	15.07%	15.0%	15.80%
12.60%	13.40%	11.46%	12.4%	10.30%	11.71%	10.43%	10.16%	10.6%	11.17%
54.90%	55.15%	54.16%	55.1%	54.96%	53.94%	53.74%	53.83%	54.1%	55.80%

表3-6：長期使用呼吸器醫療品質指標 -東區業務組

指標名稱	94Q1	94Q2	94Q3	94Q4	94年	95Q1	95Q2	95Q3	95Q4	95年	96Q1	96Q2	96Q3	96年
新病人使用呼吸器急性期(1~21日)指標														
1 新使用呼吸器病人於連續使用呼吸器1~21日期間住ICU人數比率	77.6%	78.3%	81.0%	80.2%	79.2%	80.1%	79.6%	78.6%	79.1%	79.3%	78.24%	76.72%	77.53%	78.1%
2 新使用呼吸器病人於連續使用呼吸器1~21日期間住ICU日數比率	66.5%	66.0%	68.7%	68.7%	67.4%	69.2%	68.5%	68.2%	67.1%	68.3%	70.2%	65.3%	65.95%	67.0%
3 新使用呼吸器病人於連續使用呼吸器1~21日期間平均住ICU日數	5.70	5.80	5.85	5.90	5.81	5.93	6.12	5.83	5.66	5.89	6.30	5.43	5.75	5.81
4 新使用呼吸器病人於連續使用呼吸器1~21日期間死亡率	27.2%	23.3%	25.4%	25.6%	25.4%	25.1%	23.8%	23.7%	22.5%	23.8%	23.9%	24.1%	23.50%	23.42%
5 新使用呼吸器病人於連續使用呼吸器1~21日期間脫離呼吸器超過5日之人數比率	53.9%	59.3%	59.2%	57.7%	57.5%	58.3%	58.0%	59.1%	61.1%	59.1%	57.1%	60.3%	60.08%	60.11%
6 新使用呼吸器病人連續使用呼吸器>21日人數比率	18.9%	17.4%	15.4%	16.8%	17.2%	16.6%	18.2%	17.2%	16.4%	17.1%	19.0%	15.5%	16.42%	16.47%
新病人使用呼吸器脫離期(22~63日)指標														
7 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間住ICU人數比率	36.4%	37.1%	45.4%	35.2%	38.3%	39.5%	35.5%	38.1%	37.9%	37.7%	37.6%	26.6%	32.16%	33.2%
8 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間住ICU日數比率	30.4%	31.5%	40.0%	35.3%	33.7%	32.4%	33.9%	31.2%	35.5%	33.2%	34.1%	26.9%	33.15%	31.1%
9 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間有住過RCC人數比率	14.7%	15.4%	18.8%	22.7%	17.7%	20.2%	19.5%	20.5%	16.3%	19.1%	18.2%	18.7%	20.39%	19.1%
10 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間未住過ICU且未住過RCC人數比率	35.1%	35.0%	29.6%	30.3%	32.7%	29.8%	31.6%	35.2%	33.3%	32.5%	28.7%	37.8%	37.65%	34.4%
11 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間死亡率	27.3%	22.9%	25.4%	23.1%	24.8%	22.9%	20.6%	22.0%	23.5%	22.2%	22.6%	18.3%	18.04%	19.7%
12 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間脫離呼吸器超過5日之人數比率	38.2%	48.2%	48.8%	49.2%	45.7%	49.6%	42.2%	44.3%	46.6%	45.6%	41.7%	43.6%	49.41%	45.7%
13 連續使用呼吸器≥22日病人中連續使用呼吸器>63日人數比率	34.5%	28.9%	25.8%	27.7%	29.6%	27.5%	37.2%	33.7%	29.9%	32.2%	35.7%	38.2%	32.55%	34.6%
14 連續使用呼吸器≥22日病人於連續使用呼吸器22~63日期間回轉ICU人數比率	8.5%	5.4%	5.0%	10.6%	7.4%	8.1%	11.3%	6.2%	7.2%	8.3%	10.8%	9.1%	7.06%	8.6%
新病人使用呼吸器依賴期(≥64日)指標														
15 呼吸器依賴病人於連續使用呼吸器≥64日期間住ICU人數比率	30.9%	32.1%	35.5%	37.0%	33.4%	32.4%	38.1%	23.9%	27.8%	30.8%	35.7%	28.3%	33.73%	31.2%
16 呼吸器依賴病人於連續使用呼吸器≥64日期間住ICU日數比率	8.3%	9.0%	13.8%	15.6%	10.7%	8.2%	14.4%	5.0%	11.0%	9.9%	12.5%	6.1%	10.47%	9.1%
17 呼吸器依賴病人於連續使用呼吸器1~63日期間未住過ICU但住過RCC人數比率	0.0%	1.2%	0.0%	1.4%	0.6%	0.0%	0.0%	2.2%	1.3%	0.9%	0.0%	1.1%	1.20%	0.6%
18 呼吸器依賴病人於連續使用呼吸器1~63日期間未住過ICU且未住過RCC人數比率	23.6%	13.6%	11.3%	16.4%	17.2%	19.7%	21.0%	25.0%	21.5%	21.9%	9.8%	28.3%	21.69%	24.2%
19 呼吸器依賴病人於連續使用呼吸器≥64日期間死亡率	32.7%	28.4%	22.6%	42.5%	31.9%	26.8%	29.5%	28.3%	32.9%	29.4%	33.9%	30.4%	32.53%	30.6%
20 呼吸器依賴病人於連續使用呼吸器≥64日期間使用抗生素3日以上人數比率	69.1%	65.4%	56.5%	63.0%	64.4%	57.7%	68.6%	54.3%	59.5%	60.5%	62.5%	66.3%	56.63%	61.4%
21 呼吸器依賴病人於連續使用呼吸器≥64日期間使用抗生素7日以上人數比率	61.8%	56.8%	41.9%	56.2%	55.5%	46.5%	56.2%	47.8%	45.6%	49.6%	54.5%	62.0%	48.19%	50.8%
22 呼吸器依賴病人於第94日內脫離人數比率	11.7%	22.2%	32.3%	21.9%	20.5%	22.5%	18.9%	20.7%	14.8%	19.1%	22.3%	17.2%	27.59%	20.3%
23 呼吸器依賴病人於第124日內脫離人數比率	22.5%	27.2%	37.1%	20.5%	26.0%	28.2%	21.7%	23.9%	21.0%	23.4%	29.5%	23.7%	33.33%	27.0%
呼吸器依賴(使用≥64日)所有病人相關指標														
24 呼吸器依賴所有病人於連續使用呼吸器≥64日期間住ICU人數比率	33.3%	34.8%	31.5%	31.5%	32.9%	28.9%	33.9%	32.8%	30.3%	31.6%	31.4%	28.8%	31.53%	30.0%
25 呼吸器依賴所有病人於連續使用呼吸器≥64日期間回轉ICU人數比率	22.8%	25.5%	21.3%	21.6%	22.9%	19.1%	21.6%	21.7%	23.9%	21.7%	21.3%	20.3%	22.07%	21.4%
其他指標														
26 住ICU病人有使用呼吸器人數比率	67.4%	63.8%	64.3%	64.4%	65.0%	64.4%	63.4%	61.3%	60.8%	62.4%	63.5%	61.3%	60.39%	61.2%

註：1.每季新病人監控指標：

- (1) 每季新使用呼吸器病人追蹤至次季，依連續使用天數區分出三段期間(1~21日、22~63日、≥64日)。
- (2) 當季內有中斷超過5日以上病人重新起算。
- (3) 依各指標定義計算每段使用呼吸器期間內之分子、分母及指標值。

2.每季呼吸器依賴所有病人監控指標：

- (1) 當季使用呼吸器所有病人往前追蹤2季，找出已連續使用呼吸器≥64日之病人。
- (2) 依各指標定義計算使用呼吸器≥64日期間之分子、分母及指標值。

3.第1~21項指標統計期間為當季至次季季底；第22~23項指標統計期間為當季至次季第2個月；

第24~25項指標統計期間為當季往前2季且往後至次季第2個月；第26項指標統計期間為當季。

97Q1	97Q2	97Q3	97Q4	97年	98Q1	98Q2	98Q3	98Q4	98年	99Q1
74.98%	78.19%	78.74%	79.88%	77.9%	79.71%	79.84%	78.85%	81.14%	79.9%	78.60%
63.59%	68.09%	66.94%	68.91%	66.9%	68.94%	66.61%	67.87%	70.59%	68.5%	69.52%
5.64	5.93	5.86	6.08	5.88	6.36	5.99	5.69	5.99	6.01	6.03
25.32%	23.80%	23.46%	23.00%	23.89%	26.46%	21.77%	23.57%	21.81%	23.40%	22.88%
56.18%	59.53%	57.82%	58.32%	57.96%	53.97%	58.98%	59.94%	61.91%	58.70%	60.21%
18.50%	16.68%	18.72%	18.68%	18.14%	19.57%	19.25%	16.50%	16.28%	17.90%	16.91%
34.88%	33.08%	32.97%	35.79%	34.2%	35.55%	26.85%	31.66%	33.59%	31.9%	29.09%
26.58%	30.16%	31.70%	32.80%	30.3%	29.17%	22.68%	26.12%	27.09%	26.3%	25.46%
13.95%	16.15%	17.58%	18.60%	16.6%	18.94%	22.15%	18.15%	22.39%	20.4%	25.09%
38.87%	37.69%	34.80%	36.84%	37.1%	34.88%	38.59%	40.54%	33.20%	36.8%	38.55%
21.59%	21.92%	17.95%	21.75%	20.8%	20.93%	20.81%	20.85%	22.01%	21.1%	24.00%
41.53%	46.15%	46.15%	46.67%	45.1%	43.19%	42.95%	47.49%	39.00%	43.2%	41.09%
36.88%	31.92%	35.90%	31.58%	34.1%	35.88%	36.24%	31.66%	39.00%	35.7%	34.91%
7.31%	6.15%	6.96%	7.37%	6.9%	8.97%	8.05%	7.34%	8.11%	8.1%	7.64%
30.63%	19.28%	25.51%	30.00%	26.4%	23.15%	23.15%	28.05%	25.74%	25.0%	21.88%
6.59%	4.18%	4.70%	4.74%	5.1%	4.36%	4.32%	6.54%	3.40%	4.7%	5.43%
0.90%	0.00%	0.00%	0.00%	0.2%	0.00%	0.93%	0.00%	0.00%	0.2%	0.00%
43.24%	34.94%	38.78%	37.78%	38.7%	37.96%	39.81%	41.46%	34.65%	38.5%	28.13%
24.32%	19.28%	19.39%	26.67%	22.4%	24.07%	31.48%	25.61%	34.65%	29.0%	28.13%
56.76%	45.78%	59.18%	66.67%	57.1%	56.48%	62.96%	69.51%	64.36%	63.3%	67.71%
47.75%	37.35%	50.00%	61.11%	49.1%	47.22%	55.56%	64.63%	54.46%	55.5%	61.46%
21.93%	20.48%	20.79%	10.42%	18.4%	18.18%	18.02%	17.86%	13.86%	17.0%	
25.44%	25.30%	21.78%	15.63%	22.0%	21.82%	21.62%	23.81%	16.83%	21.0%	
29.63%	23.95%	28.07%	27.16%	27.2%	27.86%	28.36%	25.93%	24.71%	26.7%	22.50%
17.28%	16.17%	17.54%	19.75%	17.7%	18.91%	22.89%	20.11%	19.54%	20.4%	17.50%
57.02%	56.19%	54.80%	56.56%	56.1%	58.22%	57.33%	56.22%	57.69%	57.4%	56.99%