

特材代碼：FBN05SGGZZ0W

中文品名：“富沃思”金屬帶鎖髓內釘系統-股骨系統

英文品名：“FWS” metal interlocking intramedullary nail System - femoral system

許可證字號：衛部醫器陸輸字第 001473 號

產品型號：

股骨帶鎖髓內釘							單位:mm
SGG-I							
髓內釘	直徑*長度	直徑*長度	直徑*長度	直徑*長度	直徑*長度		S/K
	9.0*300	9.5*300	10.0*300	11.0*300	12.0*300		每種尺寸均有 S 和 K 規格 (S: 實心; K: 空心)
	9.0*320	9.5*320	10.0*320	11.0*320	12.0*320		
	9.0*340	9.5*340	10.0*340	11.0*340	12.0*340		
	9.0*360	9.5*360	10.0*360	11.0*360	12.0*360		
	9.0*380	9.5*380	10.0*380	11.0*380	12.0*380		
	9.0*400	9.5*400	10.0*400	11.0*400	12.0*400		
	9.0*420	9.5*420	10.0*420	11.0*420	12.0*420		
	9.0*440	9.5*440	10.0*440	11.0*440	12.0*440		
	9.0*460	9.5*460	10.0*460	11.0*460	12.0*460		
鎖釘	直徑*長度	直徑*長度	直徑*長度	直徑*長度	直徑*長度	直徑*長度	
	4.0*20	4.0*31	4.0*42	4.0*53	4.0*64	4.0*75	每種尺寸均有 S 和 K 規格 (S: 實心; K: 空心)
	4.0*21	4.0*32	4.0*43	4.0*54	4.0*65	4.0*76	
	4.0*22	4.0*33	4.0*44	4.0*55	4.0*66	4.0*77	
	4.0*23	4.0*34	4.0*45	4.0*56	4.0*67	4.0*78	
	4.0*24	4.0*35	4.0*46	4.0*57	4.0*68	4.0*79	
	4.0*25	4.0*36	4.0*47	4.0*58	4.0*69	4.0*80	
	4.0*26	4.0*37	4.0*48	4.0*59	4.0*70		
	4.0*27	4.0*38	4.0*49	4.0*60	4.0*71		
	4.0*28	4.0*39	4.0*50	4.0*61	4.0*72		
	4.0*29	4.0*40	4.0*51	4.0*62	4.0*73		
	4.0*30	4.0*41	4.0*52	4.0*63	4.0*74		
	4.5*20	4.5*31	4.5*42	4.5*53	4.5*64	4.5*75	
	4.5*21	4.5*32	4.5*43	4.5*54	4.5*65	4.5*76	
	4.5*22	4.5*33	4.5*44	4.5*55	4.5*66	4.5*77	
	4.5*23	4.5*34	4.5*45	4.5*56	4.5*67	4.5*78	
	4.5*24	4.5*35	4.5*46	4.5*57	4.5*68	4.5*79	
	4.5*25	4.5*36	4.5*47	4.5*58	4.5*69	4.5*80	
	4.5*26	4.5*37	4.5*48	4.5*59	4.5*70		
	4.5*27	4.5*38	4.5*49	4.5*60	4.5*71		
	4.5*28	4.5*39	4.5*50	4.5*61	4.5*72		
	4.5*29	4.5*40	4.5*51	4.5*62	4.5*73		
	4.5*30	4.5*41	4.5*52	4.5*63	4.5*74		
	5.0*20	5.0*31	5.0*42	5.0*53	5.0*64	5.0*75	
	5.0*21	5.0*32	5.0*43	5.0*54	5.0*65	5.0*76	
	5.0*22	5.0*33	5.0*44	5.0*55	5.0*66	5.0*77	
	5.0*23	5.0*34	5.0*45	5.0*56	5.0*67	5.0*78	

	5.0*24	5.0*35	5.0*46	5.0*57	5.0*68	5.0*79	
	5.0*25	5.0*36	5.0*47	5.0*58	5.0*69	5.0*80	
	5.0*26	5.0*37	5.0*48	5.0*59	5.0*70		
	5.0*27	5.0*38	5.0*49	5.0*60	5.0*71		
	5.0*28	5.0*39	5.0*50	5.0*61	5.0*72		
	5.0*29	5.0*40	5.0*51	5.0*62	5.0*73		
	5.0*30	5.0*41	5.0*52	5.0*63	5.0*74		
拉力釘	直徑*長度	直徑*長度	直徑*長度	直徑*長度	直徑*長度	直徑*長度	每種尺寸均有 S 和 K 規格 (S: 實心; K: 空心)
	6.5*60	6.5*65	6.5*70	6.5*75	6.5*80	6.5*85	
	6.5*90	6.5*95	6.5*100	6.5*105	6.5*110	6.5*115	
	6.5*120	6.5*125	6.5*130				
封帽	M8*8	M8*13	M8*18				

股骨帶鎖髓內釘 SGG-II							單位:mm
髓內釘	直徑*長度	直徑*長度	直徑*長度	直徑*長度	直徑*長度	直徑*長度	S/K
	9.0*200	9.5*200	10.0*200	11.0*200	12.0*200	13.0*200	每種尺寸均有 S 和 K 規格 (S: 實心; K: 空心)
	9.0*220	9.5*220	10.0*220	11.0*220	12.0*220	13.0*220	
	9.0*240	9.5*240	10.0*240	11.0*240	12.0*240	13.0*240	
	9.0*260	9.5*260	10.0*260	11.0*260	12.0*260	13.0*260	
	9.0*280	9.5*280	10.0*280	11.0*280	12.0*280	13.0*280	
	9.0*300	9.5*300	10.0*300	11.0*300	12.0*300	13.0*300	
	9.0*320	9.5*320	10.0*320	11.0*320	12.0*320	13.0*320	
	9.0*340	9.5*340	10.0*340	11.0*340	12.0*340	13.0*340	
	9.0*360	9.5*360	10.0*360	11.0*360	12.0*360	13.0*360	
	9.0*380	9.5*380	10.0*380	11.0*380	12.0*380	13.0*380	
	9.0*400	9.5*400	10.0*400	11.0*400	12.0*400	13.0*400	
	9.0*420	9.5*420	10.0*420	11.0*420	12.0*420	13.0*420	
	9.0*440	9.5*440	10.0*440	11.0*440	12.0*440	13.0*440	
	9.0*460	9.5*460	10.0*460	11.0*460	12.0*460	13.0*460	
	9.0*480	9.5*480	10.0*480	11.0*480	12.0*480	13.0*480	
鎖釘	直徑*長度	直徑*長度	直徑*長度	直徑*長度	直徑*長度	直徑*長度	
	4.0*20	4.0*31	4.0*42	4.0*53	4.0*64	4.0*75	
	4.0*21	4.0*32	4.0*43	4.0*54	4.0*65	4.0*76	
	4.0*22	4.0*33	4.0*44	4.0*55	4.0*66	4.0*77	
	4.0*23	4.0*34	4.0*45	4.0*56	4.0*67	4.0*78	
	4.0*24	4.0*35	4.0*46	4.0*57	4.0*68	4.0*79	
	4.0*25	4.0*36	4.0*47	4.0*58	4.0*69	4.0*80	
	4.0*26	4.0*37	4.0*48	4.0*59	4.0*70		
	4.0*27	4.0*38	4.0*49	4.0*60	4.0*71		
	4.0*28	4.0*39	4.0*50	4.0*61	4.0*72		
	4.0*29	4.0*40	4.0*51	4.0*62	4.0*73		
	4.0*30	4.0*41	4.0*52	4.0*63	4.0*74		
	4.5*20	4.5*31	4.5*42	4.5*53	4.5*64	4.5*75	

	4.5*21	4.5*32	4.5*43	4.5*54	4.5*65	4.5*76	
	4.5*22	4.5*33	4.5*44	4.5*55	4.5*66	4.5*77	
	4.5*23	4.5*34	4.5*45	4.5*56	4.5*67	4.5*78	
	4.5*24	4.5*35	4.5*46	4.5*57	4.5*68	4.5*79	
	4.5*25	4.5*36	4.5*47	4.5*58	4.5*69	4.5*80	
	4.5*26	4.5*37	4.5*48	4.5*59	4.5*70		
	4.5*27	4.5*38	4.5*49	4.5*60	4.5*71		
	4.5*28	4.5*39	4.5*50	4.5*61	4.5*72		
	4.5*29	4.5*40	4.5*51	4.5*62	4.5*73		
	4.5*30	4.5*41	4.5*52	4.5*63	4.5*74		
	5.0*20	5.0*31	5.0*42	5.0*53	5.0*64	5.0*75	
	5.0*21	5.0*32	5.0*43	5.0*54	5.0*65	5.0*76	
	5.0*22	5.0*33	5.0*44	5.0*55	5.0*66	5.0*77	
	5.0*23	5.0*34	5.0*45	5.0*56	5.0*67	5.0*78	
	5.0*24	5.0*35	5.0*46	5.0*57	5.0*68	5.0*79	
	5.0*25	5.0*36	5.0*47	5.0*58	5.0*69	5.0*80	
	5.0*26	5.0*37	5.0*48	5.0*59	5.0*70		
	5.0*27	5.0*38	5.0*49	5.0*60	5.0*71		
	5.0*28	5.0*39	5.0*50	5.0*61	5.0*72		
	5.0*29	5.0*40	5.0*51	5.0*62	5.0*73		
	5.0*30	5.0*41	5.0*52	5.0*63	5.0*74		
拉力釘	直徑*長度	直徑*長度	直徑*長度	直徑*長度	直徑*長度	直徑*長度	
	6.5*50	6.5*55	6.5*60	6.5*65	6.5*70	6.5*75	
	6.5*80	6.5*85	6.5*90	6.5*95	6.5*100	6.5*105	
	6.5*110	6.5*115	6.5*120				
	7.5*50	7.5*55	7.5*60	7.5*65	7.5*70	7.5*75	
	7.5*80	7.5*85	7.5*90	7.5*95	7.5*100	7.5*105	
	7.5*110	7.5*115	7.5*120				
封帽	M10*20	M10*25	M10*30				

每種尺寸均有
S和K規格
(S：實心；K：
空心)