

特材代碼：CGS0105110YC

中文品名：“樂普”親水導引器套組

英文品名：“LEPU” Brilliant Introducer Kit

許可證字號：衛部醫器陸輸字第 001628 號

產品型號規格表：

型號	管鞘直徑	管鞘長度	導引線直徑	導引線長度	血管內導入針	破皮刀	注射筒
RSC040521-HS45-IC22-K-S	4F	5 cm	0.021”	45 cm	22G	1	1
RSC040525-HS45-IC20-K-S	4F	5 cm	0.025”	45 cm	20G	1	1
RSC040721-HS45-IC22-K-S	4F	7 cm	0.021”	45 cm	22G	1	1
RSC040725-HS45-IC20-K-S	4F	7 cm	0.025”	45 cm	20G	1	1
RSC041121-HS45-IC22-K-S	4F	11 cm	0.021”	45 cm	22G	1	1
RSC041125-HS45-IC20-K-S	4F	11 cm	0.025”	45 cm	20G	1	1
RSC050521-HS45-IC22-K-S	5F	5 cm	0.021”	45 cm	22G	1	1
RSC050525-HS45-IC20-K-S	5F	5 cm	0.025”	45 cm	20G	1	1
RSC050721-HS45-IC22-K-S	5F	7 cm	0.021”	45 cm	22G	1	1
RSC050725-HS45-IC20-K-S	5F	7 cm	0.025”	45 cm	20G	1	1
RSC051121-HS45-IC22-K-S	5F	11 cm	0.021”	45 cm	22G	1	1
RSC051125-HS45-IC20-K-S	5F	11 cm	0.025”	45 cm	20G	1	1
RSC060521-HS45-IC22-K-S	6F	5 cm	0.021”	45 cm	22G	1	1
RSC060525-HS45-IC20-K-S	6F	5 cm	0.025”	45 cm	20G	1	1
RSC060721-HS45-IC22-K-S	6F	7 cm	0.021”	45 cm	22G	1	1

型號	管鞘直徑	管鞘長度	導引線直徑	導引線長度	血管內導入針	破皮刀	注射筒
RSC060725-HS45-IC20-K-S	6F	7 cm	0.025”	45 cm	20G	1	1
RSC061121-HS45-IC22-K-S	6F	11 cm	0.021”	45 cm	22G	1	1
RSC061125-HS45-IC20-K-S	6F	11 cm	0.025”	45 cm	20G	1	1
RSC070521-HS45-IC22-K-S	7F	5 cm	0.021”	45 cm	22G	1	1
RSC070525-HS45-IC20-K-S	7F	5 cm	0.025”	45 cm	20G	1	1
RSC070721-HS45-IC22-K-S	7F	7 cm	0.021”	45 cm	22G	1	1
RSC070725-HS45-IC20-K-S	7F	7 cm	0.025”	45 cm	20G	1	1
RSC071121-HS45-IC22-K-S	7F	11 cm	0.021”	45 cm	22G	1	1
RSC071125-HS45-IC20-K-S	7F	11 cm	0.025”	45 cm	20G	1	1
RSC040521-HW45-IC22-K-S	4F	5 cm	0.021”	45 cm	22G	1	1
RSC040525-HW45-IC20-K-S	4F	5 cm	0.025”	45 cm	20G	1	1
RSC040721-HW45-IC22-K-S	4F	7 cm	0.021”	45 cm	22G	1	1
RSC040725-HW45-IC20-K-S	4F	7 cm	0.025”	45 cm	20G	1	1
RSC041121-HW45-IC22-K-S	4F	11 cm	0.021”	45 cm	22G	1	1
RSC041125-HW45-IC20-K-S	4F	11 cm	0.025”	45 cm	20G	1	1
RSC050521-HW45-IC22-K-S	5F	5 cm	0.021”	45 cm	22G	1	1
RSC050525-HW45-IC20-K-S	5F	5 cm	0.025”	45 cm	20G	1	1
RSC050721-HW45-IC22-K-S	5F	7 cm	0.021”	45 cm	22G	1	1

型號	管鞘直徑	管鞘長度	導引線直徑	導引線長度	血管內導入針	破皮刀	注射筒
RSC050725-HW45-IC20-K-S	5F	7 cm	0.025”	45 cm	20G	1	1
RSC051121-HW45-IC22-K-S	5F	11 cm	0.021”	45 cm	22G	1	1
RSC051125-HW45-IC20-K-S	5F	11 cm	0.025”	45 cm	20G	1	1
RSC060521-HW45-IC22-K-S	6F	5 cm	0.021”	45 cm	22G	1	1
RSC060525-HW45-IC20-K-S	6F	5 cm	0.025”	45 cm	20G	1	1
RSC060721-HW45-IC22-K-S	6F	7 cm	0.021”	45 cm	22G	1	1
RSC060725-HW45-IC20-K-S	6F	7 cm	0.025”	45 cm	20G	1	1
RSC061121-HW45-IC22-K-S	6F	11 cm	0.021”	45 cm	22G	1	1
RSC061125-HW45-IC20-K-S	6F	11 cm	0.025”	45 cm	20G	1	1
RSC070521-HW45-IC22-K-S	7F	5 cm	0.021”	45 cm	22G	1	1
RSC070525-HW45-IC20-K-S	7F	5 cm	0.025”	45 cm	20G	1	1
RSC070721-HW45-IC22-K-S	7F	7 cm	0.021”	45 cm	22G	1	1
RSC070725-HW45-IC20-K-S	7F	7 cm	0.025”	45 cm	20G	1	1
RSC071121-HW45-IC22-K-S	7F	11 cm	0.021”	45 cm	22G	1	1
RSC071125-HW45-IC20-K-S	7F	11 cm	0.025”	45 cm	20G	1	1
RSC040521-SS45-IC22-K-S	4F	5 cm	0.021”	45 cm	22G	1	1
RSC040525-SS45-IC20-K-S	4F	5 cm	0.025”	45 cm	20G	1	1
RSC040721-SS45-IC22-K-S	4F	7 cm	0.021”	45 cm	22G	1	1

型號	管鞘直徑	管鞘長度	導引線直徑	導引線長度	血管內導入針	破皮刀	注射筒
RSC040725-SS45-IC20-K-S	4F	7 cm	0.025''	45 cm	20G	1	1
RSC041121-SS45-IC22-K-S	4F	11 cm	0.021''	45 cm	22G	1	1
RSC041125-SS45-IC20-K-S	4F	11 cm	0.025''	45 cm	20G	1	1
RSC050521-SS45-IC22-K-S	5F	5 cm	0.021''	45 cm	22G	1	1
RSC050525-SS45-IC20-K-S	5F	5 cm	0.025''	45 cm	20G	1	1
RSC050721-SS45-IC22-K-S	5F	7 cm	0.021''	45 cm	22G	1	1
RSC050725-SS45-IC20-K-S	5F	7 cm	0.025''	45 cm	20G	1	1
RSC051121-SS45-IC22-K-S	5F	11 cm	0.021''	45 cm	22G	1	1
RSC051125-SS45-IC20-K-S	5F	11 cm	0.025''	45 cm	20G	1	1
RSC060521-SS45-IC22-K-S	6F	5 cm	0.021''	45 cm	22G	1	1
RSC060525-SS45-IC20-K-S	6F	5 cm	0.025''	45 cm	20G	1	1
RSC060721-SS45-IC22-K-S	6F	7 cm	0.021''	45 cm	22G	1	1
RSC060725-SS45-IC20-K-S	6F	7 cm	0.025''	45 cm	20G	1	1
RSC061121-SS45-IC22-K-S	6F	11 cm	0.021''	45 cm	22G	1	1
RSC061125-SS45-IC20-K-S	6F	11 cm	0.025''	45 cm	20G	1	1
RSC070521-SS45-IC22-K-S	7F	5 cm	0.021''	45 cm	22G	1	1
RSC070525-SS45-IC20-K-S	7F	5 cm	0.025''	45 cm	20G	1	1
RSC070721-SS45-IC22-K-S	7F	7 cm	0.021''	45 cm	22G	1	1

型號	管鞘直徑	管鞘長度	導引線直徑	導引線長度	血管內導入針	破皮刀	注射筒
RSC070725-SS45-IC20-K-S	7F	7 cm	0.025”	45 cm	20G	1	1
RSC071121-SS45-IC22-K-S	7F	11 cm	0.021”	45 cm	22G	1	1
RSC071125-SS45-IC20-K-S	7F	11 cm	0.025”	45 cm	20G	1	1