

特材代碼：CVA01HNB02CK

中文品名：“曲克”託鏗血管攝影導管

英文品名：“Cook”TORCON NB ANGIOGRAPHIC CATHETER

許可證字號：衛署醫器輸字第 009437 號

自 1120101 刪除型號 HNB5.0-CE-100-P-4S-NIH;HNBR5.0-38-75-P-NS-CHG2.5;HNBR5.0-38-75-P-NS-CHG3;HNBR5.0-38-75-P-NS-CHG-D;HNBR5.0-38-80-P-NS-MK1A。

型號重整，自 1090901 生效

型號	外徑 (Fr.)	長度 (cm)	可接受 導線直 徑(in)	接頭	側埠	尖端型態
HNB4.1-35-100-P-6S-NEFF-031793	4.1	100	0.035	Plastic	6	NEFF-031793
HNB4.1-35-100-P-NS-AL1	4.1	100	0.035	Plastic	0	AL1
HNB4.1-35-100-P-NS-JL2	4.1	100	0.035	Plastic	0	JL2
HNB4.1-35-100-P-NS-JL3.5	4.1	100	0.035	Plastic	0	JL3.5
HNB4.1-35-100-P-NS-JR2	4.1	100	0.035	Plastic	0	JR2
HNB4.1-35-100-P-NS-JR3.5	4.1	100	0.035	Plastic	0	JR3.5
HNB4.1-35-100-P-NS-JR4	4.1	100	0.035	Plastic	0	JR4
HNB4.1-35-100-P-NS-SIM1	4.1	100	0.035	Plastic	0	SIM1
HNB4.1-35-125-P-2S-JB2	4.1	125	0.035	Plastic	2	JB2
HNB4.1-35-65-P-2S-C1	4.1	65	0.035	Plastic	2	C1
HNB4.1-35-65-P-4S-NIH	4.1	65	0.035	Plastic	4	NIH
HNB4.1-35-65-P-NS-RC1	4.1	65	0.035	Plastic	0	RC1
HNB4.1-35-80-P-NS-AR1	4.1	80	0.035	Plastic	0	AR1
HNB4.1-35-80-P-NS-C2	4.1	80	0.035	Plastic	0	C2
HNB4.1-35-80-P-NS-C3	4.1	80	0.035	Plastic	0	C3
HNB4.1-35-80-P-NS-JIM	4.1	80	0.035	Plastic	0	JIM
HNB4.1-35-80-P-NS-JL1	4.1	80	0.035	Plastic	0	JL1
HNB4.1-35-80-P-NS-JL1.5	4.1	80	0.035	Plastic	0	JL1.5
HNB4.1-35-80-P-NS-JL2	4.1	80	0.035	Plastic	0	JL2
HNB4.1-35-80-P-NS-JL2.5	4.1	80	0.035	Plastic	0	JL2.5
HNB4.1-35-80-P-NS-JL3	4.1	80	0.035	Plastic	0	JL3
HNB4.1-35-80-P-NS-JL3.5	4.1	80	0.035	Plastic	0	JL3.5
HNB4.1-35-80-P-NS-JR1	4.1	80	0.035	Plastic	0	JR1
HNB4.1-35-80-P-NS-JR1.5	4.1	80	0.035	Plastic	0	JR1.5
HNB4.1-35-80-P-NS-JR2	4.1	80	0.035	Plastic	0	JR2
HNB4.1-35-80-P-NS-JR2.5	4.1	80	0.035	Plastic	0	JR2.5
HNB4.1-35-80-P-NS-JR3	4.1	80	0.035	Plastic	0	JR3
HNB4.1-35-80-P-NS-JR3.5	4.1	80	0.035	Plastic	0	JR3.5
HNB4.1-35-80-P-NS-JR4	4.1	80	0.035	Plastic	0	JR4
HNB4.1-35-80-P-NS-NTR	4.1	80	0.035	Plastic	0	NTR
HNB4.1-35-80-P-NS-SHK1.0	4.1	80	0.035	Plastic	0	SHK1.0
HNB4.1-NT-65-P-NS-MPA	4.1	65	NT	Plastic	0	MPA
HNB5.0-35-100-P-10S-PIG	5.0	100	0.035	Plastic	10	PIG
HNB5.0-35-100-P-8S-NEFF	5.0	100	0.035	Plastic	8	NEFF

型號	外徑 (Fr.)	長度 (cm)	可接受 導線直 徑(in)	接頭	側埠	尖端型態
HNB5.0-35-100-P-NS-H1	5.0	100	0.035	Plastic	0	H1
HNB5.0-35-100-P-NS-JB2	5.0	100	0.035	Plastic	0	JB2
HNB5.0-35-100-P-NS-JR2	5.0	100	0.035	Plastic	0	JR2
HNB5.0-35-100-P-NS-JR2.5	5.0	100	0.035	Plastic	0	JR2.5
HNB5.0-35-40-P-NS-BMC	5.0	40	0.035	Plastic	0	BMC
HNB5.0-35-65-P-1S- COLAPINTO-1	5.0	65	0.035	Plastic	1	COLAPINTO- 1
HNB5.0-35-65-P-6S-RIM	5.0	65	0.035	Plastic	6	RIM
HNB5.0-35-80-P-2S-C1	5.0	80	0.035	Plastic	2	C1
HNB5.0-35-80-P-2S-C2	5.0	80	0.035	Plastic	2	C2
HNB5.0-35-80-P-2S-RIM	5.0	80	0.035	Plastic	2	RIM
HNB5.0-35-80-P-NS-MPB	5.0	80	0.035	Plastic	0	MPB
HNB5.0-38-100-P-10S-0	5.0	100	0.038	Plastic	10	0
HNB5.0-38-100-P-10S-PIG	5.0	100	0.038	Plastic	10	PIG
HNB5.0-38-100-P-2S-MPA	5.0	100	0.038	Plastic	2	MPA
HNB5.0-38-100-P-4S-NIH	5.0	100	0.038	Plastic	4	NIH
HNB5.0-38-100-P-6S-MPA	5.0	100	0.038	Plastic	6	MPA
HNB5.0-38-100-P-NS-AL1	5.0	100	0.038	Plastic	0	AL1
HNB5.0-38-100-P-NS-AL2	5.0	100	0.038	Plastic	0	AL2
HNB5.0-38-100-P-NS-AR1	5.0	100	0.038	Plastic	0	AR1
HNB5.0-38-100-P-NS-AR2	5.0	100	0.038	Plastic	0	AR2
HNB5.0-38-100-P-NS-C2	5.0	100	0.038	Plastic	0	C2
HNB5.0-38-100-P-NS-DAV	5.0	100	0.038	Plastic	0	DAV
HNB5.0-38-100-P-NS-H1	5.0	100	0.038	Plastic	0	H1
HNB5.0-38-100-P-NS-H3	5.0	100	0.038	Plastic	0	H3
HNB5.0-38-100-P-NS-HN2	5.0	100	0.038	Plastic	0	HN2
HNB5.0-38-100-P-NS-HN3	5.0	100	0.038	Plastic	0	HN3
HNB5.0-38-100-P-NS-HN4	5.0	100	0.038	Plastic	0	HN4
HNB5.0-38-100-P-NS-HN5	5.0	100	0.038	Plastic	0	HN5
HNB5.0-38-100-P-NS-JB1	5.0	100	0.038	Plastic	0	JB1
HNB5.0-38-100-P-NS-JB2	5.0	100	0.038	Plastic	0	JB2
HNB5.0-38-100-P-NS-JB3	5.0	100	0.038	Plastic	0	JB3
HNB5.0-38-100-P-NS-JIM	5.0	100	0.038	Plastic	0	JIM
HNB5.0-38-100-P-NS-JL2	5.0	100	0.038	Plastic	0	JL2
HNB5.0-38-100-P-NS-JL2.5	5.0	100	0.038	Plastic	0	JL2.5
HNB5.0-38-100-P-NS-JL3	5.0	100	0.038	Plastic	0	JL3
HNB5.0-38-100-P-NS-JL3.5	5.0	100	0.038	Plastic	0	JL3.5
HNB5.0-38-100-P-NS-JL4	5.0	100	0.038	Plastic	0	JL4
HNB5.0-38-100-P-NS-JL4.5	5.0	100	0.038	Plastic	0	JL4.5
HNB5.0-38-100-P-NS-JL5	5.0	100	0.038	Plastic	0	JL5
HNB5.0-38-100-P-NS-JR2	5.0	100	0.038	Plastic	0	JR2

型號	外徑 (Fr.)	長度 (cm)	可接受 導線直 徑(in)	接頭	側埠	尖端型態
HNB5.0-38-100-P-NS-JR3	5.0	100	0.038	Plastic	0	JR3
HNB5.0-38-100-P-NS-JR3.5	5.0	100	0.038	Plastic	0	JR3.5
HNB5.0-38-100-P-NS-JR4	5.0	100	0.038	Plastic	0	JR4
HNB5.0-38-100-P-NS-JR5	5.0	100	0.038	Plastic	0	JR5
HNB5.0-38-100-P-NS-MPA	5.0	100	0.038	Plastic	0	MPA
HNB5.0-38-100-P-NS-MPB	5.0	100	0.038	Plastic	0	MPB
HNB5.0-38-100-P-NS-SIM1	5.0	100	0.038	Plastic	0	SIM1
HNB5.0-38-100-P-NS-SIM2	5.0	100	0.038	Plastic	0	SIM2
HNB5.0-38-100-P-NS-SIM3	5.0	100	0.038	Plastic	0	SIM3
HNB5.0-38-100-P-NS-SIM4	5.0	100	0.038	Plastic	0	SIM4
HNB5.0-38-100-P-NS-SPENCER- 2-101772	5.0	100	0.038	Plastic	0	SPENCER-2- 101772
HNB5.0-38-100-P-NS-VERT	5.0	100	0.038	Plastic	0	VERT
HNB5.0-38-100-P-NS-VTK	5.0	100	0.038	Plastic	0	VTK
HNB5.0-38-100-P-NS-WNBG	5.0	100	0.038	Plastic	0	WNBG
HNB5.0-38-110-P-12S-AP2	5.0	110	0.038	Plastic	12	AP2
HNB5.0-38-110-P-12S-PED	5.0	110	0.038	Plastic	12	PED
HNB5.0-38-110-P-12S-PIG	5.0	110	0.038	Plastic	12	PIG
HNB5.0-38-110-P-6S-PIG	5.0	110	0.038	Plastic	6	PIG
HNB5.0-38-125-P-NS-JB2	5.0	125	0.038	Plastic	0	JB2
HNB5.0-38-125-P-NS-JR4	5.0	125	0.038	Plastic	0	JR4
HNB5.0-38-125-P-NS-VTK	5.0	125	0.038	Plastic	0	VTK
HNB5.0-38-40-P-NS-BMC	5.0	40	0.038	Plastic	0	BMC
HNB5.0-38-40-P-NS-KMP	5.0	40	0.038	Plastic	0	KMP
HNB5.0-38-40-P-NS-RC2	5.0	40	0.038	Plastic	0	RC2
HNB5.0-38-40-P-NS-RLG	5.0	40	0.038	Plastic	0	RLG
HNB5.0-38-65-P-1S-MK1B	5.0	65	0.038	Plastic	1	MK1B
HNB5.0-38-65-P-1S-VA-070793	5.0	65	0.038	Plastic	1	VA-070793
HNB5.0-38-65-P-2S-0	5.0	65	0.038	Plastic	2	Straight
HNB5.0-38-65-P-2S-C1	5.0	65	0.038	Plastic	2	C1
HNB5.0-38-65-P-2S-C2	5.0	65	0.038	Plastic	2	C2
HNB5.0-38-65-P-2S-C3	5.0	65	0.038	Plastic	2	C3
HNB5.0-38-65-P-2S-RC2	5.0	65	0.038	Plastic	2	RC2
HNB5.0-38-65-P-NS-C1	5.0	65	0.038	Plastic	0	C1
HNB5.0-38-65-P-NS-C2	5.0	65	0.038	Plastic	0	C2
HNB5.0-38-65-P-NS-C3	5.0	65	0.038	Plastic	0	C3
HNB5.0-38-65-P-NS-H1	5.0	65	0.038	Plastic	0	H1
HNB5.0-38-65-P-NS-MPA	5.0	65	0.038	Plastic	0	MPA
HNB5.0-38-65-P-NS-RC1	5.0	65	0.038	Plastic	0	RC1
HNB5.0-38-65-P-NS-RC2	5.0	65	0.038	Plastic	0	RC2
HNB5.0-38-65-P-NS-RDC	5.0	65	0.038	Plastic	0	RDC

型號	外徑 (Fr.)	長度 (cm)	可接受 導線直 徑(in)	接頭	側埠	尖端型態
HNB5.0-38-65-P-NS-RH	5.0	65	0.038	Plastic	0	RH
HNB5.0-38-65-P-NS-RIM	5.0	65	0.038	Plastic	0	RIM
HNB5.0-38-65-P-NS-RLG	5.0	65	0.038	Plastic	0	RLG
HNB5.0-38-65-P-NS-SHK0.8	5.0	65	0.038	Plastic	0	SHK0.8
HNB5.0-38-65-P-NS-SHK1.0	5.0	65	0.038	Plastic	0	SHK1.0
HNB5.0-38-65-P-NS-SIM2	5.0	65	0.038	Plastic	0	SIM2
HNB5.0-38-70-P-NS-SHK1.0	5.0	70	0.038	Plastic	0	SHK1.0
HNB5.0-38-75-P-2S-C1	5.0	75	0.038	Plastic	2	C1
HNB5.0-38-75-P-2S-C2	5.0	75	0.038	Plastic	2	C2
HNB5.0-38-75-P-2S-C3	5.0	75	0.038	Plastic	2	C3
HNB5.0-38-75-P-NS-C1	5.0	75	0.038	Plastic	0	C1
HNB5.0-38-75-P-NS-C2	5.0	75	0.038	Plastic	0	C2
HNB5.0-38-75-P-NS-RH	5.0	75	0.038	Plastic	0	RH
HNB5.0-38-75-P-NS-RHR	5.0	75	0.038	Plastic	0	RHR
HNB5.0-38-80-P-6S-NEFF- 042695	5.0	80	0.038	Plastic	6	NEFF-042695
HNB5.0-38-80-P-8S-NEFF	5.0	80	0.038	Plastic	8	NEFF
HNB5.0-38-80-P-NS-C1	5.0	80	0.038	Plastic	0	C1
HNB5.0-38-80-P-NS-C2	5.0	80	0.038	Plastic	0	C2
HNB5.0-38-80-P-NS-C3	5.0	80	0.038	Plastic	0	C3
HNB5.0-38-80-P-NS-EKISAI- 111984	5.0	80	0.038	Plastic	0	EKISAI- 111984
HNB5.0-38-80-P-NS-HS1	5.0	80	0.038	Plastic	0	HS1
HNB5.0-38-80-P-NS-HS2	5.0	80	0.038	Plastic	0	HS2
HNB5.0-38-80-P-NS-JL2.5	5.0	80	0.038	Plastic	0	JL2.5
HNB5.0-38-80-P-NS-JL3	5.0	80	0.038	Plastic	0	JL3
HNB5.0-38-80-P-NS-JR1.5	5.0	80	0.038	Plastic	0	JR1.5
HNB5.0-38-80-P-NS-JR2	5.0	80	0.038	Plastic	0	JR2
HNB5.0-38-80-P-NS-JR2.5	5.0	80	0.038	Plastic	0	JR2.5
HNB5.0-38-80-P-NS-JR3	5.0	80	0.038	Plastic	0	JR3
HNB5.0-38-80-P-NS-MAYO-A- 041994	5.0	80	0.038	Plastic	0	MAYO-A- 041994
HNB5.0-38-80-P-NS-MIK	5.0	80	0.038	Plastic	0	MIK
HNB5.0-38-80-P-NS-MPB	5.0	80	0.038	Plastic	0	MPB
HNB5.0-38-80-P-NS-RC1	5.0	80	0.038	Plastic	0	RC1
HNB5.0-38-80-P-NS-RC2	5.0	80	0.038	Plastic	0	RC2
HNB5.0-38-80-P-NS-RH	5.0	80	0.038	Plastic	0	RH
HNB5.0-38-80-P-NS-RIM	5.0	80	0.038	Plastic	0	RIM
HNB5.0-38-80-P-NS-RLG	5.0	80	0.038	Plastic	0	RLG
HNB5.0-38-80-P-NS-RS	5.0	80	0.038	Plastic	0	RS
HNB5.0-38-80-P-NS-SHK1.0	5.0	80	0.038	Plastic	0	SHK1.0
HNB5.0-38-80-P-NS-YASHIRO	5.0	80	0.038	Plastic	0	YASHIRO

型號	外徑 (Fr.)	長度 (cm)	可接受 導線直 徑(in)	接頭	側埠	尖端型態
HNB5.0-CE-100-P-4S-NIH	5.0	100	CE	Plastic	4	NIH
HNB5.0-NT-100-P-NS-MPA	5.0	100	NT	Plastic	0	MPA
HNB5.0-NT-65-P-NS-HET	5.0	65	NT	Plastic	0	HET
HNB5.0-NT-65-P-NS-MPA	5.0	65	NT	Plastic	0	MPA
HNB5.0-NT-80-P-NS-MPA	5.0	80	NT	Plastic	0	MPA
HNB6.0-38-100-P-NS-JL4	6.0	100	0.038	Plastic	0	JL4
HNB6.0-38-100-P-NS-JR4	6.0	100	0.038	Plastic	0	JR4
HNB6.0-38-40-P-NS-BMC	6.0	40	0.038	Plastic	0	BMC
HNB6.0-38-65-P-NS-BMC	6.0	65	0.038	Plastic	0	BMC
HNB6.0-NT-100-P-NS-JR4	6.0	100	NT	Plastic	0	JR4
HNB7.0-38-100-P-10S-MPA	7.0	100	0.038	Plastic	10	MPA
HNB7.0-38-100-P-12S-APC	7.0	100	0.038	Plastic	12	APC
HNB7.0-38-100-P-12S-PIG	7.0	100	0.038	Plastic	12	PIG
HNB7.0-38-100-P-4S-GAC	7.0	100	0.038	Plastic	4	GAC
HNB7.0-38-100-P-4S-GPC	7.0	100	0.038	Plastic	4	GPC
HNB7.0-38-100-P-4S-MONT-1	7.0	100	0.038	Plastic	4	MONT-1
HNB7.0-38-100-P-NS-JL4	7.0	100	0.038	Plastic	0	JL4
HNB7.0-38-100-P-NS-JR4	7.0	100	0.038	Plastic	0	JR4
HNB7.0-38-100-P-NS-LRH	7.0	100	0.038	Plastic	0	LRH
HNB7.0-38-100-P-NS-MPA	7.0	100	0.038	Plastic	0	MPA
HNB7.0-38-110-P-12S-AP2	7.0	110	0.038	Plastic	12	AP2
HNB7.0-38-110-P-12S-PIG	7.0	110	0.038	Plastic	12	PIG
HNB7.0-38-110-P-NS-VERT	7.0	110	0.038	Plastic	0	VERT
HNB7.0-38-35-P-NS-KMP	7.0	35	0.038	Plastic	0	KMP
HNB7.0-38-65-P-NS-VERT	7.0	65	0.038	Plastic	0	VERT
HNB7.0-38-90-P-8S-LEDOR	7.0	90	0.038	Plastic	8	LEDOR
HNB7.0-NT-100-P-NS-MPA	7.0	100	NT	Plastic	0	MPA
HNBR5.0-35-100-P-NS-C1	5.0	100	0.035	Plastic	0	C1
HNBR5.0-35-100-P-NS-C2	5.0	100	0.035	Plastic	0	C2
HNBR5.0-35-100-P-NS-DAV	5.0	100	0.035	Plastic	0	DAV
HNBR5.0-35-100-P-NS-FC3	5.0	100	0.035	Plastic	0	FC3
HNBR5.0-35-100-P-NS-H1	5.0	100	0.035	Plastic	0	H1
HNBR5.0-35-100-P-NS-HN1	5.0	100	0.035	Plastic	0	HN1
HNBR5.0-35-100-P-NS-HNK1	5.0	100	0.035	Plastic	0	HNK1
HNBR5.0-35-100-P-NS-JB1	5.0	100	0.035	Plastic	0	JB1
HNBR5.0-35-100-P-NS-JB2	5.0	100	0.035	Plastic	0	JB2
HNBR5.0-35-100-P-NS-MAN	5.0	100	0.035	Plastic	0	MAN
HNBR5.0-35-100-P-NS-MIK	5.0	100	0.035	Plastic	0	MIK
HNBR5.0-35-100-P-NS-MPA	5.0	100	0.035	Plastic	0	MPA
HNBR5.0-35-100-P-NS-SIM1	5.0	100	0.035	Plastic	0	SIM1

型號	外徑 (Fr.)	長度 (cm)	可接受 導線直 徑(in)	接頭	側埠	尖端型態
HNBR5.0-35-100-P-NS-SIM2	5.0	100	0.035	Plastic	0	SIM2
HNBR5.0-35-100-P-NS-SIM3	5.0	100	0.035	Plastic	0	SIM3
HNBR5.0-35-100-P-NS-VERT	5.0	100	0.035	Plastic	0	VERT
HNBR5.0-35-125-P-NS-C2	5.0	125	0.035	Plastic	0	C2
HNBR5.0-35-125-P-NS-DAV	5.0	125	0.035	Plastic	0	DAV
HNBR5.0-35-125-P-NS-H1	5.0	125	0.035	Plastic	0	H1
HNBR5.0-35-125-P-NS-SIM2	5.0	125	0.035	Plastic	0	SIM2
HNBR5.0-35-125-P-NS- VANSCHIE1	5.0	125	0.035	Plastic	0	VANSCHIE1
HNBR5.0-35-125-P-NS- VANSCHIE2	5.0	125	0.035	Plastic	0	VANSCHIE2
HNBR5.0-35-125-P-NS- VANSCHIE3	5.0	125	0.035	Plastic	0	VANSCHIE3
HNBR5.0-35-125-P-NS- VANSCHIE4	5.0	125	0.035	Plastic	0	VANSCHIE4
HNBR5.0-35-40-P-NS-KMP	5.0	40	0.035	Plastic	0	KMP
HNBR5.0-35-40-P-NS- VANSCHIE1	5.0	40	0.035	Plastic	0	VANSCHIE1
HNBR5.0-35-40-P-NS- VANSCHIE2	5.0	40	0.035	Plastic	0	VANSCHIE2
HNBR5.0-35-40-P-NS- VANSCHIE3	5.0	40	0.035	Plastic	0	VANSCHIE3
HNBR5.0-35-65-P-NS-C1	5.0	65	0.035	Plastic	0	C1
HNBR5.0-35-65-P-NS-C2	5.0	65	0.035	Plastic	0	C2
HNBR5.0-35-65-P-NS-C3	5.0	65	0.035	Plastic	0	C3
HNBR5.0-35-65-P-NS-DAV	5.0	65	0.035	Plastic	0	DAV
HNBR5.0-35-65-P-NS-KMP	5.0	65	0.035	Plastic	0	KMP
HNBR5.0-35-65-P-NS-LEV1	5.0	65	0.035	Plastic	0	LEV1
HNBR5.0-35-65-P-NS-RC1	5.0	65	0.035	Plastic	0	RC1
HNBR5.0-35-65-P-NS-RC2	5.0	65	0.035	Plastic	0	RC2
HNBR5.0-35-65-P-NS-RDC	5.0	65	0.035	Plastic	0	RDC
HNBR5.0-35-65-P-NS-RIM	5.0	65	0.035	Plastic	0	RIM
HNBR5.0-35-65-P-NS-RLG	5.0	65	0.035	Plastic	0	RLG
HNBR5.0-35-65-P-NS-SIM1	5.0	65	0.035	Plastic	0	SIM1
HNBR5.0-35-65-P-NS-SIM2	5.0	65	0.035	Plastic	0	SIM2
HNBR5.0-35-65-P-NS- VANSCHIE1	5.0	65	0.035	Plastic	0	VANSCHIE1
HNBR5.0-35-65-P-NS- VANSCHIE2	5.0	65	0.035	Plastic	0	VANSCHIE2
HNBR5.0-35-65-P-NS- VANSCHIE3	5.0	65	0.035	Plastic	0	VANSCHIE3
HNBR5.0-35-65-P-NS- VANSCHIE4	5.0	65	0.035	Plastic	0	VANSCHIE4

型號	外徑 (Fr.)	長度 (cm)	可接受 導線直 徑(in)	接頭	側埠	尖端型態
HNBR5.0-35-65-P-NS-VANSCHIE5	5.0	65	0.035	Plastic	0	VANSCHIE5
HNBR5.0-35-70-P-NS-DAV	5.0	70	0.035	Plastic	0	DAV
HNBR5.0-35-80-P-NS-C1	5.0	80	0.035	Plastic	0	C1
HNBR5.0-35-80-P-NS-C2	5.0	80	0.035	Plastic	0	C2
HNBR5.0-35-80-P-NS-CHG4	5.0	80	0.035	Plastic	0	CHG4
HNBR5.0-35-80-P-NS-MPA	5.0	80	0.035	Plastic	0	MPA
HNBR5.0-35-80-P-NS-RDC	5.0	80	0.035	Plastic	0	RDC
HNBR5.0-35-80-P-NS-RIM	5.0	80	0.035	Plastic	0	RIM
HNBR5.0-35-90-P-NS-RUC	5.0	90	0.035	Plastic	0	RUC
HNBR5.0-38-100-P-NS-C2	5.0	100	0.038	Plastic	0	C2
HNBR5.0-38-100-P-NS-DAV	5.0	100	0.038	Plastic	0	DAV
HNBR5.0-38-100-P-NS-HN4	5.0	100	0.038	Plastic	0	HN4
HNBR5.0-38-100-P-NS-HN5	5.0	100	0.038	Plastic	0	HN5
HNBR5.0-38-100-P-NS-JB1	5.0	100	0.038	Plastic	0	JB1
HNBR5.0-38-100-P-NS-JB2	5.0	100	0.038	Plastic	0	JB2
HNBR5.0-38-100-P-NS-JB3	5.0	100	0.038	Plastic	0	JB3
HNBR5.0-38-100-P-NS-JIM	5.0	100	0.038	Plastic	0	JIM
HNBR5.0-38-100-P-NS-KMP	5.0	100	0.038	Plastic	0	KMP
HNBR5.0-38-100-P-NS-MAN	5.0	100	0.038	Plastic	0	MAN
HNBR5.0-38-100-P-NS-MPA	5.0	100	0.038	Plastic	0	MPA
HNBR5.0-38-100-P-NS-RIM	5.0	100	0.038	Plastic	0	RIM
HNBR5.0-38-100-P-NS-SHETTY-050181	5.0	100	0.038	Plastic	0	SHETTY-050181
HNBR5.0-38-100-P-NS-SIM1	5.0	100	0.038	Plastic	0	SIM1
HNBR5.0-38-100-P-NS-SIM2	5.0	100	0.038	Plastic	0	SIM2
HNBR5.0-38-100-P-NS-SIM3	5.0	100	0.038	Plastic	0	SIM3
HNBR5.0-38-100-P-NS-TEGT	5.0	100	0.038	Plastic	0	TEGT
HNBR5.0-38-100-P-NS-VERT	5.0	100	0.038	Plastic	0	VERT
HNBR5.0-38-100-P-NS-VTK	5.0	100	0.038	Plastic	0	VTK
HNBR5.0-38-100-P-NS-WNBG	5.0	100	0.038	Plastic	0	WNBG
HNBR5.0-38-110-P-NS-VERT	5.0	110	0.038	Plastic	0	VERT
HNBR5.0-38-125-P-NS-H1	5.0	125	0.038	Plastic	0	H1
HNBR5.0-38-125-P-NS-HN5	5.0	125	0.038	Plastic	0	HN5
HNBR5.0-38-125-P-NS-JB1	5.0	125	0.038	Plastic	0	JB1
HNBR5.0-38-125-P-NS-MPA	5.0	125	0.038	Plastic	0	MPA
HNBR5.0-38-125-P-NS-SIM1	5.0	125	0.038	Plastic	0	SIM1
HNBR5.0-38-125-P-NS-SIM2	5.0	125	0.038	Plastic	0	SIM2
HNBR5.0-38-125-P-NS-VERT	5.0	125	0.038	Plastic	0	VERT
HNBR5.0-38-125-P-NS-VTK	5.0	125	0.038	Plastic	0	VTK
HNBR5.0-38-40-P-NS-KMP	5.0	40	0.038	Plastic	0	KMP

型號	外徑 (Fr.)	長度 (cm)	可接受 導線直 徑(in)	接頭	側埠	尖端型態
HNBR5.0-38-65-P-NS-C1	5.0	65	0.038	Plastic	0	C1
HNBR5.0-38-65-P-NS-C2	5.0	65	0.038	Plastic	0	C2
HNBR5.0-38-65-P-NS-C3	5.0	65	0.038	Plastic	0	C3
HNBR5.0-38-65-P-NS-DAV	5.0	65	0.038	Plastic	0	DAV
HNBR5.0-38-65-P-NS-FINCK-101979	5.0	65	0.038	Plastic	0	FINCK-101979
HNBR5.0-38-65-P-NS-H1	5.0	65	0.038	Plastic	0	H1
HNBR5.0-38-65-P-NS-JB1	5.0	65	0.038	Plastic	0	JB1
HNBR5.0-38-65-P-NS-KMP	5.0	65	0.038	Plastic	0	KMP
HNBR5.0-38-65-P-NS-LEV1	5.0	65	0.038	Plastic	0	LEV1
HNBR5.0-38-65-P-NS-MPA	5.0	65	0.038	Plastic	0	MPA
HNBR5.0-38-65-P-NS-RC1	5.0	65	0.038	Plastic	0	RC1
HNBR5.0-38-65-P-NS-RC2	5.0	65	0.038	Plastic	0	RC2
HNBR5.0-38-65-P-NS-RDC	5.0	65	0.038	Plastic	0	RDC
HNBR5.0-38-65-P-NS-RIM	5.0	65	0.038	Plastic	0	RIM
HNBR5.0-38-65-P-NS-SHK1.0	5.0	65	0.038	Plastic	0	SHK1.0
HNBR5.0-38-65-P-NS-SIM1	5.0	65	0.038	Plastic	0	SIM1
HNBR5.0-38-65-P-NS-SIM2	5.0	65	0.038	Plastic	0	SIM2
HNBR5.0-38-65-P-NS-SIM3	5.0	65	0.038	Plastic	0	SIM3
HNBR5.0-38-65-P-NS-TEGT	5.0	65	0.038	Plastic	0	TEGT
HNBR5.0-38-65-P-NS-VS1	5.0	65	0.038	Plastic	0	VS1
HNBR5.0-38-65-P-NS-VS2	5.0	65	0.038	Plastic	0	VS2
HNBR5.0-38-75-P-NS-CHG2.5	5.0	75	0.038	Plastic	0	CHG2.5
HNBR5.0-38-75-P-NS-CHG3	5.0	75	0.038	Plastic	0	CHG3
HNBR5.0-38-75-P-NS-CHG-D	5.0	75	0.038	Plastic	0	CHG-D
HNBR5.0-38-80-P-NS-C1	5.0	80	0.038	Plastic	0	C1
HNBR5.0-38-80-P-NS-C2	5.0	80	0.038	Plastic	0	C2
HNBR5.0-38-80-P-NS-CHG2.5	5.0	80	0.038	Plastic	0	CHG2.5
HNBR5.0-38-80-P-NS-CHG3	5.0	80	0.038	Plastic	0	CHG3
HNBR5.0-38-80-P-NS-MIK	5.0	80	0.038	Plastic	0	MIK
HNBR5.0-38-80-P-NS-MK1A	5.0	80	0.038	Plastic	0	MK1A
HNBR5.0-38-80-P-NS-MPA	5.0	80	0.038	Plastic	0	MPA
HNBR5.0-38-80-P-NS-MPB	5.0	80	0.038	Plastic	0	MPB
HNBR5.0-38-80-P-NS-RC1	5.0	80	0.038	Plastic	0	RC1
HNBR5.0-38-80-P-NS-RC2	5.0	80	0.038	Plastic	0	RC2
HNBR5.0-38-80-P-NS-RDC	5.0	80	0.038	Plastic	0	RDC
HNBR5.0-38-80-P-NS-RH	5.0	80	0.038	Plastic	0	RH
HNBR5.0-38-80-P-NS-SIM2	5.0	80	0.038	Plastic	0	SIM2
HNBR5.0-38-80-P-NS-VS	5.0	80	0.038	Plastic	0	VS
HNBR5.0-38-80-P-NS-VS1	5.0	80	0.038	Plastic	0	VS1
HNBR5.0-38-80-P-NS-VS2	5.0	80	0.038	Plastic	0	VS2
HNBR5.0-38-80-P-NS-VS3	5.0	80	0.038	Plastic	0	VS3

型號	外徑 (Fr.)	長度 (cm)	可接受 導線直 徑(in)	接頭	側埠	尖端型態
HNBR6.0-38-40-P-NS-KMP	6.0	40	0.038	Plastic	0	KMP
HNBR6.0-38-65-P-NS-0	6.0	65	0.038	Plastic	0	Straight
HNBR6.0-38-65-P-NS-KMP	6.0	65	0.038	Plastic	0	KMP
HNB5.0-38-75-P-NS-CHG-B	5.0	75	0.038	Plastic	0	CHG-B
HNB5.0-38-80-P-NS-CHG-C	5.0	75	0.038	Plastic	0	CHG-C

特材代碼：CVA01HNB02CK

中文品名：“曲克”託鏗血管攝影導管

英文品名：“COOK”TORCON NB ANGIOGRAPHIC CATHETER

許可證字號：衛署醫器輸字第009437號

109年8月31日以前收載之歷史資料

型號
<p>【HNB4.1-35;38-50:125-XX-XX-XX;HNB4.1:6.0-35;38-70:110-XX-XX;HNB-6.0:7.0-38-XXX-M-XX-XXX;HNB7-38-XXX-M-XX-XXX;HNBR4.1-35;38-50:125-XX-XX-XX;(HNBR4.1-NT-50:125-M/P/JST-NS;/1S/2S/4S/12S-H1/JB1/JB2/SIM1;/SIM2自961001生效);HNBR5.0-35;38-50:125-XX-XX-XX;(HNBR4.1-NT-50:125-M/P/LST-NS;/1S/2S/4S/6S/8S/10S/12S-RC1/C1;/RIM/RH/RLG自961001生效);HNBR4.1;5.0-35;38-70:110-XX-XX;HNBR4.1-NT/35/38-40-P/M/JST-NS;/1S/2S/4S/6S/8S/10S-KMP(HNB4.1;HNB5.0-NT/35/38-40-P/M/JST-NS;/1S/2S/4S/6S/8S/10S-KMP);HNBR5.0-NT/35/38-40-P/M/JST-NS;/1S/2S/4S/6S/8S/10S-KMP自1050501生效】</p> <p>HNB5.0;6.0-35;38-50:125-XX-XX;</p> <p>【HNB5.0-35-65(100)-M-NS-CHG6(C1);HNB5.0-35-80-P-2S(NS)-C1;C2(MIK);HNB5.0-35-100-P-NS(6S)-H1;JB2;JR2.5;MPA(PED);HNB5.0-35(38)-125(80)-P-NS(8S)-SIM2(NEFF);HNB5.0-38-65-P-NS(2S)-C1;MPA;PATEL;RC1;RDC;RIM;SIM2(0);HNB5.0(6.0)-38-65-M(P)-NS-RC1;RIM(MIK;RC1;RH);HNB5.0-38-75-P-NS(2S)-RHR(C3);HNB5.0-38-80-P(M)-NS-C1;C3;HS1;MIK;RC1;RDP;RH;RIM;RLG;SHK1.0;YASHIRO(RC1;RC2);HNB5.0-38-100-P(M)-2S-JB2;MPA(FA1);HNB5.0-38-100-P-4S(6S)-NIH(MPA);HNB5.0-38-100-P-NS-AL1;AL2;AR1;AR2;DAV;H1;HN2;HN4;JB1;JB2;JIM;JL2.0;JL5.0;JR2.0;JR5.0;MPA;MPB;RC1;SIM1;SIM4;VERT;HNB5.0-38-110-P-NS(12S)-JB2;JL3.5(AP2;PED;PIG);HNB5.0-38-120-P-NS-JB2;HNB5.0-38-125-P(M)-NS-HN2;JB2;JR4;SIM2;VTK(JB1); HNB6.0-38-100-P-NS-AL1;AL2;AR1;AR2;H1;JA1;JA3;JIM;JL3.5;JL5.0;JR3.5;JR4.0;MPA;SIM3;HNB6.0-38-100-P-2S-FA1;FA2;MPA;HNB6.0-38-110-P-NS(4S)-JR4(GPC);HNB6.0-38-110-8S(12S)-MPA(PIG);HNB6.0-NT-100-P-2S-GL自1050901生效】</p> <p>【HNB5.0-38-75-P-NS-CHG D;HNB5.0-38-125-P-NS-H1自1060101生效】</p>