

特材代碼：CMV02KSAW3CK

中文品名："曲克"服來瑟引導導管

英文品名："COOK" Flexor Introducer/ Flexor guiding sheath

許可證字號：衛署醫器輸字第 016620 號

產品型號：

自 112 年 5 月 1 日生效，重整產品型號如下：

型號	Fr	鞘管長度 (cm)	鞘管內徑	
Flexor Tuohy-Borst Side-Arm Introducer Shuttle-SL				
KSAW-4.0-18/35-110-RB-SHTL-HC	4	110	0.0595in/1.51mm	

註：可使用的導引線尺寸 0.018" /0.035"

型號	導入器	鞘長度 (cm)	可接受導 線直徑 (inch)
	(Fr)		
Flexor, Tuohy-Borst Side-Arm Introducer Shuttle,- SL			
KSAW-5.0-18/38-90-RB-SHTL-HC	5	90	.018/.038
KSAW-6.0-38-90-RB-SHTL-HC	6	90	0.038
KSAW-7.0-38-80-RB-SHTL-HC	7	80	0.038
KSAW-7.0-38-90-RB-SHTL-HC	7	90	0.038
KSAW-8.0-38-80-RB-SHTL-HC	8	80	0.038
KSAW-8.0-38-90-RB-SHTL-HC	8	90	0.038
KSAW-4.0-18/35-90-RB-SHTL-HC	4	90	.018/.035
KSAW-5.0-18/38-110-RB-SHTL-HC	5	110	.018/.038
Flexor, Shuttle - SL Introducer with Tuohy-Borst Sidearm			
KSAW-6.0-38-80-RB-SHTL-HC	6	80	0.038
Flexor, Tuohy-Borst Side-Arm Introducer Ansel Modification			
KSAW-5.0-18/38-55-RB-ANL1-HC	5	55	.018/.038
KSAW-5.0-18/38-55-RB-ANL2-HC	5	55	.018/.038
KSAW-6.0-18/38-55-RB-ANL1-HC	6	55	.018/.038
KSAW-6.0-18/38-55-RB-ANL2-HC	6	55	.018/.038
KSAW-7.0-18/38-55-RB-ANL1-HC	7	55	.018/.038
KSAW-7.0-18/38-55-RB-ANL2-HC	7	55	.018/.038
Flexor, Up & Over, Balkin Contralateral Introducer Set			
KSAW-6.0-38-45-RB-BLKN-SI	6	45	0.038
Flexor, Check-Flo, Introducer Set			
KCFW-5.0-38-30-RB	5	30	0.038
KCFW-6.0-38-30-RB	6	30	0.038
KCFW-7.0-38-30-RB	7	30	0.038
KCFW-8.0-38-30-RB	8	30	0.038

Flexor, Check-Flo, Introducer Raabe Modification			
KCFW-5.0-38-55-RB-RAABE	5	55	0.038
KCFW-6.0-38-55-RB-RAABE	6	55	0.038
KCFW-7.0-38-70-RB-RAABE	7	70	0.038
KCFW-8.0-38-70-RB-RAABE	8	70	0.038
KCFW-9.0-38-70-RB-RAABE	9	70	0.038
Flexor, Check-Flo, Introducer Balkin Up & Over, Contralateral Design			
KCFW-6.0-38-40-RB-BLKN-HC	6	40	0.038
KCFW-7.0-38-40-RB-BLKN-HC	7	40	0.038
KCFW-8.0-38-40-RB-BLKN-HC	8	40	0.038
Flexor, Check-Flo, Introducer Ansel Modification			
KCFW-4.0-18/35-45-RB-ANL0-HC	4	45	.018/.035
KCFW-5.0-18/38-45-RB-ANL1-HC	5	45	.018/.038
KCFW-5.0-18/38-45-RB-ANL2-HC	5	45	.018/.038
KCFW-6.0-18/38-45-RB-ANL0-HC	6	45	.018/.038
KCFW-6.0-18/38-45-RB-ANL1-HC	6	45	.018/.038
KCFW-6.0-18/38-45-RB-ANL2-HC	6	45	.018/.038
KCFW-7.0-18/38-45-RB-ANL0-HC	7	45	.018/.038
KCFW-7.0-18/38-45-RB-ANL1-HC	7	45	.018/.038
KCFW-7.0-18/38-45-RB-ANL2-HC	7	45	.018/.038
KCFW-8.0-18/38-45-RB-ANL0-HC	8	45	.018/.038
KCFW-8.0-18/38-45-RB-ANL1-HC	8	45	.018/.038
KCFW-9.0-18/38-45-RB-ANL0-HC	9	45	.018/.038
KCFW-9.0-18/38-45-RB-ANL1-HC	9	45	.018/.038
Flexor, Ansel Guiding Sheath			
KCFW-5.0-18/38-45-RB-ANL0-HC	5	45	.018/.038
Flexor, Check-Flo, Introducer Ansel Modification - with High-Flex Dilator and Hydrophilic Coating			
KCFW-6.0-35-55-RB-HFANL0-HC	6	55	0.035
Flexor, Check-Flo, Introducer Ansel 1 Modification - with High-Flex Dilator and Hydrophilic Coating			
KCFW-6.0-35-55-RB-HFANL1-HC	6	55	0.035
KCFW-6.0-35-70-RB-HFANL1-HC	6	70	0.035
KCFW-7.0-35-70-RB-HFANL1-HC	7	70	0.035
KCFW-8.0-35-70-RB-HFANL1-HC	8	70	0.035
Flexor® Check-Flo® Introducer Set			
KCFW-7.0-38-45-RB	7	45	0.038
KCFW-8.0-38-45-RB	8	45	0.038
KCFW-10.0-38-40-RB	10	40	0.038
KCFW-12.0-38-40-RB	12	40	0.038
KCFW-12.0-38-80-RB	12	80	0.038
Flexor® Check-Flo® Introducer Ansel 1 Modification - with High-Flex Dilator and Hydrophilic Coating			

KCFW-10.0-35-45-RB-HFANL1-HC	10	45	0.035
KCFW-12.0-35-45-RB-HFANL1-HC	12	45	0.035
KCFW-7.0-35-55-RB-HFANL1-HC	7	55	0.035
KCFW-8.0-35-55-RB-HFANL1-HC	8	55	0.035
Flexor® Check-Flo® Introducer Raabe Modification			
KCFW-4.0-35-55-RB-RAABE	4	55	0.035
KCFW-9.0-38-55-RB-RAABE	9	55	0.038

特材代碼：CMV02KSAW3CK

中文品名："曲克"服來瑟引導導管

英文品名："COOK" Flexor Introducer/ Flexor guiding sheath

許可證字號：衛署醫器輸字第 016620 號

原始型號：如圖檔

本圖檔型號為 112 年 4 月 30 日前收載之歷史資料

"COOK" Flexor guiding catheters



Use for contralateral access to the iliac artery for interventional procedures after initial wire guide positioning has been established, or used to introduce balloon, closed and non-tapered end catheters and other devices for intervention.

It can also used for embolization therapy for tumor patient or therapy for carid malformation.

Product code	Introducer (French)	Guide wire (Inch.)	Sheath length (cm)
特材代碼: CMV02KSAW3CK KSAW-6.0-38-80-RB-SHTL	6.0	0.038	80
KSAW-7.0-38-80-RB-SHTL	7.0	0.038	80
KSAW-7.0-38-90-RB-SHTL	7.0	0.038	90
KSAW-8.0-38-90-RB-SHTL	8.0	0.038	90
KSAW-6.0-38-110-RB-SHTL-HC	6.0	0.038	110
KSAW-7.0-38-110-RB-SHTL-HC	7.0	0.038	110
KSAW-8.0-38-100-RB-SHTL-HC	8.0	0.038	100
擴增 型號 KSAW-4.0-18/35-90-RB-SHTL-HC	4.0	0.018/0.035	90
KSAW-5.0-18/35-90-RB-SHTL-HC	5.0	0.018/0.035	90
KSAW-5.0-18/35-110-RB-SHTL-HC	5.0	0.018/0.035	110
KSAW-5.0-18/38-110-RB-SHTL-HC	5.0	0.018/0.038	110
KSAW-5.0-38-90-RB-SHTL-FLEX-HC	5.0	0.038	90
KSAW-5.0-18/38-55-ANL1-HC	5.0	0.018/0.038	55
KSAW-5.0-18/38-55-ANL2-HC	5.0	0.018/0.038	55
KSAW-5.0-18/38-55-ANL3-HC	5.0	0.018/0.038	55
KSAW-6.0-18/38-55-ANL1-HC	6.0	0.018/0.038	55
KSAW-6.0-18/38-55-ANL2-HC	6.0	0.018/0.038	55
KSAW-6.0-18/38-55-ANL3-HC	6.0	0.018/0.038	55
KSAW-7.0-18/38-55-ANL1-HC	7.0	0.018/0.038	55
KSAW-7.0-18/38-55-ANL2-HC	7.0	0.018/0.038	55
KSAW-7.0-18/38-55-ANL3-HC	7.0	0.018/0.038	55
KSAW-8.0-18/38-55-ANL1-HC	8.0	0.018/0.038	55
KSAW-8.0-18/38-55-ANL2-HC	8.0	0.018/0.038	55
KSAW-8.0-18/38-55-ANL3-HC	8.0	0.018/0.038	55
KSAW-5.0-18/38-90-ANL1-HC	5.0	0.018/0.038	90
KSAW-5.0-18/38-90-ANL2-HC	5.0	0.018/0.038	90
KSAW-5.0-18/38-90-ANL3-HC	5.0	0.018/0.038	90
KSAW-6.0-18/38-90-ANL1-HC	6.0	0.018/0.038	90
KSAW-6.0-18/38-90-ANL2-HC	6.0	0.018/0.038	90
KSAW-6.0-18/38-90-ANL3-HC	6.0	0.018/0.038	90
KSAW-7.0-18/38-90-ANL1-HC	7.0	0.018/0.038	90
KSAW-7.0-18/38-90-ANL2-HC	7.0	0.018/0.038	90
KSAW-7.0-18/38-90-ANL3-HC	7.0	0.018/0.038	90
KSAW-8.0-18/38-90-ANL1-HC	8.0	0.018/0.038	90
KSAW-8.0-18/38-90-ANL2-HC	8.0	0.018/0.038	90
KSAW-8.0-18/38-90-ANL3-HC	8.0	0.018/0.038	90
KSAW-5.0-18/38-110-ANL1-HC	5.0	0.018/0.038	110
KSAW-5.0-18/38-110-ANL2-HC	5.0	0.018/0.038	110
KSAW-5.0-18/38-110-ANL3-HC	5.0	0.018/0.038	110
KSAW-6.0-18/38-110-ANL1-HC	6.0	0.018/0.038	110

本圖檔型號為 106 年 8 月 31 日以前收載之歷史資料。

特材代碼	CMV02KSAW3CK
型號	<p>KSAW-5.0-18/38-55-RB-ANL1-HC; ;KSAW-8.0-38-90-RB-SHTL-HC; (KSAW-5.0-18/35;38-110-RB-;SHTL-HC 自 991001 生效)(自 105 年 5 月 1 日型號整併為 (KSAW-5.0-18/38-110-RB-SHTL-HC)(KCFW-5.0;7.0;8.0;9.0;10.0-38-RB)(KCFW-6.0;7.0-35-RB)(KCFW-5.0;9.0-38-30-RB)(KCFW-6.0-35(38)-30;45(55;60;90)-RB)(KCFW-7.0-35(38)-30(55;70)-RB)(KCFW-10.0-38-30;80-RB)(KCFW-5.5;6.0;7.0-35;38-40-RB-BLKN)(KCFW-7.0-35-80-RB-BLKN)(KCFW-8.0;10.0;12.0-38-40-RB-BLKN)(KCFW-5.5;8.0-38-40-RB-BLKN-HC)(KCFW-6.0;7.0-35;38-40-RB-BLKN-HC)(KCFW-5.0;6.0-38-55;70-RB-RAABE)(KCFW-7.0;8.0;9.0(5.0)-38-70(90)-RB-RAABE)(KCFW-4.0-18/35-45;90;110-RB-ANL0-HC)(KCFW-5.0;6.0;7.0-18/38-45-RB-ANL0;ANL1;ANL2;ANL3-HC)(KCFW-5.0-18/38-90;110-RB-ANL0-HC)(KCFW-6.0-18/38-90-RB-ANL1;ANL2-HC)(KCFW-8.0;9.0-18/38-45-RB-ANL0;ANL1-HC)(KSAW-5.0;6.0;7.0-18/38-55-RB-ANL1;ANL2;ANL3-HC)(KSAW-5.0-18/38-90-RB-SHTL(-HC 選配))(KSAW-6.0-18/38-90-RB-ANL1-HC)(KSAW-6.0;7.0;8.0-38-45-RB-BLKN-SI)(KSAW-6.0;7.0;8.0-38-80;90-RB-SHTL-HC)(<u>KSAW</u>-6.0-38-90-RB-SHTL-FLEX-HC)(KSAW-6.0-38-90-RB-SI))</p>